


DEER RESISTANT PLANTS

Recommended for New Hanover County Landscapes

New Hanover County Cooperative Extension

Urban Horticulture Fact Sheet 15



Deer can wreak havoc on a landscape in a matter of just a few nights. There are many options to reduce the risk of deer damage in landscapes, such as applying repellents on a regular basis and restricting access through the use of fencing. One of the easiest ways to reduce deer damage in your yard is

to landscape with plants deer prefer not to eat. This fact sheet is intended to serve as a guide for choosing landscape plants resistant to deer feeding in southeastern North Carolina. Since a starving deer will eat anything to stay alive, no plant is guaranteed!

Deer Feeding Preferences

The plants deer prefer to eat vary from region to region and can even change seasonally. In the lists on the following pages, deer feeding preferences are classified as follows:

Frequently Damaged

Plants that are deer favorites. These are the first plants deer will seek out to feed on.

Occasionally Damaged

These are the plants deer will turn to once their favorites are depleted.

Seldom Damaged

Plant that deer will rarely eat unless there are no other options. Plants that are in **bold print** are extremely resistant to deer feeding.

Using a combination of a variety of methods to deter deer will give the most dependable results. To find out more about other strategies to minimize deer damage in your landscape, visit the online publications listed in the **Learn More** section at the end of this fact sheet.


Tips on Deer and Plants

- **No plant is deer proof!** When hungry, deer will eat anything to survive. During stressful times such as drought, plants that are usually avoided may be damaged.
- Deer will eat almost **anything in spring**, as tender new growth emerges from plants. Deer prefer vegetation that is soft to the touch and high in water content. They especially relish **flower buds**.
- **Over fertilized** and **over watered** plants are particularly lush and appealing to deer.
- **Deer resistant does not mean deer proof!** These are plants deer prefer not to eat. Common characteristics of plants that deer prefer not to eat include:
 - ⇒ Plants with thorny or prickly leaves or stems
 - ⇒ Plants with strong scents and pungent tastes, such as herbs
 - ⇒ Plants that are poisonous or produce thick, latex-like sap
 - ⇒ Plants with hairy leaves

Table of Contents

Trees	2
Evergreen Shrubs	3
Palms	3
Deciduous Shrubs	4
Ornamental Grasses	4
Groundcovers	5
Ferns	5
Vines	5
Perennials	6
Bulbs	7
Annuals	7

LANDSCAPE TREES



Deer injure trees in two ways: By eating foliage and twigs, and by rubbing against the bark with their antlers, which is especially damaging to young trees or

those with thin bark. Wire cylinders and other protective devices are available to protect the trunks of young trees from this type of damage.

The shape and mature size of a tree will greatly determine its susceptibility to grazing damage. Damage is most common on trees that are either young and still small enough to reach, those that are low branched, or those that do not grow very large. In deer prone landscapes, trees that grow tall and hold their branches high are the best choice, though they may need to be protected until they are tall enough to be out of a deer's reach. Trees can be protected individually with wire cages, or planted in an area of the landscape that is fenced off.

* = Plants native to the Southeastern USA

Bold plants are particularly resistant to deer feeding

Frequently Damaged	
Common Name	Scientific Name
Redbud*	<i>Cercis canadensis</i>
Atlantic White Cedar*	<i>Chamaecyparis thyoides</i>
Fringe Tree, Old Man's Beard*	<i>Chionanthus virginicus</i>
Crabapples	<i>Malus</i> species
Cherries and Plums	<i>Prunus</i> species
Pears	<i>Pyrus</i> species

Occasionally Damaged	
Common Name	Scientific Name
Japanese Maple	<i>Acer palmatum</i>
Red Maple*	<i>Acer rubrum</i>
Serviceberry*	<i>Amelanchier</i> species
Dogwood*	<i>Cornus florida</i>
Kousa Dogwood	<i>Cornus kousa</i>
Witch Hazel	<i>Hamamelis</i> species
'Foster's' Holly* 'Savannah' Holly* 'East Palatka' Holly*	<i>Ilex</i> x <i>attenuata</i> hybrids
'Nellie Stevens' Holly	<i>Ilex</i> x 'Nellie Stevens'
Goldenrain Tree	<i>Koelreuteria paniculata</i>
Saucer Magnolia	<i>Magnolia soulangiana</i>
Dawn Redwood	<i>Metasequoia glyptostroboides</i>
Bradford Pear	<i>Pyrus calleryana</i>
Oaks*	<i>Quercus</i> species
Willows	<i>Salix</i> species

Seldom Damaged	
Common Name	Scientific Name
Red Buckeye*	<i>Aesculus pavia</i>
River Birch*	<i>Betula nigra</i>
Deodar Cedar	<i>Cedrus deodora</i>
Hawthorn*	<i>Crataegus</i> species
Japanese Cedar	<i>Cryptomeria japonica</i>
Ginkgo	<i>Ginkgo biloba</i>
Honey Locust*	<i>Gleditsia triacanthos</i>
American Holly*	<i>Ilex opaca</i>
Eastern Redcedar*	<i>Juniperus virginiana</i>
Crape Myrtle	<i>Lagerstroemia</i> hybrids
Southern Magnolia*	<i>Magnolia grandiflora</i>
Sweetbay Magnolia*	<i>Magnolia virginica</i>
Black Gum*	<i>Nyssa sylvatica</i>
Pines*	<i>Pinus</i> species
Carolina Cherrylaurel*	<i>Prunus caroliniana</i>
Japanese Flowering Cherry	<i>Prunus serrulata</i>
Live Oak*	<i>Quercus virginiana</i>
Bald Cypress*	<i>Taxodium distichum</i>
Chastetree	<i>Vitex agnus-castus</i>

EVERGREEN SHRUBS

Seldom Damaged	
Common Name	Scientific Name
Abelia	<i>Abelia x grandiflora</i>
Century Plant	<i>Agave americana</i>
Wintergreen Barberry	<i>Berberis julianae</i>
Japanese Boxwood	<i>Buxus microphylla</i>
Bottlebrush	<i>Callistemon rigidus</i>
Plum Yew	<i>Cephalotaxus harringtonia</i>
Summersweet,	<i>Clethra alnifolia</i>
Eleagnus	<i>Eleagnus pungens</i>
Loquat	<i>Eriobotrya japonica</i>
Pineapple Guava	<i>Acca sellowiana</i>
Gardenia	<i>Gardenia jasminoides</i>
Chinese Holly	<i>Ilex cornuta</i>
Inkberry	<i>Ilex glabra</i>
Yaupon	<i>Ilex vomitoria</i>
Anise Shrub	<i>Illicium</i> species
Chinese Juniper	<i>Juniperus chinensis</i>
Kerria	<i>Kerria japonica</i>
Leucothoe	<i>Leucothoe</i> species
Japanese Privet	<i>Ligustrum japonicum</i>
Loropetalum	<i>Loropetalum chinensis</i>
Banana Shrub	<i>Michelia fuscata</i>
Wax Myrtle	<i>Myrica cerifera</i>
Nandina	<i>Nandina domestica</i>
Oleander	<i>Nerium oleander</i>
Tea Olive	<i>Osmanthus fragrans</i> <i>Osmanthus heterophyllum</i>
Southern Yew	<i>Podocarpus macrophyllum</i>
Pyracantha	<i>Pyracantha</i> species and varieties
Rosemary	<i>Rosmarinus officinalis</i>
Sweet Box	<i>Sarcococca</i> species
Yucca	<i>Yucca</i> species

* = Plants native to the Southeastern USA
Bold plants are particularly resistant to deer feeding

Occasionally Damaged	
Common Name	Scientific Name
Camellias	<i>Camellia</i> species and varieties
Rose of Sharon	<i>Hibiscus syriacus</i>
Japanese Holly	<i>Ilex crenata</i>
Mahonia	<i>Mahonia bealei</i>
Viburnum	<i>Viburnum</i> species and varieties

Frequently Damaged	
Common Name	Scientific Name
Japanese Euonymous	<i>Euonymous japonicus</i>
Wintercreeper	<i>Euonymous fortunei</i>
Fatsia	<i>Fatsia japonica</i>
Aucuba	<i>Aucuba japonica</i>
Indian Hawthorn	<i>Raphiolepis</i> species and varieties
Pittosporum	<i>Pittosporum tobira</i>
Azaleas	<i>Rhododendron</i> species and varieties
Arborvitae	<i>Thuja occidentalis</i>

PALMS

As a group, palms are **very resistant** to deer feeding. The following palms are hardy in New Hanover County and make interesting landscape additions.

TRUNK FORMING PALMS

Windmill Palm, *Trachycarpus fortunei*
 Jelly or Pindo Palm, *Butia capitata*
 Palmetto or Cabbage Palm*,
Sabal palmetto

SHRUB FORMING PALMS

Dwarf Palmetto*, *Sabal minor*
 Needle Palm*, *Rhapidophyllum hystrix*
 Saw Palmetto*, *Serenoa repens*
 Mediterranean Fan Palm, *Chamaerops humilis*



For more information about growing hardy palms, consult the **Palm Reader**, the website of the Southeastern Palm and Exotic Plant Society:

<http://www.ces.uga.edu/agriculture/horticulture/palmeader.html>

DECIDUOUS SHRUBS

Frequently Damaged	
Common Name	Scientific Name
Burning Bush	<i>Euonymus alata</i>
Roses	<i>Rosa</i> species and hybrids
Blueberries*	<i>Vaccinium</i> species

Occasionally Damaged	
Common Name	Scientific Name
Flowering Quince	<i>Chaenomeles speciosa</i>
Smokebush	<i>Cotinus coggyria</i>
Forsythia, Yellowbells	<i>Forsythia</i> x <i>intermedia</i>
Hydrangea	<i>Hydrangea macrophyllus</i> <i>Hydrangea paniculata</i>
Virginia Sweetspire*	<i>Itea virginica</i>
Japanese Spirea	<i>Spiraea</i> x <i>bumalda</i> , <i>Spiraea japonica</i>
Thunberg Spirea	<i>Spiraea thunbergia</i>
Viburnum	<i>Viburnum</i> species
Weigela	<i>Weigela florida</i>

Seldom Damaged	
Common Name	Scientific Name
Japanese Barberry	<i>Berberis thunbergii</i>
Butterflybush	<i>Buddleia davidii</i>
Sweetshrub*	<i>Calycanthus floridus</i>
American Beautyberry*	<i>Callicarpa americana</i>
Blue Mist Shrub	<i>Caryopteris</i> x <i>clandonensis</i>
Deutzia	<i>Deutzia gracilis</i>
Fothergilla*	<i>Fothergilla gardenii</i>
Winter Jasmine	<i>Jasminum nudiflorum</i>
Spring Flowering Spireas	<i>Spiraea cantoniensis</i> , <i>S. nipponica</i> , <i>Spiraea</i> x <i>vanhouttei</i>

* = Plants native to the Southeastern USA

Bold plants are particularly resistant to deer feeding

ORNAMENTAL GRASSES

In general, ornamental grasses are avoided by deer and should be considered **highly resistant** to deer grazing. There are lots of different types of ornamental grasses available. Most are long lived and tough, making attractive and low maintenance additions to the landscape. They provide a nice contrast to shrubs and can be planted in mass as a groundcover. The following ornamental grasses are recommended for area landscapes:

Korean Feather Reed Grass

Calamagrostis brachytricha

River Oats*

Chasmanthium latifolium

Pampas Grass

Cortaderia selloana

Maiden Grass

Miscanthus sinensis

Pink Muhly Grass*

Muhlenbergia capillaris

Blue Muhly Grass*

Muhlenbergia lindheimeri

Panic Grass*

Panicum virgatum

Fountain Grass

Pennisetum alopecuroides

& *Pennisetum orientale*

Indian Grass*

Sorghastrum nutans



For more information about these and other ornamental grasses, see the plant list on ornamental grasses, available from the NHC Cooperative Extension office or online at

www.gardeningnhc.org

Click on the plant information link to access this and many other lists of recommended plants!

VINES AND GROUNDCOVERS

5

Frequently Damaged

Common Name	Scientific Name
Clematis	<i>Clematis</i> species and hybrids
Wintercreeper	<i>Euonymus fortunei</i>
English Ivy	<i>Hedera helix</i>

Occasionally Damaged

Common Name	Scientific Name
Trumpet Vine*	<i>Campis radicans</i>
Goldflame Honeysuckle	<i>Lonicera x beckerottii</i>
Clumping Liriope	<i>Liriope muscari</i>
Spreading Liriope	<i>Liriope spicata</i>
Virginia Creeper*	<i>Parthenocissus quinifolia</i>
Lady Banks Rose	<i>Rosa banksia</i>
Japanese Wisteria	<i>Wisteria floribunda</i>

Seldom Damaged

Common Name	Scientific Name
Ajuga, Bugleweed	<i>Ajuga reptans</i>
Crossvine*	<i>Bignonia capreolata</i>
Climbing Fig	<i>Ficus pumila</i>
Carolina Jessamine	<i>Gelsemium sempervirens</i>
Junipers	<i>Juniperus</i> species
Coral Honeysuckle*	<i>Lonicera sempervirens</i>
Patridgeberry*	<i>Mitchella repens</i>
Mondo Grass	<i>Ophiopogon japonicus</i>
Cherokee Rose	<i>Rosa laevigata</i>
Creeping Rosemary	<i>Rosmarinus officinalis</i> 'Prostratus'
Star Jasmine	<i>Trachelospermum asiaticum</i>
Confederate Jasmine	<i>Trachelospermum jasminoides</i>
Large Leaf Periwinkle	<i>Vinca major</i>
Periwinkle, Vinca	<i>Vinca minor</i>

*= Plants native to the Southeastern USA

Bold plants are particularly deer resistant

MORE GROUNDCOVER POSSIBILITIES

There are many perennials, ornamental grasses, and low growing shrubs that make excellent groundcovers when planted in masses.

To find out about more plants recommended for use as groundcovers in New Hanover

County, see the plant list on recommended groundcovers available from the New Hanover County Cooperative Extension office or online at:

www.gardeningnhc.org

Click on the plant information to link to access many lists of recommended plants!



FERNS

Deer rarely browse fern foliage, making them an excellent addition to deer ravaged landscapes. Most ferns prefer shade and moist soil and are attractive combined with shrubs and perennials or used as a groundcover. The following ferns are recommended for use in New Hanover County landscapes.

EVERGREEN FERNS

Autumn Fern,

Dryopteris erythrosora

Christmas Fern*,

Polystichum acrostichoides

Florida Shield Fern*,

Dryopteris ludoviciana

Holly Fern,

Cyrtomium falcatum

Tassel Fern,

Polystichum polyblepharum

DECIDUOUS FERNS

Southern Maidenhair Fern*,

Adiantum capillus-veneris


Lady Fern*, *Athyrium filix-femina*

Japanese Painted Fern, *Athyrium nipponicum* var. *pictum*

Royal Fern*, *Osmunda regalis*

Cinnamon Fern*, *Osmunda cinnamomea*

Southern Shield Fern*, *Thelypteris kunthii*



PERENNIALS

Frequently Damaged	
Common Name	Scientific Name
Daylilies	<i>Hemerocallis</i> species and hybrids
Hosta	<i>Hosta</i> species and varieties

Occasionally Damaged	
Common Name	Scientific Name
Shasta Daisy	<i>Chrysanthemum</i> x <i>superbum</i>
Hardy Ice Plant	<i>Delosperma cooperi</i>
Gerbera Daisy	<i>Gerbera jamesonii</i>
Hardy Hibiscus*	<i>Hibiscus moscheutos</i>
Evergreen Candytuft	<i>Iberis sempervirens</i>
Iris	<i>Iris</i> species and hybrids
Phlox*	<i>Phlox</i> species
Black Eyed Susan*	<i>Rudbeckia fulgida</i> 'Goldstrum'
Sedum	<i>Sedum</i> species
Stoke's Aster*	<i>Stokesia laevis</i>
Verbena*	<i>Verbena canadensis</i>
Speedwell, Veronica	<i>Veronica spicata</i>

Seldom Damaged	
Common Name	Scientific Name
Yarrow	<i>Achillea</i> species and hybrids
Blue Star*	<i>Amsonia</i> species
Columbine	<i>Aquilegia</i> species
'Powis Castle' Artemisia	<i>Artemisia</i> x 'Powis Castle'
Butterflyweed*	<i>Asclepias tuberosa</i>
Cast Iron Plant	<i>Aspidistra elatior</i>
False Indigo*	<i>Baptisia</i> species
Angel's Trumpet	<i>Brugmansia</i> species and hybrids
Leadwort	<i>Ceratostigma plumbaginoides</i>
Green and Gold*	<i>Chrysogonum virginianum</i>
Coreopsis*	<i>Coreopsis</i> species and hybrids
Dianthus	<i>Dianthus gratianopolitanus</i>
Purple Coneflower*	<i>Echinacea purpurea</i>
Joe Pye Weed*	<i>Eupatorium dubium</i>
Gaura*	<i>Gaura lindheimeri</i>
Blanket Flower	<i>Gaillardia</i> x <i>grandiflora</i>
Lenten Rose	<i>Helleborus orientalis</i>
Coralbells, Alumroot*	<i>Heuchera</i> species and hybrids
Red Hot Poker	<i>Kniphofia</i> species
Lantana	<i>Lantana</i> species
Sleeping Hibiscus*	<i>Malvaviscus drummondii</i>
Bee Balm*	<i>Monarda didyma</i>
Catmint	<i>Nepeta</i> species and hybrids
Russian Sage	<i>Perovskia</i> hybrids and varieties
Mexican Petunia	<i>Ruellia brittoniana</i>
Texas Sage*	<i>Salvia greggii</i>
Anise Sage	<i>Salvia guaranitica</i>
Mexican Bush Sage	<i>Salvia leucantha</i>
Purple Heart	<i>Setcreasea purpurea</i>
'Fireworks' Goldenrod*	<i>Solidago rugosa</i> 'Fireworks'
Lamb's Ear	<i>Stachys byzantina</i>
Society Garlic	<i>Tublughia violacea</i>
Prickly Pear *	<i>Opuntia</i> species

HERBS AS ORNAMENTALS

Deer tend to avoid plants with strong fragrances, which makes many herbs great choices for deer prone landscapes. In general, herbs grow best in full sun and well drained soils. The following perennial herbs are attractive in the landscape and grow well in New Hanover County.

Thyme, *Thymus* species

Fennel, *Foeniculum vulgare*

Sage, *Salvia officinalis*

Chives, *Allium schoenoprasum*

Oregano, *Oreganum* species

Mint Marigold, *Tagetes lucida*

Tansy, *Tanacetum vulgare*

Anise Hyssop, *Agastache foeniculum*

Southernwood, *Artemisia abrotanum*

Mexican Oregano, *Poliomentha longiflora*

French or Spanish Lavender, *Lavandula stoechas*

Lavender Cotton, *Santolina chamaecyparissus* and *S. virens*




Also, annual herbs such as **basil**, **parsley**, and **perilla** make great additions to containers or bedding displays!

ANNUALS

Frequently Damaged	
Common Name	Scientific Name
Celosia	<i>Celosia argentea</i>
Impatiens	<i>Impatiens</i> species
Sweet Potato	<i>Ipomoea batatas</i>
Johnny Jump Ups	<i>Viola tricolor</i>
Pansies	<i>Viola x wittrockiana</i>

Occasionally Damaged	
Common Name	Scientific Name
Flowering Kale	<i>Brassica oleracea</i>
Sunflowers	<i>Helianthus annuus</i>
Moss Rose, Purslane	<i>Portulaca</i> species
Mexican Sunflower	<i>Tithonia rotundifolia</i>

Seldom Damaged	
Common Name	Scientific Name
Ageratum	<i>Ageratum houstonianum</i>
Snapdragons	<i>Antirrhinum majus</i>
Begonia	<i>Begonia semperflorens</i>
Ornamental Peppers	<i>Capsicum</i> species
Cleome	<i>Cleome hassleriana</i>
Coleus	<i>Solenostemon scutellarioides</i>
Cosmos	<i>Cosmos bipinnatus</i>
Polka Dot Plant	<i>Hypoestes phyllostachya</i>
Melampodium	<i>Melampodium padulosum</i>
Pentas	<i>Pentas lanceolata</i>
Mexican Oregano	<i>Plectranthus</i> species
Mealycup Sage	<i>Salvia farinacea</i>
Marigold	<i>Tagetes</i> species
Curry Plant	<i>Helichrysum angustifolium</i>
Vinca	<i>Catharanthus roseus</i>
Dusty Miller	<i>Senecio cineraria</i>
Zinnias	<i>Zinnia</i> species
Petunias	<i>Petunia</i> species



ZONING DEER OUT OF THE LANDSCAPE

Sometimes there are plants you just want to grow no matter what. Maybe it was one of your mother's favorites or something that reminds you of a special occasion in your life. What happens if you have deer problems and one of your 'can't live without it' plants happens to be a deer favorite? Fencing off your entire yard can be very expensive, while constantly reapplying repellents soon becomes a time consuming task.

One approach creative gardeners have borrowed from the xeriscape concept is to divide the landscape into **zones**. Deer prone plants are only planted in areas **closest** to the house, that are easiest to manage intensely. This zone is either protected from deer by fencing or regular application of repellents. In the area farthest away from the house only **highly deer resistant plants** are used. In the mid-zone, or area between, less resistant plants can be used with the understanding that they may receive **occasional** damage.

BULBS

Frequently Damaged


Tulips and **Crocus** are deer favorites! Neither perennialize well in this area and should be treated like annuals. Summer blooming **Lilies** are also frequently eaten by deer.

Occasionally Damaged

Grape Hyacinths (*Muscari* species) and **Dahlias** are both occasionally browsed by deer. Both perennialize fairly well in south-eastern North Carolina.

Seldom Damaged

Many of the bulbs that come back reliably year after year in this area are also deer resistant. Spring blooming perennial bulbs include **Daffodils**, **Summer Snowflake** (*Leucojum aestivale*), **Amaryllis**, **Scillas**, and **Ornamental Onions** (*Allium* species). Deer resistant summer blooming perennial bulbs include **Agapanthus**, **Crinum Lilies**, **Crocasmias**, **Oxalis**, **Colchicum**, and **Hardy Cyclamen** (*Cyclamen hederifolium*).



LEARN MORE!

The following online resources can help you learn more about how to manage deer and reduce damage:

NCSU Wildlife Publication—Deer
<http://www.ces.ncsu.edu/nreos/wild/pdf/wildl>

Designing for Deer Resistance, Jeff Chorba Design
<http://home.ptd.net/~jchorba/green1.htm> [ife/DEER.PDF](#)

Deer Control Options, ATTRA factsheet
<http://attra.ncat.org/attra-pub/deercontrol.html>

For More Information about the plants listed and other garden and landscape topics:

WEBSITES

For more detailed information about each plant and to see images, visit the **Plant Fact Sheets** on the **NC Cooperative Extension Consumer Horticulture** website: www.ncstate-plants.net

More fact sheets of recommended plants and other local garden and landscape information is available from the **New Hanover County Cooperative Extension** website at www.gardeningnhc.org.

VISIT US!

To see many of these plants growing in a landscape setting, visit the **New Hanover County Arboretum**, part of the NHC Cooperative Extension program. The Arboretum is located at 6206 Oleander Drive and is open seven days a week during daylight hours, free. To find out more, visit www.arboretumnhc.org or call 452-6393.

PLANT INFORMATION CLINIC

If you have questions about plant selection and maintenance, lawn care, vegetable gardening or plant pest problems, call or visit the NHC Cooperative Extension **Plant Information Clinic**. The Plant Clinic is open from 9am to 3pm, Monday through Friday and is staffed by trained Master Gardener volunteers and Extension Horticulture Agents. Call direct at 452-6382 or stop by during operating hours. The **NHC Cooperative Extension Center** is open 8am to 5pm, Monday – Friday and is located at 6206 Oleander Drive, phone 452-6393.

Prepared by:

*Charlotte Glen, Urban Horticulture Agent – Arboretum Coordinator
 North Carolina Cooperative Extension – New Hanover County Center*



Distributed in furtherance of the acts of Congress of May 8 and June 30, 1914. North Carolina State University and North Carolina A&T State University commit themselves to positive action to secure equal opportunity regardless of race, color, creed, national origin, religion, sex, age, or disability. In addition, the two Universities welcome all persons without regard to sexual orientation. North Carolina State University, North Carolina A&T State University, U.S. Department of Agriculture, and local governments cooperating.