

6599 535

Greenhoene & O'Mara, In

ENGINEER

AUCHITECIS

PriArate 95 ... Suitablis

SURVERSOR

PROPERTY OF THE

JANUARY 10, 1986

REVISED DESCRIPTION OF FOUR INTRIC SEVEN LAND CO., INC., PROPERTY

Being a portion of the property conveyed by LSI Residential Communities, Inc., to Four Thirty Seven Land Company, Inc., by deed dated December 21, 1978, and recorded among the Land-Records of Prince George's County, Maryland in Liber 5045 at Folio 579; and being more particularly described as follows:

Beginning for the same at a point on the southeasterly right of way line of Northview Drove, said point being located 227,18 feet from the heginning of the 46th or North 39° 59' 38" East 1231,62 foot line of the aforesaid deed recorded as Liber 5045 at Folio 579; thence leaving the point of beginning and running with said right of way line.

- 1. North 39° 59' 03" East 1004,44 feet; thence
- 266.25 feet along the arc of a curve deflecting to the left, having a radius of 1546.92 feet and a chord bearing and distance of North 35° 03' 12" East 265.92 feet; thence
- North 30° 07' 22" East 71.32 feet; thence leaving said right of way line and crossing Northylew Drive at its northern terminus
- 4. North 59° 52' 38" West 80.00 feet to a point on the northwesterly right of way line of Northview Drive; thence leaving said right of way line and running along the northeasterly boundary line of lands shown on the subdivision plats of Northview at take Village, Section 22 and 23 and recorded among the aforesaid land Records in Plat Book 85 as Plat Nos. 27 and 28
- 5. North 68° 42' 41" West 1582.16 feet; thence leaving the northeasterly boundary of said subdivision and running
- 6. North 05° 52' 16" West 1483.40 feet to a point on the southerly right of way line of the John Hanson Highway (US Rte. 50) as shown on State Roads Commission of Maryland Plat No. 45060; thence with the southerly right of way line as shown on State Roads Commission Plats Nos. 45060, 45059, and 34856 the following nine (9) courses and distances:
- 150.59 feet along the arc of a curve deflecting to the right, having a radius of 2714 79 feet and a chord bearing and distance of North 84° U2' 38" East 150.57 feet; thence
- 8. North 85° 57' 04" East .J2.23 feet; thence

EXHIBIT "B" - Page 1

ANNAPOLIS, MD + ATCANTA GA + BECKLEY, WY + COUPEPER, VA + DENVER CO + EXPORT PA-FAIRFAX VA + MONROE MI + BALEIG I, NC + BOCKVILLE, ND + FAMPA, FL + WILLISTON PARK NY GREENHORNE & O'MARA ING

Description of 437 Land Co., Inc., Property January 10, 1986 Page 2

- 589.52 feet along the arc of a curve deflecting to the right, having a radius of 1088.53 feet and a chord bearing and distance of South 77° 17' 18" East 582.43 feet; thence
- 10. South ol* 46' 15" East 56.22 feet; thence
- 11. South 50° 27' 39" East 101.98 fee'; thence
- 12. South 61° 46' 15" East 470,68 feet; thence
- 13, South 81° 57' 00" East 415,43 feet; thence
- 14. North 85° 39' 00" East 49.88 feet; thence
- 15. South 84° 11' 01" East 213.30 feet to a point, said point being the northwesterly corner of a parcel of land described in a deed from Four Thirty Seven Land Company to Prince George's County and recorded among said land Records in Liber 5709 at Folio 312; thence leaving the southerly line of Collington Road and following the boundary lines of the aforesaid deed recorded in Liber 5709 at Folio 312 the following ten (10) courses and distances:
- 16. South 29° 59' 25" West 165.00 feet; thence
- 17, South 68° 12' 56" West 320.00 feet; thence
- 18. South 48° 26' 26" West 207.39 feet; thence
- 19. South 28° 12' 01" East 54.65 feet; thence
- 20. 115.52 feet along the arc of a curve deflecting to the left having a radius of 175.77 feet and a chord bearing and distance of South 49° 18' 54" East 113.45 feet; thence
- 21. South 68° 31' 15" East 304.65 feet; thence
- 22. South 54° 51' 23" East 284.39 feet; thence
- 23. North 37° 56' 18" East 290.00 feet; thence
- 24. South 52° 03' 42" East 120.00 feet; thence
- 25. North 37° 56' 18" East 633.87 feet to a point on the southerly time of Collington Road as shown on State Roads Commission Plut hos. 34856 and 34860; thence leaving the Prince George's County tract and running with the southerly line the following fifteen (15) courses and distances:

GREENHORNE & O'MARA, INC.

Description of 437 Land Co., Inc., Property January 10, 1986 Page 3

- 26. 8.20 feet along the arc of a curve deflecting to the right, having a radius of 2251.83 feet and a chord bearing and distance of South 70° 20' 50" East 8.20 feet; thence
- 27. Horth 19" 45' 25" (ast 0,31 feet; thence
- 28. 142.33 feet along the arc of a curve deflecting to the right, having a radius of 2289.89 feet and a chord bearing and distance of South 68° 41' 38° East 142.30 feet; thence
- 29. 5.26 feet along the arc of a curve to the right, having a radius of 1164.00 feet and a chord bearing and distance of South 69° 21' 36° East 5.26 feet; thence
- 30. South 58*'14' 57" East 688.07 feet; thence
- 31. South 51* 35' 01" East 925.10 feet; thence
- 32. South 48* 49' 58" East 125,14 feet; thence
- 33. South 47° 00' 48" East 100.31 feet; thence
- 34. South 49* 17' 19" East 67,10 feet; thence
- 35. South 38* 24' 59" West 19.30 feet; thence
- 36. South 51" 35' 01" East 40.00 feet; thance
- 37. North 38° 24' 09" East 18,38 feet; thence
- 38. South 54° 51' 26" East 63.06 feet; thence
- 39. South 64* 29' 52" East 62.59 feet; thence
- 40. South 51° 35′ 01° East 1070.25 feet; thence leaving the southerly line of Collington Road and running with the westerly boundary line of land described in a deed to Lydie P. Heim and recorded among said Land Records in Liber 1475 at Folio 324
- 41. South 26° 52' 05" West 1910.32 feet; thence leaving said Heim tract and running with the outlines as shown on a plat of subdivision entitled "Plat Eight, Enfield Chase, Stage One" and recorded among the aforesaid Land Records in Plat Book MLP 122 as Plat No. 53 the following six (6) courses and distances:
- 42. North 47° 42' 28" West 355.10 feet; thence
- 43. 838.66 feet along the arc of a curve deflecting to the left, having a radius of 1000.00 feet and a chord bearing and distance of North 71° 44' 01" West 814.29 feet; thence

6599 538

Description of 437 Land Co., inc., Property January 10, 1986 Page 4

- 44. South 84° 14' 27" West 423.44 feet; thence
- 45. South 07" 01' 28" West 274.75 feet; thence
- 46. South 64° 49' 37" East 939.88 feet; thence
- 47. South 40° 39' 41" West 355.68 feet to a point on the outline of Parcel "1" as shown on a plat of subdivision entitled "Plat Mine, Enfield Chase, Stage One" and recorded among the aforesaid Land Records in Plat Book MLP 122 as Plat No. 54; thence running with said Parcel "1"
- 48. North 88" 37' 26" West 999.91 feet; thence
- 49. South 47° 39' 39" West 264.79 feet to a point on the northwesterly line of the Fire Station Parcel as shown on a plat of subdivision entitled "Plat Six, Enfield Chase, Section Two" and recorded among the aforesaid Land Records in Plat Book NLP 122 as Plat No. 71; thence running with said northwesterly line
- 50. 89.55 feet along the arc of a curve deflecting to the right having a radius of 900.00 feet and a chord bearing South 50° 30° 40° West 89.51 feet to the most westerly corner of the said Fire Station Parcel; thence running with the outline of Everst Drive as shown on said last mentioned plat the following four (4) courses and distances:
- 51. 86.57 feet along the arc of a curve deflecting tot the right, having a radius of 570.00 feet and a chord bearing North 42° 37' 41" West 86.49 feet; thence
- 52. South 51* 43' 23" West 60.00 feet; thence
- 53. 38.59 feet along the arc of a curve deflecting to the right having a radius of 25.00 feet and a chord bearing South 05° 56' 52" Hest 34.87 feet; thence
- 54. South 39° 49' 39° East 60.00 feet to a point on the future southerly right of way line of Enfield Drive, said point also being the easterly end of the 316.09 foot arc line as shown on a plat of subdivision entitled "Plat Five, Enfield Chase, Section Two" and recorded among the aforesaid Land Records in Plat Book MLP 122 as Plat No. 70; thence running with said line

GREENHORNE & O'MARA, INC.

6599 539

Description of 437 land Co., Inc., Property January 10, 1986
Page 5

- 55. 313.93 feet along the arc of a curve deflecting to the right, having a radius of 636.05 feet and a chord bearing South 64° 18' 43° Nest 310.75 feet to a point; thence continuing with the aforesaid future southerly right of way line of Enfield Dirve as shown on said "Plat Five, Section Two" and as shown on subdivision plats entitled "Plat Four, Enfield Chase Section Two" and recorded in Plat Book MLP 122 as Plat No. 69 and Plat Two, Enfield Chase, Section Two" and recorded in Plat Book MLP 122 as Plat No. 67
- 56. 766.32 feet along the arc of a curve deflecting to the right having a radius of 930.00 feet and a chord bearing North 77° 56 35" West 744.83 feet to the most northerly corner of Lot 48 as shown on a plat of subdivision entitled "Plat One, Enfield Chase, Section Two" and recorded among the aforesaid Land Records in Plat Book NLP 122 as Plat No. 66; thence running with the southeasterly end of Enfield brive as shown on said Plat One
- 57. North 35° 39° 46° East 60.00 feet; thence running with the northerly right of way line of Enfield Drive as shown on said Plat One, Section Two the following three (3) courses and distances
- 58. 174.82 feet along the arc of a curve deflecting to the right having a radius of 870.00 feet and a chorc bearing North 48° 34' 50" West 174.53 feet; thence:
- 59. North 42° 49' 26" West 49.64 feet; thence
- 60. 161.57 feet along the arc of a curve deflecting to the left, having a radius of 430.00 feet and a chord bearing North 53° 35' 17" Mest 160.62 feet to the end of the South 42° 49° 26° East 171.80 foot line described in a deed conveyed from Four Thirty Seven Land Company, Inc. to the Maryland National Capital Park and Planning Commission, dated March 28, 1984, and recorded among the aforesaid Land Records in Liber 5899 as Folio 757; thence running with said MNCPAPC property the following three (3) courses and distances:
- 61. North 42* 49' 26" West 171.80 feet; thence
- 62. North 28" 51' 35" East 244,47 feet; thence
- 63. Due North 300.00 feet; thence
- 64. 574.63 feet along the arc of a curve deflecting to the right, having a radius of 950.00 feet and a chord bearing and distance of North 72° 39′ 45° East 565.90 feet to a point, said point being the most southerly corner of land described in a deed from Princert E. Chapman to Mark Vogel recorded among said Land Records in Liber 6159 at Folio 263; thence running with said vogel tract the following two (2) courses and distances:

Description of 437 Land Co., Inc., Property January 10, 1986 Page 6

- 65. North 52° 07' 25" East 195.54 feet; thence
- 66 "North 37° 52° 35' West 344,98 feet to a point, said point being the most easterly corner of land described in a deed to Betty Licand Archie N. Bowan Jr. recorded among said Land Records in Liber 5886 at Folio 255; thence running with said Bowan tract the following six (6) courses and distances:
- 67. North 37° 52' 35" West 149.52 feet: thence
- 68. North 11° 32' 05" East 108.69 feet; thence
- 69. North 76° 52' 12" West 39,60 feet; thence
- 70. South 11: 32' 05" West 67,18 feet; thence
- 71. North 83° 50' 30" West 171.47 feet; thence
- South 01° 13' 00" West 166.43 feet; thence leaving Bowan tract and running
- 73. North 50° 00' 57" West 563.30 feet to the point of beginning; containing 14.617,440 square feet or 335.5702 acres of land.

Together with and subject to rights of way and easements of record.

Subject to 2.1924 acres more or less within the future dedication of Northylew Drive extended.

BW/bf