

Preparedness Manual

*The prudent see danger and take refuge,
but the simple keep going and suffer for it. Proverbs 27:12*

PRE-RELEASE COPY
FOR EVALUATION

V2.17, January 17th, 2006

*This manual has been prepared for,
and is intended to be read primarily by,
the active members of
The Church of Jesus Christ of Latter Day Saints.*

Preface

The Lord Warns and Forewarns

“In mercy the Lord warns and forewarns. He sees the coming storm, knows the forces operating to produce it, and calls aloud through His prophets, advises, counsels, exhorts, even commands—that we prepare for what is about to befall and take shelter while yet there is time. But we go our several ways, feasting and making merry, consoling conscience with the easy fancy of ‘time enough’ and in idle hope that the tempest will pass us by, or that, when it begins to gather thick and black about us we can turn back and find shelter.”

- James E Talmage, *The Parables of James E. Talmage*, p. 50

The Lord Holds Us Accountable

“Then whosoever heareth the sound of the trumpet, and taketh not warning; if the sword come, and take him away, his blood shall be upon his own head. He heard the sound of the trumpet, and took not warning; his blood shall be upon him. But he that taketh warning shall deliver his soul. *But if the watchman see the sword come, and blow not the trumpet, and the people be not warned; if the sword come, and take [any] person from among them, he is taken away in his iniquity; but his blood will I require at the watchman's hand.*” Ezekiel 33:4

Please Note

The contents of this booklet are intended to assist individuals and families in coping with emergency preparations. However, final decisions on preparation for actions taken during an emergency are the sole responsibility of individuals. No one knows your needs or can take care of you better than you can, nor does anyone else have that responsibility. Information and examples contained within this booklet are provided for illustration and advice only. Therefore, no liability is assumed by the Editor or any of the Authors for the use or misuse of any information or products contained in this publication.

This publication has not been endorsed or produced by The Church of Jesus Christ of Latter Day Saints, and its contents and the opinions it expresses are those of the Editor and the separate authors. While it should not be construed as an official church publication, effort has been made to ensure that all materials are in accordance with general church guidelines on food storage and family preparedness.

Questions or Comments about this manual should be directed to its compiler

“chris@abysmal.com”

This manual may be freely re-printed and distributed so long as all of the copyrights of the original authors are respected, and such reproduction is NEVER DONE FOR COMMERCIAL GAIN.

"I told thee so!"



It wasn't raining when Noah built the Ark

BOOK OF GOMER PARABLE

These are the generations of Gomer, son of Homer, son of Omer. And in the days of Gomer, Noah, the Prophet, went unto the people saying, "Prepare ye for the flood which is to come, yea, build yourselves a boat, that ye may not perish."

Now, Gomer was a member of the Church, and taught Sunday School and played, yea, even on the ward softball team. And Gomer's wife said unto him, "Come, let us build unto ourselves a boat as the Prophet commandeth, that we may not perish in the flood." But behold, Gomer saith unto his wife, "Worry not, dear wife, for if the flood comes the government will provide boats for us."

And Gomer did not build a boat. And Gomer's wife went unto Noah and she returned saying, "Behold, Honey, the Prophet saith unto us, "Build a boat, that we may preserve ourselves, for the gov-

ernment pays men not to grow trees, wherefore the government hath not the lumber to build for you a boat." And Gomer answered saying, "Fear not, oh wife, for am I not the star pitcher on the ward softball team? Wherefore, the Church will provide for us a boat, that we will perish not."

And Gomer's wife went again unto Noah, and she returned unto Gomer, saying, "Behold, mine husband, the Prophet saith that the Church hath not enough lumber to build a boat for everyone, wherefore, mine husband, build for us a boat that we might not perish in the flood." And Gomer answered her saying, "Behold, if we build a boat, when the flood cometh, will not our neighbors overpower us and take from us our boat; wherefore, what doth it profit a man to build a boat?"

And Gomer's wife went again unto Noah and she returned, saying, "Behold, the Prophet saith, build unto yourselves a boat, and have faith, for if ye do the Lord's bidding, He will preserve your boat for you." But Gomer answered his wife, saying, "Behold, with this inflation, the price of wood has gone sky high, and if we wait awhile, perhaps the price will go down again. And then I will build for us a boat."

And Gomer's wife went again unto Noah, and she returned saying, "Thus saith the Prophet, build for yourselves a boat **RIGHT NOW**, for the price of wood will not go down, but will continue to go up. Wherefore, oh husband, build for ourselves a boat, that we may perish not." But Gomer answered his wife, saying, "Behold, for 120 years Noah hath told us to build a boat, to preserve us from the flood, but hath the flood come? Yea, I say, nay. Wherefore, perhaps the flood will not come for another hundred and twenty years."

And Gomer's wife went again unto Noah and returned saying, "The Prophet saith, he knows it has been 120 years, but nevertheless, the flood will come, wherefore, build unto yourselves a boat."

And Gomer answered her saying, "Wherewith shall we get the money to build ourselves a boat, for are we not now making monthly payments on our snazzy new four horsepower chariot? Wherefore, when our payments end, perhaps we shall build ourselves a boat."

And Gomer's wife went again unto Noah and returned saying, "Behold, the Prophet saith that we should cut down on our recreation, and our vacations, and even give each other lumber for Christmas, that we might thereby get enough lumber to build a boat."

But Gomer saith unto her, "What a drag! Are we to cease enjoying life, just because we must build a boat?"

Wherefore, Gomer built not a boat. But behold, one afternoon Gomer heard thunder in the sky, and he feared exceedingly and he ran, yea, even to the lumber yard to buy lumber. But behold, the lumber store was crowded with great multitudes, all seeking to buy lumber, and there was not enough lumber to be found for the multitudes.

And on the same day were all the fountains of the deep opened, and the windows of heaven were broken up, and the floods came — and behold, Gomer had no boat. And as the water rose above Gomer's waist, his wife saith unto him, "Behold, Honey, I told thee so!"

— Author Unknown

Index

THINKING ABOUT GETTING STARTED

- 2 Preface
- 4 Book of Gomer Parable, *Author Unknown*
- 8 Letters from the First Presidency on Preparedness
- 10 Teachings of the Brethren, *By various leaders of the church.*
- 12 If Ye Are Prepared, Ye Need Not Fear, *By President Gordon B. Hinckley*
- 14 Preparing for a repeat of Haun's Mill, *By Roger K. Young*
- 22 Preparedness Test, *by One Heart Inc.*
- 23 Deluxe 96 Hour Kit, *By Glenn A. Anderson*

FOOD STORAGE

- 26 Food Storage, *by Chris Parrett*
- 28 BARE-MINIMUM Food Storage Requirements, *by Chris Parrett*
- 29 Do you Really have a Year's Supply??, *By Chris Parrett*
- 30 Basic Food List, *Lynette B. Crockett*
- 34 Monthly Food Storage Purchasing Calendar, *by Andrea Chapman*
- 38 The Seven Major Mistakes in Food Storage, *By Vickie Tate*
- 40 Common Storage Foods, *By Alan T. Hagan*
- 41 Grains & Flours, *By Alan T. Hagan*
- 51 Legume Varieties, *By Alan T. Hagan*
- 53 Availability of Grains & Legumes, *By Alan T. Hagan*
- 56 Moisture Content in Grains & Legumes, *By Alan T. Hagan*
- 58 Dairy Products, *By Alan T. Hagan*
- 61 Canned Fluid Milks and Cremes, Butter, Cheese, Eggs, *By Alan T. Hagan*
- 64 Sugar, Honey and Sweeteners, *By Alan T. Hagan*
- 69 Fats and Oils, *By Alan T. Hagan*
- 71 Cooking Adjuncts, *By Alan T. Hagan*
- 75 Infant Formula, *By Alan T. Hagan*
- 77 Growing and Using Sprouts, *by Al Durtschi*

79	Pros & Cons of Freeze-Dried, Dehydrated, MRE, etc., <i>by Skipper Clark</i>
80	MREs, Meal Ready to Eat, <i>By Alan T. Hagan</i>
87	Storage Containers, <i>By Alan T. Hagan</i>
99	Oxygen Absorbers, <i>By Alan T. Hagan</i>
99	Moisture Control, <i>By Alan T. Hagan</i>
105	Spoilage, <i>By Alan T. Hagan</i>
111	Storage Lives of Dehydrated Food, <i>By Al Durtschi</i>
116	Water, <i>by Paton Turner</i>
130	Master Food List, <i>by Chris Parrett</i>
134	Master Seed List, <i>by Chris Parrett</i>

TEMPORAL PREPARATION

135	OK, But what do I prepare for?, <i>by Capt. Dave</i>
138	Surviving in the City, <i>Edited by Chris Parrett</i>
148	Money, <i>Edited by Chris Parrett</i>
151	Defence, <i>Edited by Chris Parrett</i>
153	Clothing, <i>Edited by Chris Parrett</i>
154	Emergency Heating & Cooking, <i>by Greg Pope</i>
158	Emergency Light, <i>by Robert Roskind & Brandon Mansfield</i>
164	Emergency Shelter, <i>by Larry Bethers</i>
165	Master Preparedness List, <i>by Chris Parrett</i>
179	Space Cramp, Where do I Put it all?? <i>by Kim Hicken</i>
181	Emergency Sanitation, <i>by Greg Pope.</i>
182	Emergency Toilets & Garbage Disposal, <i>by Alan T. Hagan</i>
184	Emergency Generators, <i>By Steve Dunlop</i>

THOUGHTS ABOUT THE FUTURE

190	Why Tent Cities, <i>By Roger K. Young</i>
-----	--

THE CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS

SALT LAKE CITY, UTAH 84150

June 24, 1988

To: General Authorities and the following Priesthood leaders in the United States and Canada:
Area Authorities (formerly Regional Reps.); Stake, Mission, and District Presidents;
Bishops and Branch Presidents.

Dear Brethren:

OFFICE OF THE FIRST PRESIDENCY

Preparing for Emergencies (To be read in Sacrament Meeting.)

Occasionally people speculate about possible disasters, which speculation engenders fear and can cause members to become caught up in emergency preparedness efforts that are not only costly but go beyond the basics consistently taught by the First Presidency. Leaders should refer to *Preparing for and Responding to Emergencies: Guidelines for Church Leaders*. Member preparations require wise planning, diligence, and provident living. If circumstances warrant, the First Presidency and Council of the Twelve will provide additional guidance on such matters through established Priesthood channels.

We continue to encourage members to store sufficient food, clothing, and, where possible, fuel for at least one year. We have not laid down an exact formula for what should be stored. However, we suggest that members concentrate on essential foods that sustain life, such as grains, legumes, cooking oil, powdered milk, salt, sugar or honey, and water. Most families can achieve and maintain this basic level of preparedness. The decision to do more than this rests with the individual.

We encourage you to follow this counsel with the assurance that a people prepared through obedience to the commandments of God need not fear.

Sincerely your Brethren,

Ezra Taft Benson
Gordon B. Hinckley
Thomas S. Monson
The First Presidency

THE CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS

SALT LAKE CITY, UTAH 84150

January 20, 2002

To: General Authorities; Area Authority Seventies; Stake, Mission and District Presidents;
Bishops and Branch presidents

Dear Brethren:

OFFICE OF THE FIRST PRESIDENCY

Home Storage and Financial Reserves.

Priesthood and Relief Society leaders should teach the importance of home storage and securing a financial reserve. These principles may be taught in ward councils or on a fifth Sunday in Priesthood and Relief Society meetings.

Church members can begin their home storage by storing the basic foods that would be required to keep them alive if they did not have anything else to eat. Depending on where members live, those basics might include water, wheat or other grains, legumes, salt, honey or sugar, powdered milk, and cooking oil. (See reverse for suggested amounts.) When members have stored enough of these essentials to meet the needs of their family for one year, they may decide to add other items that they are accustomed to using day to day.

Some members do not have the money or space for such storage, and some are prohibited by law from storing a year's supply of food. These members should store as much as their circumstances allow. Families who do not have the resources to acquire a year's supply can begin their storage by obtaining supplies to last for a few months. Members should be prudent and not panic or go to extremes in this effort. Through careful planning, most Church members can, over time, establish both a financial reserve and a year's supply of essentials.

Sincerely yours,
The First Presidency

Teachings of the Brethren

The First Presidency reviewed basic principles underlining the welfare plan, stating:

"Our primary purpose was to set up, insofar as it might be possible, a system under which the curse of idleness would be done away with, the evils of a dole abolished, and independence, industry, thrift and self-respect be once more established amongst our people. The aim of the Church is to help the people help themselves. Work is to be re-enthroned as the ruling principle of the lives of our Church membership."

(October 1936 General Conference)

security in wheat, than in all the political schemes of the world..." (JD 2:207).

"From the standpoint of food production, storage, handling, and the Lord's counsel, wheat should have high priority. Water, of course, is essential. Other basics could include honey or sugar, legumes, milk products or substitutes, and salt or its equivalent. The revelation to store food may be as essential to our temporal salvation today as boarding the ark was to the people in the days of Noah."

(October Conference, 1973).

President J. Reuben Clark, Jr.

Speaking for the first Presidency, President J. Reuben Clark, Jr. exhorted the Saints to live within their means:

"Let us avoid debt as we would avoid a plague...Let every head of every household see to it that he has on hand enough food and clothing, and, where possible, fuel also, for at least a year ahead...Let every head of household aim to own his own home, free from mortgage. Let us again clothe ourselves with these proved and sterling virtues—honesty, truthfulness, chastity, sobriety, temperance, industry, and thrift; let us discard all covetousness and greed."

(April 1937 General Conference)

President Harold B. Lee:

*"Perhaps if we think not in terms of a year's supply of what we ordinarily would use, and think more in terms of what it would take to **keep us alive** in case we didn't have anything else to eat, that last would be very easy to put in storage for a year...just enough to keep us alive if we didn't have anything else to eat. We wouldn't get fat on it, but would live; and if you think in terms of that kind of annual storage rather than a whole year's supply of everything that you are accustomed to eat which, in most cases, is utterly impossible for the average family, I think we will come nearer to what President Clark advised us way back in 1937."*

(Welfare conference address, October 1, 1966).

Ezra Taft Benson

"For over 100 years we have been admonished to store up grain. 'Remember the counsel that is given,' said Elder Orson Hyde, 'Store up all your grain, and take care of it!... And I tell you it is almost as necessary to have bread to sustain the body as it is to have food for the spirit.'"

(Journal of Discourses, Vol. 5, p. 17)

And he also said: "There is more salvation and

Elder George A. Smith:

"...How on the face of the earth could a man enjoy his religion when he had been told by the Lord how to prepare for a day of famine, when, instead of doing, so, he had fooled away that which would have sustained him and his family."

(JD 12:142)

Vaughn J. Featherstone:

"...I should like to address a few remarks to those who ask, 'Do I share with my neighbors who have not followed the counsel? And what about the non-members who do not have a year's supply? Do we have to share with them? 'No, we don't have to share—we get to share! Let us not be concerned about silly thoughts of whether we would share or not. Of course we would share!'"
(April Conference, 1976)

Spencer W. Kimball:

*"We encourage you to grow all the food that you feasibly can on your own property. Berry bushes, grapevines, fruit trees—plant them if your climate is right for their growth. Grow vegetables and eat them from your own yards. Even those residing in apartments or condominiums can generally grow a little food in pots and planters. Study the best methods of providing your own foods. Make your garden neat and attractive as well as productive. If there are children in your home, involve them in the process with assigned responsibilities...Develop your skills in your home preservation and storage. We reaffirm the previous counsel the Church has always given, to acquire and maintain a year's supply—a year's supply of the basic commodities for us. **We encourage families to have on hand this year's supply; and we say it over and over and over and repeat over and over the scripture of the Lord where He says, 'Why call ye me, Lord, Lord, and do not the things which I say?' How empty it is as they put their spirituality, so-called, into action and call him by his important names, but fail to do the things which he says.**"*

(April Conference, 1976)

Marion G. Romney

(Quoting Brigham Young):

*"...If we are to be saved in an ark, as Noah and his family were, it will be because we build it... My faith does not lead me to think the Lord will provide us with roast pigs, bread already buttered, etc.. He will give us the ability to raise the grain, to obtain the fruits of the earth, to make habitations, to procure a few boards to make a box, and when harvest comes, giving us the grain, **it is for us to preserve it—to save the wheat until we have one, two, five or seven years' provisions on hand**, until there is enough of the staff of life saved by the people to bread themselves and those who will come here seeking for safety...(the fulfillment of that prophecy is yet in the future)".*

(April Conference, 1976)

Ezra Taft Benson:

"Too often we bask in our comfortable complacency and rationalize that the ravages of war, economic disaster, famine, and earth quake cannot happen here. Those who believe this are either not acquainted with the revelations of the Lord, or they do not believe them. Those who smugly think these calamities will not happen, that they will somehow be set aside because of the righteousness of the Saints, are deceived and will rue the day they harbored such a delusion."

(October Conference, 1980)

(Ensign, Nov 1980:32-33)

If Ye Are Prepared Ye Shall Not Fear

Selected Excerpts from President Gordon B. Hinckley, Oct 2005 General Conference, Priesthood Session

I do not hesitate to say that this old world is no stranger to calamities and catastrophes. Those of us who read and believe the scriptures are aware of the warnings of prophets concerning catastrophes that have come to pass and are yet to come to pass... There was the great Flood, when waters covered the earth and when, as Peter says, only "eight souls were saved" (1 Peter 3:20).

If anyone has any doubt concerning the terrible things that can and will afflict mankind, let him read the 24th chapter of Matthew. Among other things the Lord says: "*Ye shall hear of wars and rumours of wars. . . . For nation shall rise against nation, and kingdom against kingdom: and there shall be famines, and pestilences, and earthquakes, in divers places. All these are the beginning of sorrows. . . .*" "*And woe unto them that are with child, and to them that give suck in those days! . . .*" "*For then shall be great tribulation, such as was not since the beginning of the world to this time, no, nor ever shall be. And except those days should be shortened, there should no flesh be saved: but for the elect's sake those days shall be shortened*" (Matthew 24:6-8, 19, 21-22).

In the Book of Mormon we read of unimaginable destruction in the Western Hemisphere at the time of the Savior's death in Jerusalem. Again I quote:

"*And it came to pass in the thirty and fourth year, in the first month, on the fourth day of the month, there arose a great storm, such an one as never had been known in all the land. And there was also a great and terrible tempest; and there was terrible thunder, insomuch that it did shake the whole earth as if it was about to divide asunder. And there were exceedingly sharp lightnings, such as never had been known in all the land. And the city of Zarahemla did take fire. And the city of Moroni did sink into the depths of the sea, and the inhabitants thereof were drowned. And the earth was carried up upon the city of Moronihah, that in the place of the city there became a great mountain. . . .*" "*... The whole face of the land was changed, because of the tempest and the whirlwinds, and the thunders and the lightnings, and the exceedingly great quaking of the whole earth; And the highways were broken up, and the level roads were spoiled, and many smooth places became rough. And many great and notable cities were sunk, and many were burned, and many were shaken till the buildings thereof had fallen to the earth, and the inhabitants thereof were slain, and the places were left desolate*" (3 Nephi 8:5-10, 12-14).

What a terrible catastrophe that must have been.

How portentous are the words of revelation found in the 88th section of the Doctrine and Covenants concerning the calamities that should befall after the testimonies of the elders.

The Lord says:

"*For after your testimony cometh the testimony of earthquakes, that shall cause groanings in the midst of her; and men shall fall upon the ground and shall not be able to stand. And also cometh the testimony of the voice of thunders, and the voice of lightnings, and the voice of tempests, and the voice of the waves of the sea heaving themselves beyond their bounds. And all things shall be in commotion; and surely, men's hearts shall fail them, for fear shall come upon all people*" (D&C 88:89-91).

How interesting are descriptions of the tsunami and the recent hurricanes in terms of the language of this revelation, which says, "*The voice of the waves of the sea heaving themselves beyond their bounds.*"

Man's inhumanity to man expressed in past and present conflict has and continues to bring unspeakable suffering. In the Darfur region of Sudan, tens of thousands have been killed and well over a million have been left homeless. What we have experienced in the past was all foretold, and the end is not yet. Just as there have been

calamities in the past, we expect more in the future. What do we do?

Someone has said it was not raining when Noah built the ark. But he built it, and the rains came. The Lord has said, *"If ye are prepared ye shall not fear"* (D&C 38:30).

The primary preparation is also set forth in the Doctrine and Covenants, wherein it says, "Wherefore, stand ye in holy places, and be not moved, until the day of the Lord come" (D&C 87:8).

We sing the song:

When the earth begins to tremble, Bid our fearful thoughts be still;

When thy judgments spread destruction, Keep us safe on Zion's hill.

("Guide Us, O Thou Great Jehovah," *Hymns*, no. 83)

We can so live that we can call upon the Lord for His protection and guidance. This is a first priority. **We cannot expect His help if we are unwilling to keep His commandments.** We in this Church have evidence enough of the penalties of disobedience in the examples of both the Jaredite and the Nephite nations. Each went from glory to utter destruction because of wickedness.

We can heed warnings. We have been told that many had been given concerning the vulnerability of New Orleans. We are told by seismologists that the Salt Lake Valley is a potential earthquake zone. This is the primary reason that we are extensively renovating the Tabernacle on Temple Square. **This historic and remarkable building must be made to withstand the shaking of the earth.**

We have built grain storage and storehouses and stocked them with the necessities of life in the event of a disaster. **But the best storehouse is the family storeroom.** In words of revelation the Lord has said, *"Organize yourselves; prepare every needful thing"* (D&C 109:8).

Our people for three-quarters of a century have been counseled and encouraged to make such preparation as will assure survival should a calamity come.

We can set aside some water, basic food, medicine, and clothing to keep us warm. We ought to have a little money laid aside in case of a rainy day...

I am saying nothing that has not been said for a very long time.

Let us never lose sight of the dream of Pharaoh concerning the fat cattle and the lean, the full ears of corn, and the blasted ears; the meaning of which was interpreted by Joseph to indicate years of plenty and years of scarcity (see Genesis 41:1–36).

I have faith, my dear brethren, that the Lord will bless us, and watch over us, and assist us if we walk in obedience to His light, His gospel, and His commandments. He is our Father and our God, and we are His children, and we must be in every way deserving of His love and concern. That we may do so is my humble prayer, in the name of Jesus Christ, amen.

GETTING SET FOR A POSSIBLE MODERN DAY REPEAT OF HAUN'S MILL

We all know the tragic story of Haun's mill.

Joseph Smith had counseled all of the Church members living around Far West to drop everything and come into Far West for safety. It wasn't a commandment...it was simply a request and counsel. Almost all the members of the Church immediately followed the counsel of the prophet. However, brother Jacob Haun, upon hearing this counsel, came and argued with the Prophet about the counsel at least 3 times during one day. Brother Haun's point was that he did not see the reason for it and he felt that he and his people could defend themselves if necessary. According to John Lee who was present for the conversations, on 26 October 1838 The Prophet said,

"Move in, by all means, if you wish to save your lives." Haun replied that if the settlers left their homes all of their property would be lost and the Gentiles would burn their houses and other buildings. Joseph replied, "You had better lose your property than your lives, but there is no danger of losing either if you will do as you are commanded."

Again, brother Haun thought he and his neighbors could protect and defend themselves, and Smith finally gave them permission to remain, and is recorded as saying;

"they would consider him a tyrant if he forced them to leave and abandon their property and come to Far West."

Years later, on 8 June 1867 John Lee reaffirmed in his diary that;

"Jos. permitted Haun to gather the Brethren and defend their Mill but stated at the same time that they would be massacred & sure enough it was done."

Four years later after the incident Joseph himself recounted:

"Up to this day God had given me wisdom to save the people who took Council. None had ever been killed who abode by my Council. At Haun's Mill the brethren went contrary to my Council; if they had not, their lives would have been spared."²

The lesson here for us to learn from is that brother Haun, the righteous local leader of a group of good saints...felt he knew better than to obey all of the counsel of the living prophet. After all, Joseph hadn't made it an enforced commandment...he phrased it as counsel and advice. In fact, it is important to note that Joseph **REFUSED** to make it a **COMMANDMENT** and force the people to gather, even though he knew it would save their lives. Many of the good and righteous people who trusted in their own wisdom and their local leader and refused to give full heed to the words of the prophet, sadly, paid the terrible price four days later. That they were good people who were righteous and had great faith is not disputed as some of them performed miracles later even in the very day of their distress. But it was to help alleviate some of the suffering their disobedient actions had brought down upon them. The problem was they thought it was a little more important to try and save their material positions in the world, than to obey the suggestions of a living prophet. This brings up another point of discussion.

LABORING UNDER A FALSE DOCTRINE

Does personal spiritual righteousness and gospel zeal guarantee the temporal protection of the Lord and excuse an individual from obeying counsel of the Prophets and Apostles?

On the face of it the answer would seem obvious...absolutely not. We must obey all of the counsel of the Lord's anointed...all of the time. We can't pick and choose without facing the resulting consequences. But throughout history and even today many of the saints and their local leaders believe, work under and teach this false doctrine in an important aspect of their lives.

Let me rephrase this question in another way. Can a member or a leader be trying so hard in so many areas and be doing a tremendous amount of good while yet at the same time ignore counsel given again and again by prophets...and then suffer terrible consequences because of his lack of obedience in something very small he personally did not see the benefit of?

The answer is of course...yes. Let me use one more famous historical example of this very issue. The Martin and Willey handcart experience is again, like Haun's mill, a story of a group of good, righteous individuals and their local leaders ignoring counsel from Prophets and Apostles and suffering the consequences. They specifically, and falsely, applied the idea that their personal righteousness would protect them in their disregard for following the counsel of the Apostles. In fact they actually used as an excuse their gospel enthusiasm, zeal, faith and obedience as some of the primary reasons in their arguments to disobey the advice of the brethren.³ After all, it wasn't a commandment that was enforced...it was just counsel. Again, history proved them to be tragically wrong.

"The decision to send out the Willie and Martin companies so late in the season was extremely reckless and based upon false doctrine. That decision cost the lives of nearly one-fourth of the entire group; about 220 people died before the rescue party sent by President Young could reach them."⁴

Of course we have the story of those who survived the Willie and Martin experience who drew closer to the Lord. But, according to Brigham Young, it wasn't what the Lord wanted:

"In mid-November President Brigham Young angrily reproved those who had authorized the late start or who had not ordered the several parties back to Florence when they still had the opportunity, charging "ignorance," "mismanagement," and "misconduct." Though terrible, the suffering could have been far worse. Had the rescue effort not been launched immediately—we'll before the storm struck—the handcart companies would probably have been totally destroyed."⁵

SETTING UP A MODERN DAY REPEAT

Are too many of us as members and local leaders setting ourselves up for another Haun's Mill and Willie and Martin handcart disaster...only on a tremendously much larger scale?

I can't tell you how many times I have talked with people who are wonderful, faithful members of the Church, some even who are ward and stake leaders, who don't have enough food storage to last more than a week or so. Often this is because they have been well blessed in material possessions and income. In our discussions about how the counsel for food storage has been repeated by every prophet for over 60 years they commonly respond that with all of the other issues that they are dealing with, it just isn't very high on the priority list. Temple work, family history, missionary work are all much more important than food storage. However, some explain that if the Prophet made it a commandment, like they did with the Word of Wisdom by including it on the temple recommend interview, instead of just counsel, then they would move it up on the priority list.

These people, and I am convinced they represent a very large portion of the membership of the Church, believe the very same false doctrines as did the members of the two ill fated groups mentioned above. First, they falsely believe that their personal righteousness will save them. After all, they are busy going to the temple, fulfilling Church callings, sending missionaries out, etc. in other words...doing the works of the righteous. Surely, the Lord

will be merciful to them and take care of them despite their lack of attention to this small item. They discount what president Benson taught on this point:

“Should the Lord decide at this time to cleanse the Church—and the need for that cleansing seems to be increasing—a famine in this land of one year’s duration could wipe out a large percentage of slothful members, including some ward and stake officers. Yet we cannot say we have not been warned.”⁶

Additionally, they commonly believe and have heard it actually taught over the pulpit by others that those terrible things that have been prophesied won’t happen to the righteous and so they need not prepare for them. Many prophets, including President Lee and President Kimball addressed this terribly false notion, but President Benson said it best in his “Rue The Day” statement:

“Too often we bask in our comfortable complacency and rationalize that the ravages of war, economic disaster, famine, and earthquake cannot happen here. Those who believe this are either not acquainted with the revelations of the Lord, or they do not believe them. *Those who smugly think these calamities will not happen, that they somehow will be set aside because of the righteousness of the Saints, are deceived and will rue the day they harbored such a delusion.* The Lord has warned and forewarned us against a day of great tribulation and given us counsel, through His servants, on how we can be prepared for these difficult times. Have we heeded His counsel?”⁷

It is hard for me to understand why or how so many good and wonderful people can discount what the prophets have said, again, and again, and again, and again concerning what will suddenly happen to the world in the future. President Benson said:

“The revelation to produce and store food may be as essential to our temporal welfare today as boarding the ark was to the people in the days of Noah.”⁸

It is important to note that the people who didn’t get on the ark, suffered and died by the very calamity that for 300 years had been prophesied would come upon them. People, including members of the Church, have always had a habit of believing that things won’t change drastically, or that terrible things could happen to them. It is a part of human nature.

However, the scriptures are very clear that these terrible cataclysmic events, some perhaps 20-30 years prior to the actual return of the Savior in power and great glory, will come suddenly upon the heart of the Church, and then be poured out upon the rest of the world.

“Behold, vengeance cometh speedily upon the inhabitants of the earth, a day of wrath, a day of burning, a day of desolation, of weeping, of mourning, and of lamentation; and as a whirlwind it shall come upon all the face of the earth, saith the Lord.

“And upon my house shall it begin, and from my house shall it go forth, saith the Lord;

“First among those among you, saith the Lord, who have professed to know my name and have not known me, and have blasphemed against me in the midst of my house, saith the Lord.”⁹

It is noteworthy that President Hinckley quoted from this scripture in his famous Sunday morning talk given in General conference following the September 11, 2001 terrorist attack and subsequent beginning of the war in Iraq.

Additionally, this scripture was supposed to have been discussed in great detail recently throughout the Church as it was contained in the Priesthood/Relief Society manuals when we studied Joseph F. Smith. A few quotes from that lesson:

“The many eruptions, earthquakes and tidal waves which have occurred...are signs which the Savior declared would foreshadow his second coming, although he said his advent should be as thief in the night...The wise and prudent will heed the warning and prepare themselves that they be not taken unawares.”

“I...testify, that [the Latter-Day Saints]...will be the first to fall beneath the judgments of the Almighty, for his judgments will begin at his own house.”¹⁰

Wilford Woodruff commented that he believed that the dreadful calamities described in the second half of the third Chapter of Isaiah is a direct description of some of the aftermath of this and other unpleasant prophetic fulfillments specifically upon the Church members because of their participation in the fashions of Babylon which showed where their hearts really were:

“There are some prophecies pertaining to these latter days that are unpleasant to contemplate. President Young has been calling upon the daughters of Zion day after day, now, for years, to lay aside these Babylonish fashions. I have been reading the third chapter of Isaiah, and I have been hoping, all the days of my ministry, that the sayings contained in that chapter would never apply to the daughters of Zion in our day; but I believe they will, and inasmuch as they will not listen to President Young and to the prophets, apostles and elders of Israel with regard to throwing off these nonsensical things, I hope they will hasten the lengthening out of their skirts and drag them in the streets; that they will increase their round tires like the moon, increase their hoops, and their headbands, increase their Grecian bends at once and carry it out until they get through with it, so that we can turn to the Lord as a people. Some of the daughters of Zion do not seem willing to forsake the fashions of Babylon. I to such would say hasten it, and let the woe that is threatened on this account come, that we may get through with it, then we can go on and build up the Zion of God on the earth.”¹¹

Imagine what he would say if he saw the fashions of today that include the nose rings, the leg ornaments, the tinkling ornaments about the feet that were not present during his day, but are now very prevalent in ours, even among many of our members?

BUT WHAT ABOUT A YEARS SUPPLY OF BASIC FOOD STORAGE?

I believe that every prophet over the last 60 years has talked about having the Church members get a bare minimum of at least a one year's supply of basic food items. Though it is not addressed directly in every conference, it is published in a tremendous amount of Church literature, pamphlets, Church handbook of instructions, monthly messages for home teachers and visiting teachers, instruction manuals, etc.

Again, after 9/11, in the following October General Conference, President Hinckley talked about food storage.

“We cannot provide against every contingency. But we can provide against many contingencies. Let the present situation remind us that this we should do. As we have been continuously counseled for more than 60 years, let us have some food set aside that would sustain us for a time in case of need. But let us not panic nor go to extremes. Let us be prudent in every respect.”¹²

Three months later, the First Presidency then took the unprecedented step of issuing a special letter (January 20, 2002) clarifying his remarks so that there would be no misunderstanding, asking that food storage preparation, specifically concerning having minimally a one year supply for every member in the world where ever possible, be

taught in every branch, ward, district and stake in the Church. In it, for the first time, it outlined the minimum of basic food items to be included in such storage. Unfortunately, it is estimated that 25% of the membership in North America, still have never even heard of the letter because it was not taught to them by their local leaders. Quoting from the letter (underlining is mine):

“Priesthood and Relief Society leaders should teach the importance of home storage and securing a financial reserve. These principles may be taught in ward councils or on a fifth Sunday in priesthood and Relief Society meetings.

“Church members can begin their home storage by storing the basic foods that would be required to keep them alive if they did not have anything else to eat. Depending on where members live, those basics might include water, wheat or other grains, legumes, salt, honey or sugar, powdered milk, and cooking oil. ... When members have stored enough of these essentials to meet the needs of their family for one year, they may decide to add other items that they are accustomed to using day to day.

“Some members do not have the money or space for such storage, and some are prohibited by law from storing a year’s supply of food. These members should store as much as their circumstances allow. Families who do not have the resources to acquire a year’s supply can begin their storage by obtaining supplies to last for a few months. Members should be prudent and not panic or go to extremes in this effort. Through careful planning, most Church members can, over time, establish both a financial reserve and a year’s supply of essentials.”¹³

Following this, the Church made a major change at the Bishops storehouses, creating monthly survival food storage boxes for one person at tremendously low prices. A person could purchase 12 of these boxes and have a years supply of food storage...allowing the step by step completion of President Hinckley’s counsel by almost any member.

The preparedness message was also echoed by other Church leaders as well. In a Jan 31, 2002 letter by President Packer, acting President of the Quorum of the Twelve, to General Authorities, Area Authority Seventies, Stake, Mission and District Presidents part of the emphasis for 2002 stake conference training was “please instruct members of the importance of reducing debt, living within their means, and storing food and other essentials that enable them to remain self-reliant in times of need.”

A year later to reemphasize the importance of obtaining a years supply of food storage, it was the main topic for the visiting teaching message for January 2003, “If ye are prepared ye shall not fear.”

And so we get to the heart of the matter:

ARE TOO MANY MEMBERS, INCLUDING LOCAL AND STAKE LEADERS, IGNORING THE COUNSEL TO TEACH AND ENCOURAGE THAT EVERY MEMBER SHOULD HAVE AT LEAST A 1 YEAR SUPPLY OF BASICS?

Is there a chance that because of their lack of attention in this one small area...that they and their trusting members might one day in the future suffer terrible consequences such as watching their families and friends slowly starve to death? President Kimball said:

“How often do Church members arise early in the morning to do the will of the Lord?...

How often do we say, “Yes, I will obey the commandment to store food and to help others, but just now I have neither the time nor the money to spare; I will obey later”? Oh, foolish people! While we procrastinate, the harvest will be over and we will not be saved. Now is the time to follow

Abraham's example; now is the time to repent; now is the time for prompt obedience to God's will."¹⁴

It is important to note that many of the prophets, including President Kimball in the preceding quote, call it THE COMMANDMENT to store food.

As one reads the scriptures, the talks, the manuals and all that has been said upon the subject, it isn't a matter of IF the famine comes, it is a matter of only WHEN the famine comes. President Benson stated:¹⁵

"Not only should we have strong spiritual homes, but we should have strong temporal homes. We should avoid bondage by getting out of debt as soon as we can, pay as we go, and live within our incomes. There is wisdom in having on hand a year's supply of food, clothing, fuel (if possible), and in being prepared to defend our families and our possessions and to take care of ourselves. I believe a man should prepare for the worst while working for the best. Some people prepare and don't work, while others work but don't prepare. Both are needed if we would be of maximum service to our God, our family, and our country."

"We must do more to get our people prepared for the difficult days we face in the future. Our major concern should be their spiritual preparation so they will respond with faith and not fear. "If ye are prepared, ye shall not fear" (D&C 38:21). Our next concern should be for their temporal preparation. When the economies of nations fail, when famine and other disasters prevent people from buying food in stores, the Saints must be prepared to handle these emergencies. This is a matter of concern for area, region, and stake councils."¹⁵

What do we do after we have a basic year's supply of food for ourselves and our family? Simply, we have been counseled to think about going beyond just the basics of food and extend the principle to clothing, fuel, seeds, tools, shelters (tents) and other items necessary to sustain ourselves and our families for a year.

"A man should not only be prepared to protect himself physically, but he should also have on hand sufficient supplies to sustain himself and his family in an emergency. For many years the leaders of the Mormon Church have recommended, with instructions, that every family have on hand at least a year's supply of basic food, clothing, fuel (where possible), and provisions for shelter. This has been most helpful to families suffering temporary reverses. It can and will be useful in many circumstances in the days ahead. We also need to get out of financial bondage, to be debt-free."¹⁶

Some believe falsely that when things get bad...the Church has stored enough for all of the members. The Church leadership has been very clear on this issue:

"Our bishop's storehouses are not intended to stock enough commodities to care for all the members of the Church. Storehouses are only established to care for the poor and the needy. For this reason, members of the Church have been instructed to personally store a year's supply of food, clothing, and, where possible, fuel. By following this counsel, most members will be prepared and able to care for themselves and their family members, and be able to share with others as may be needed."¹⁷

Finally, in summary:

"You do not need to go into debt to obtain a year's supply. Plan to build up your food supply just as you would a savings account. Save a little for storage each paycheck. Can or bottle fruit and vegetables from your gardens and orchards. Learn how to preserve food through drying and possibly

freezing. Make your storage a part of your budget. Store seeds and have sufficient tools on hand to do the job. If you are saving and planning for a second car or a television set or some item which merely adds to your comfort or pleasure, you may need to change your priorities. We urge you to do this prayerfully and do it now. I speak with a feeling of great urgency."¹⁸

"When we really get into hard times," said President J. Reuben Clark, Jr., "where food is scarce or there is none at all, and so with clothing and shelter, money may be no good for there may be nothing to buy, and you cannot eat money, you cannot get enough of it together to burn to keep warm, and you cannot wear it."¹⁹

"For more than a hundred years, Church leaders have taught the members to store grain and other essentials that would sustain life in times of drought or famine. The current guidelines for home storage are intended to apply internationally. They include having a supply of food, clothing, and, where possible, the fuel necessary to sustain life for one year. Church guidance states, "We have never laid down an exact formula for what anybody should store. Perhaps if we think not in terms of a year's supply of what we ordinarily would use, and think more in terms of what it would take to keep us alive in case we didn't have anything else to eat, that last would be very easy to put in storage for a year".²⁰

President Joseph Fielding Smith said:

"The distress and perplexity, bloodshed and terror, selfish ambition of despotic rulers, such as the world has never before seen, all indicate that the great and dreadful day of the Lord is very near, even at our doors. We have been warned by the prophets from the beginning of time. They have declared, by revelation from the Lord, that in this present day, confusion, bloodshed, misery, plague, famine, earthquake, and other calamities, would cover the face of the earth. The Lord told his disciples of these dreadful scenes and said men's hearts would fail them because of these things coming upon the earth. . . ." ²¹

"President Willford Woodruff and the Prophet Joseph Smith declare that it was their duty and should be the duty of every righteous man to raise the warning voice and proclaim the fact that these calamities are at our doors, and I have been condemned because I have done that. I heard one good man say, "There are too many good things to think about without talking about these troubles, these plagues, or worrying about the coming of the Lord." Here is what the Lord says in Section 45 of the Doctrine and Covenants, verses 39 to 43.

"And it shall come to pass that he that feareth me shall be looking forth for the great day of the Lord to come, even for the signs of the coming of the Son of Man.

"And they shall see signs and wonders, for they shall be shown forth in the heavens above, and in the earth beneath.

"And they shall behold blood, and fire, and vapors of smoke."

"Now, when the Lord says that, don't you think I am justified in raising my voice and do you think I am doing wrong when I am... watching the signs of the times and these calamities and troubles that are coming? Am I doing wrong? And yet one good brother said that. Too many things to do. We haven't time to worry about the coming of Christ. I hope he is here. Now, here is something from President Brigham Young.

"Do you think there is calamity abroad now among the people?... All we have yet heard and all we have experienced is scarcely a preface to the sermon that is going to be preached. When the testimony of the Elders ceases to be given, and the Lord says to them, 'come home; I will now preach My own

sermons to the nations of the earth,' all you now know can scarcely be called a preface to the sermon that will be preached with fire and sword, tempests, earthquakes, hail, rain, thunders, and lightnings and fearful destruction. What matters the destruction of a few railway cars? You will hear of magnificent cities, now idolized by the people, sinking in the earth, entombing the inhabitants. The sea will heave itself beyond its bounds, engulfing mighty cities. Famine will spread over the nations, and nation will rise up against nation, kingdom against kingdom, and states against states, in our own country and in foreign lands; and they will destroy each other, caring not for the blood and lives of their neighbors, of their families, or for their own lives. They will be like the Jaredites who preceded the Nephites upon this continent, and will destroy each other to the last man, through the anger that the devil will place in their hearts, because they have rejected the words of life and are given over to Satan to do whatever he listeth to do with them. You may think that the little you hear of now is grievous; yet the faithful of God's people will see days that will cause them to close their eyes because of the sorrow that will come upon the wicked nations. The hearts of the faithful will be filled with pain and anguish for them."

"Why is the Lord angry? Why are all these things coming upon the world? President Young said in this article that I read and the Lord says in the revelations I have read to you, it is because they have turned away from the Gospel of Jesus Christ, because they have rebelled against God, and because they have refused to hear the testimony of those who have been sent to preach the Gospel to them. That is why. They have rejected the message. The nations are full of iniquity."

"Now, there is our danger. We must not forsake God. If we are not on His side, you may be sure He is not going to be on our side. He will leave us to ourselves. Now, these calamities are here. They are upon us. The whole world is in commotion. I have had to leave unsaid about two-thirds of what I have prepared to say, but next week, which will be the concluding talk, I am going to turn to these Scriptures and show you what the old prophets have said in regard to our day. I have told you now what the Lord said and what the prophets of our own day have said. I have shown you the fulfillment of the prediction by President Willford Woodruff, that the angels are sent forth to reap the earth. They are on that mission. This I have presented to you tonight, and we will get the other things next time."²²

"If we are prepared we shall not fear."²³

(Footnotes)

¹ Regional Studies, Missouri, Benson—Hauri's Mill, p. 107

² Ehat & Cook, Words, Manuscript History of the Church: 29 August 1842 (Monday Morning), p. 127-129

³ See B. H. Roberts, Comprehensive History of the Church, Vol. 4, Ch. 98, p. 91

⁴ Encyclopedia of Mormonism, Vol. 2, HANDCART COMPANIES

⁵ Ibid

⁶ Teachings of Ezra Taft Benson, p. 265

⁷ Teachings of Ezra Taft Benson, p. 706

⁸ CR October 1980, Ensign 10 [November 1980]: 33.) Teachings of Ezra Taft Benson, p. 266

⁹ D&C 112:24-26

¹⁰ President Joseph F. Smith quotes from Lesson 44 Preparing For The Second Coming of Christ, page 393

¹¹ The Discourses of Willford Woodruff, p. 226 - p. 227

¹² Oct 6, 2002 Sunday morning Session, President Hinkleley

¹³ Jan 20, 2002 First Presidency Letter

¹⁴ The Teachings of Spencer W. Kimball, p. 174

¹⁵ Teachings of Ezra Taft Benson, p. 264

¹⁶ President Benson, God, Family, Country, p. 331.)

¹⁷ Teachings of Ezra Taft Benson, p. 263-264, 267

¹⁸ President Benson, CR October 1980, Ensign 10 [November 1980]: 33.)

¹⁹ Teachings of Ezra Taft Benson, p. 268

²⁰ Encyclopedia of Mormonism, Vol. 2, EMERGENCY PREPAREDNESS

²¹ Joseph Fielding Smith Jr., Doctrines of Salvation, Vol. 3, p. 19

²² Joseph Fielding Smith, The Signs of the Times, p. 124-137

²³ D&C 38:30

PREPAREDNESS TEST

1. Has your family rehearsed fire escape routes from your home? YES - NO
2. Does your family know what to do before, during, and after an earthquake or other emergency situation? YES - NO
3. Do you have heavy objects hanging over beds that can fall during an earthquake? YES - NO
4. Do you have access to an operational flashlight in every occupied bedroom? YES - NO
(use of candles is not recommended unless you are sure there is no leaking gas)
5. Do you keep shoes near your bed to protect your feet against broken glass? YES - NO
6. If a water line was ruptured during an earthquake, do you know how to shut off the main water line to your house? YES - NO
7. Can this water valve be turned off by hand without the use of a tool? YES - NO
Do you have a tool if one is needed?
8. Do you know where the main gas shut-off valve to your house is located? YES - NO
9. If you smell gas, do you know how and would you be able to shut off this valve? YES - NO
10. Gas valves usually cannot be turned off by hand. Is there a tool near your valve? YES - NO
11. Would you be able to safely restart your furnace when gas is safely available? YES - NO
12. Do you have working smoke alarms in the proper places to warn you of fire? YES - NO
13. In case of a minor fire, do you have a fire extinguisher that you know how to use? YES - NO
14. Do you have duplicate keys and copies of important insurance and other papers stored outside your home? YES - NO
15. Do you have a functional emergency radio to receive emergency information? YES - NO
16. If your family had to evacuate your home, have you identified a meeting place? YES - NO

IF AN EMERGENCY LASTED FOR THREE DAYS (72 HOURS) BEFORE HELP WAS AVAILABLE TO YOU AND YOUR FAMILY.....

17. Would you have sufficient food? YES - NO
18. Would you have the means to cook food without gas and electricity? YES - NO
19. Would you have sufficient water for drinking, cooking, and sanitary needs? YES - NO
20. Do you have access to a 72 hour evacuation kit? YES - NO
21. Would you be able to carry or transport these kits? YES - NO
22. Have you established an out-of-state contact? YES - NO
23. Do you have a first aid kit in your home and in each car? YES - NO
24. Do you have work gloves and some tools for minor rescue and clean up? YES - NO
25. Do you have emergency cash on hand? (During emergencies banks and ATMs are closed) YES - NO
26. Without electricity and gas do you have a way to heat at least part of your house? YES - NO
27. If you need medications, do you have a month's supply on hand? YES - NO
28. Do you have a plan for toilet facilities if there is an extended water shortage? YES - NO
29. Do you have a supply of food, clothing, and fuel where appropriate:
For 6 months? For a year? YES - NO

These are all questions that need answers if you are to be safe in an emergency.
If you answered 'No' to any of them, its now time to work on getting those items done.

Copyright 2001 One Heart, Inc. - All Rights Reserved

DELUXE “96” HOUR KIT



In emergency preparedness, a 72 hour kit is widely considered the first step in becoming prepared. Sitting in a closet or some other area close to the front door, it can be grabbed in a moment's notice, should you have to depart your home with little or no warning. Two days ago, only a block from my house, a neighbor's home caught fire at 3 AM. After getting everyone out, the fire hastily spread and quickly destroyed this family's home. Everything inside it was totally destroyed. What did they have left? Only the pajamas on their backs. They lost literally everything. They didn't even have shoes on their feet. They wish they'd had a good 96 hour kit. Fortunately, the whole community is pulling together for them. But not everyone is this lucky. Sometimes, whole communities are affected at the same time. This same tiny farming village back in 1978 had to be immediately evacuated for several days because of derailed and leaking butane cars. Before that, everyone here thought this was a place where disasters 'never happened.' Seventy-two hour kits would have been really handy then as well. It's not necessary that you live in a tornado or hurricane alley to need a 96 hour kit. Every family needs one for the unexpected.

A deluxe “96” hour kit should contain all the essential things your family would need to take you through 4 days of being on your own. There's a reason behind the length of time the kit's contents should last. It generally takes the disaster relief agencies at least 3-4 days to move in and set up before offering assistance. Generally speaking, you're on your own during this time. Depending on how bad the situation is, it could even be longer. Whether you start with our kit or put one together yourself from scratch, it's important for your family's welfare to have one. In any type of disaster things will be bad. Not having the necessities to sustain your life and the lives of your family members could turn an otherwise manageable problem into a personal cataclysm you could never recover from. Prepare now for life's surprises.

First Aid

- Personal First Aid Kit
- Family First Aid Kit

Preventative Aid

- Foot powder
- Body powder, medicated

Light, Heat, Fire making

- Pack lantern
- Spare lantern mantles
- Flash light
- Spare bulb, batteries
- Candle lantern
- Spare plumbers candles
- Glow sticks
- Match safe & matches
- Magnesium block
- Magnifying glass
- Lighter
- Spare flints

Navigation

- Map case
- Maps
- Map measure
- Pedometer
- Compass
- Altimeter
- Global positioning system (GPS)

Tools and Repair Kits

- Leatherman, Gerber tool
- Sven saw
- Hatchet/Boys axe w/sheath
- 8 inch mill file
- Spare parts: pack, stove, lantern
- Tent/ Pack patch kit: ripstop tape
- Copper wire, spool

Fishing Equipment

- Pack rod case
- Pack rod, spin -fly combination
- Ultra lite spinning reel
- Ultra lite fly reel
- 15 lb test Spiderwire monofilament
- ZDTF fly line
- Fly line leaders, various lb test
- Tackle boxes, small double sided (2)
- Hooks, size 8, 10, 12
- Fly assortment
- Sinkers, split shot
- Spinners
- Spoons
- Small plugs, poppers, bugs
- Fanny Pack.

Cooking Equipment

- Frying pan, folding
- Cook set, nesting
- Can opener, P-38
- Eating utensil set
- Book matches, water proof
- Pack stove
- Windscreen
- Fuel bottles
- Condiments
- Salt & Pepper
- Sugar
- Flour
- Honey
- Milk, dry, instant

Personal Hygiene & Sanitation

- Toilet trowel
- Toilet tissue, biodegradable
- Feminine hygiene items
- Shampoo
- Comb and brush
- Eye drops
- Tooth brush & tooth paste
- Shaving gear
- Deodorant
- Soap & soap dish
- Bath towel

Personal Items

- Camera, lenses, flash and film
- Binoculars
- Swiss Pocket knife
- Sharpening stones and oil
- Wallet
- Extra house and car keys
- Copy of important papers such as titles etc.
- Handkerchief
- Watch
- Sun & prescription glasses
- Pencil and note pad
- Scriptures
- Chigger powder
- Mosquito repellent
- Lip balm
- Sun block
- Body powder, medicated
- Corn starch
- Hand lotion

Emergency Gear

- Signal flares, night
- Signal smoke, day
- Signal die, water
- Signal mirror
- Strobe light
- Whistle
- Space blanket
- Hand warmers

Clothing Maintenance and Repair

- Sewing Kit
- Spare shoelaces
- Biodegradable detergent
- Woolite
- Small scrub brush
- Clothes pins

Cash

- \$100 in small bills
- \$10 in Quarters
- Credit Cards
- Debit Card
- A few blank Checks

Communication

- Pocket radio, battery/solar power
- Cell phone ... or
- Two way radio: CB, GMRS, FRS
- Spare NiCad batteries
- Solar battery charger

Bedding

- Foam pad, closed cell
- Sleeping bag
- Air pillow

Water

- Poly canteens, 1 quart
- Sierra cup
- Water purification tablets
- Water purifier & extra filters
- Water bag, nylon
- Water bag liners, plastic
- Solar still
- Rubber surgical tubing

Clean Up

- Scouring pads, soap filled
- Sanitary tablets & dunking bag
- Dish towel

Pack and Pack Frame

- Pack
- Frame
- Clevis pins
- Stuff bags
- Compression straps
- Plastic garbage bags

Food

- Twist ties
- Personal daily rations
- Energy bars, tablets
- Trail snacks

Shelter

- Tent
- Tent fly
- Tent poles
- Tent pegs
- Ground cloth
- Ultra light weight tarp
- Visk clamps
- Nylon line, 50 ft. 2 ea

Clothing

- Hiking boots
- Trail sneakers
- Socks
- Underclothing
- Thermal underwear
- Shirts, short sleeve
- Shirts, long sleeve
- Shorts, hiking
- Trousers, long
- Belt and buckle
- Sweater
- Vest
- Jacket
- Parka
- Poncho
- Gloves, leather
- Mittens, wool
- Scarf
- Balaclava
- Bandanna, large
- Hat
- Moleskins
- Swimsuit

Food Storage

“...and he will have his eyes fixed on the signs of the times, and that day will not overtake him unawares.” - JD 7:189.


We do seem to be undergoing a **quickening of the times** and that may be an important indication for each of us to evaluate our personal and family storage needs again.

As members of the Church we have been counseled for many many years to prepare and keep on hand at least a **one-year supply of food**. In the early days of our church the Saints were admonished to have a **7 year** food supply. Then, for many years there was a time when a two-year supply was recommended, (and it undoubtedly would be a good idea for each of us to still keep a two-year supply if at all possible as this will allow us to share with others). But in the meantime it is imperative that we heed the current counsel to **obtain and maintain at least a one-year minimum emergency food supply**.

According to figures gathered by one of the food storage manufacturing firms, less than 6% of the members of the Church have an adequate emergency program. *Where do you fit into this figure?*

Let's enjoy life as much as we can - but let's also be **prepared**. As we have recently seen, an unexpected disaster or loss of income can strike every s-o-o quickly.

***“When the emergency is upon us,
the time of preparation has passed.”***



Our food supply is fragile

Grocery stores don't stock weeks of food anymore. Most keep only 72 hours of food on the shelves. They re-stock based on just-in-time delivery of food supplies. If the trucks stop rolling in your part of the country during a crisis, the store shelves will be emptied almost immediately. In fact, expect a shortage of mainstay items like milk and bread to occur similar to what happens before an approaching hurricane hits. Those who are aware of the problem but who haven't already made preparations will engage in a last-minute rush to buy a few extra supplies.

Transportation is the key to food

Without transportation, farmers can't get their crops to the wholesalers or food processing facilities. Food is heavy, generally speaking, and it requires trucks and trains to move it around — a literal ARMY of trucks and trains, weaving their way from city to city, optimized and prioritized by computers. If the computers freeze, the whole transportation infrastructure will shut down.

Transportation also depends heavily on fuel, which means the oil-producing countries in the Middle East have to be able to produce the oil that gets refined into diesel fuel here in America. So, in other words, **your food supply depends on Saudi Arabia being alive and well**. Do you trust the people in charge in Saudi Arabia, Iraq, Iran, and Kuwait with your life? If you don't **make preparations now**, you're trusting them by default.

Cities depend entirely on rural land

Did you know cities would be ghost towns without the supporting imports of food from the country? We should all thank the farmers a little more, because they literally keep us all alive. Cities are like concrete islands. You might think a city is self-sustaining until you really think about it, but underneath it all, that city is a ghost town without the people in the country supporting it.

You may already know that city people and country people have very different views on politics and life in general. Country people tend to be more religious and more conservative. City people tend to be more liberal. So there's more than a little animosity between country people and city people. When a crisis hits, and the country people find they are without electricity and fuel, they will still survive, for the most part, because they're used to surviving. But do you think they will really put "saving city people" high on their list of priorities? I don't think so. Any food that's harvested from the fields will be kept and stored by the farmers themselves. They will NOT be shipping this stuff to the cities unless they have excess goods and can find a transportation method that still works (and has fuel). Unfortunately, if some emergency powers acts are signed into place by the President, the Federal Emergency Management Association will have the legal power to actually confiscate and redistribute food. This makes it all the more likely that farmers will harvest it and HIDE IT in order to keep it. And that means even less food making it to the cities. Bottom line? Cities where food can't be delivered will eventually be gutted, looted, evacuated and likely burned to the ground.

You need to start stocking food

You can do a lot if you start early. Unfortunately, "early" might have been yesterday. Now we're way past early, and you need a reasonable plan to get food supplies that will store well and don't cost too much.

You've probably already realized that buying up extra cans of soup at the grocery store is a really stupid way to spend your preparedness money. You need a better plan. Every \$10 you spend at the store might feed a person for a few days. You need more leverage, where you can spend \$10 and feed a person for a few weeks.

Buy extra, use FIFO

Go ahead and buy more food than normal when you're out shopping, and set it aside. Use the "first in, first out" rule to eat your older supplies first. Keep rotating your supplies so you never abandon food "way in the back."

Buy ingredients, not prepared foods

Ingredients such as salt, honey, oatmeal and wheat will last a lot longer than prepared foods like TV dinners, cereals, and food mixes. Naturally, as you purchase food ingredients, you'll want to practice actually using them! And remember the basics. For example, if you purchase a bag of wheat, how exactly do you plan to make flour out of it? I've personally seen plans in a survival book that described throwing some wheat in a coffee can and pounding it into flour with a blunt stick. You can make a few cups of flour after ten of fifteen minutes of noisemaking.

BARE-MINIMUM LDS Church Food storage requirements for

1 adult male for 1 year Appx. 2,300 calories per day. (only 695lbs total)

This will keep you fed, but leave you hungry. **TOTAL FOOD PER DAY = 24.65 Ounces**

Grains (400lbs)

Unless your family already eats 100% whole wheat homemade bread, white flour should be used in the transition process to whole wheat. Adding rye flour (10%) helps make wheat bread a more complete protein. Dent corn is used to make tortillas.

Beans & Legumes (90lbs) {minimum reduced to only 60lbs in 2002}

Black beans cook quickly, make a good salad complement with a vinaigrette dressing over them. Soybeans can be used to make soy milk and tofu, a protein food you should be prepared to make. Familiarize yourself with sprouting techniques. Learn how to make wheat grass juice - the best vitamin supplement you can use.

Milk-Dair products (75lbs) {minimum reduced to only 16lbs in 2002}

Milk powder can be used to make cottage cheese, cream cheese and hard cheeses. Ideally your milk should be fortified with Vitamins A & D. When reconstituting aerate to improve flavor (special mixing pitchers can accomplish this). Whole eggs are the best all-purpose egg product. Powdered sour cream has a limited shelf life unless frozen.

Meats / Meat substitute (20lbs) {minimum reduced to only 0lbs in 2002}

Use meat in soups, stews and beans for flavor. Freeze dried is the best option for real meat. Textured Vegetable protein is the main alternative to freeze dried meats.

Fats / Oils (20lbs)

This group can boost the calories one is getting from food storage products, and supply essential fatty acids.

Sugars (60lbs)

Store your honey in 5 gallon pails. Candy and other sweets can help with appetite fatigue.

Fruits / Vegetables (90lbs) {minimum reduced to only zero lbs in 2002}

Some fruits and vegetables are best dehydrated, others freeze dried (strawberries & blueberries). Fruits are a nice addition to hot cereal, muffins, pancakes and breads.

Auxiliary foods (weight varies)

Vanilla extract improves the flavor of powdered milk. The production of tofu requires a precipitator such as nigari, epsom salt, calcium chloride or calcium sulfide (good calcium source). Learn how to make and use wheat gluten (liquid smoke adds good flavor). Chocolate syrup and powdered drink mixes help with appetite fatigue. Vitamins and protein powders will boost the nutrition levels of foods that may have suffered losses during processing.

Note:

For an average adult Female - multiply the weight by 0.75

For children ages 1-3 multiply by 0.3, 4-6 multiply by 0.5, 7-9 multiply by 0.75

For adults engaged in manual labor multiply by 1.25-1.50

Do you REALLY have a year's supply?

Just how big is a Year's Supply of food? As explained on the previous page, our Church is suggesting the following minimums for each adult:

400 lbs.	Grains	(17.5oz / day)
60 lbs.	Beans	(2.6oz / day)
10 quarts	Cooking oil	(0.87oz / day)
60 lbs.	Honey	(2.63oz / day)
8 lbs.	Salt	(0.35oz / day)
16 lbs	Powdered milk	(0.70oz / day)
14 gallons	of drinking water (for 2 weeks)	

So, just how much is this?

Two 5 gallon buckets will hold about 75lbs of wheat, rice or other grains. This means you need 11 buckets of grain for each person in your family.

If you store all your grains in #10 cans...

Wheat, Rice, Corn, etc..

You would need 64 cans or 10.5 cases per person.

Pasta

You would need 32 cans or 5.25 cases per person.

Rollod oats

These are lighter but bulkier, so they require more storage containers and space.

You would need 124 cans or 21 cases person.

Beans

A 25 lb bag of beans will about fit in a single 5 gallon bucket, with a little space over, so 2 buckets would hold a one person supply, or 12 -13 # 10 cans or about 2 cases.

Daily Food

Dividing 400lbs by 365days, equals out to 1.09589lbs, or just over 1 lb of grain, per person, per day. That is approximately 2 cups of unground grain to cover your breakfast lunch and dinner.

Dividing 60lbs by 365, this works out to 0.16 lbs of beans per day, or 2.6 oz—approximately 3/4 cup.

The other foods listed would also need to be used in limited amounts.

This is not much food, folks. Get the basics, then immediately begin to add more kinds of grain, soup mix, canned and/or dehydrated vegetables and fruit, etc to add variety and provide more than the minimal survival diet.

As an example, the minimum recommended amount of grain, when ground and prepared will yield about 6 small biscuits or a plateful of pancakes. Its enough to keep you alive, but a far cry from being satisfied and not hungry.

Basic Food Storage List

GRAINS = 400 lbs per adult

- _____ Barley
- _____ Cereal
- _____ Corn (meal or Dent)
- _____ Cous Cous
- _____ *Flour (4lb/can)*
- _____ Millet
- _____ *Multi grain soup mix(5lb/can)*
- _____ *Oats, rolled quick(3lb/can)*
- _____ *Oats, rolled regular(3lb/can)*
- _____ Popcorn
- _____ Rye
- _____ Sprouting Seeds
- _____ *Wheat(6lb/can)*
- _____ *White Rice(6lb/can)*

Pastas

- _____ *Macaroni(3lb/can)*
- _____ Noodles
- _____ *Spaghetti(4lb/can)*

JUICES/BEVERAGES = 25 lbs

- _____ Apple juice
- _____ Apricot nectar
- _____ Baby strained juices
- _____ *Cocoa drink mix(4lb/can)*
- _____ Cranberry juice
- _____ *Dried juice mix(6lb/can)*
- _____ Grapefruit juice
- _____ Grape juice
- _____ Kool-aid
- _____ Lemonaid
- _____ Orange juice
- _____ Pineapple juice
- _____ Plum juice
- _____ Prune juice
- _____ Punch crystals
- _____ Soft drink mixes
- _____ Soft drinks
- _____ Tomato juice
- _____ V-8 juice

MILK / DAIRY = 75 lbs per adult

- _____ Brick cheese
- _____ Canned Milk
- _____ Canned sour cream
- _____ Cheese spreads
- _____ Condensed milk
- _____ Dried cheese
- _____ Dried eggs
- _____ Infant formula
- _____ Non-dairy creamer
- _____ *Non-fat dry milk(4lb/can)*
- _____ Powdered cheese
- _____ Powdered sour cream

FATS / OILS = 20 lbs per adult

- _____ Butter
- _____ Cooking oil
- _____ Lard
- _____ Margarine
- _____ Mayonnaise
- _____ Olive Oil (extra virgin)
- _____ Peanut butter
- _____ Powdered butter
- _____ Powdered margarine
- _____ Powdered shortening
- _____ Salad dressing
- _____ Shortening

BOLD ITALIC items are generally available from the LDS cannery

CANNED or DRIED MEATS

(20 lbs per adult)

_____	Bacon
_____	Beef
_____	Beef jerky
_____	Chicken
_____	Clams
_____	Corned beef
_____	Crabmeat
_____	Deviled meats
_____	Fish
_____	Ham
_____	Hamburger
_____	Lamb
_____	Lunch meats
_____	Mutton
_____	Pepperoni
_____	Pork
_____	Tuna
_____	Salmon
_____	Sandwich spreads
_____	Sardines
_____	Sausage
_____	Shrimp
_____	Spam
_____	Treet
_____	Turkey
_____	TVP- Textured vegi Protein
_____	Veal
_____	Venison jerky
_____	Vienna sausage

AUXILIARY FOODS

_____	Baking powder
_____	Baking soda
_____	Cake mixes
_____	Calcium supplement
_____	Casserole mixes
_____	Chow mein noodles
_____	Cookies
_____	Cookie mixes
_____	Cornstarch
_____	Crackers
_____	Cream of tartar
_____	Hot roll mixes
_____	Hydrated lime (for tortillas)
_____	Instant breakfast
_____	Instant yeast
_____	Iron supplement
_____	Marshmallows
_____	MREs
_____	Muffin mixes
_____	Non perishable pet foods
_____	Pancake mixes
_____	Pastry mixes
_____	Pectin
_____	Pie crust mixes
_____	Pie fillings
_____	Pizza mixes
_____	Plain gelatin
_____	Rennin tablets
_____	Salt
_____	Sourdough starter
_____	Survival bars
_____	Tofu Solidifier
_____	Vitamins and minerals
_____	Whipped topping mixes

BOLD ITALIC items are available from the LDS cannery

FRUITS and VEGETABLES

90 lbs Dried, 370qts canned, 370Lbs

fresh

Fruits

_____	Apples (2lb/can)
_____	Applesauce
_____	Apricots
_____	Peaches
_____	Berries
_____	Cherries
_____	Coconut
_____	Currants
_____	Figs
_____	Fruit cocktail
_____	Grapefruit
_____	Grapes
_____	Mandarin oranges
_____	Nectarines
_____	Olives
_____	Pears
_____	Peaches
_____	Pineapples
_____	Plums
_____	Prunes
_____	Raisins
_____	Tomatoes

BEANS & LEGUMES

(90 lbs per adult)

_____	Beans, pink(5lb/can)
_____	Beans, pinto(5lb/can)
_____	Beans, white(5lb/can)
_____	Lentils
_____	Nuts
_____	Peas
_____	Sprouting beans and seeds
_____	Soybeans

Vegetables

_____	Artichoke hearts
_____	Asparagus
_____	Beans
_____	Beets
_____	Broccoli
_____	Brussels sprouts
_____	Carrots (3lb/can)
_____	Cauliflower
_____	Celery
_____	Corn-sweet
_____	Green beans
_____	Hominy
_____	Mushrooms
_____	Okra
_____	Onions (2lb/can)
_____	Parsnips
_____	Peas
_____	Peppers
_____	Pickles
_____	Potatoes, flakes (1.5lb/can)
_____	Potatoes, pearls (3lb/can)
_____	Pumpkins
_____	Rhubarb
_____	Rutabagas
_____	Salsify
_____	Sauerkraut
_____	Soups
_____	Spinach
_____	Squash
_____	Sweet potatoes (yams)
_____	Tomatos
_____	Tomato powder
_____	Turnips
_____	Water chestnuts

BOLD ITALIC items are available from the LDS cannery

SPICES / CONDIMENTS

_____	Almond extract
_____	Allspice
_____	Baking chocolate
_____	Basil
_____	BBQ sauce
_____	Bouillon cubes / granules
_____	<i>Beef, chicken, onion, vegetable flavors</i>
_____	Cayenne pepper
_____	Celery salt
_____	Chili powder
_____	Chives
_____	Chocolate chips
_____	Chocolate syrup
_____	Cinnamon
_____	Cloves
_____	Cocoa
_____	Coriander
_____	Cumin
_____	Curry
_____	Dill weed
_____	Garlic salt
_____	Ginger
_____	Gravy mixes
_____	Herbs
_____	Ketchup
_____	Lemon extract
_____	Lemon / lime juice
_____	Liquid smoke
_____	Majoram
_____	Maple extract
_____	Nutmeg
_____	Onion flakes
_____	Onion salt
_____	Orange peel

_____	Oregano
_____	Paprika
_____	Pepper
_____	Poultry Seasoning
_____	protein supplement
_____	Sage
_____	Salad dressings
_____	Salt (5 lbs per adult)
_____	Sauce mixes
_____	Seasoned salt
_____	Spaghetti sauce
_____	Soy sauce
_____	Steak sauce
_____	Tarragon
_____	Thyme
_____	Turmeric
_____	Vanilla extract
_____	Vinegar
_____	Worcestershire sauce

SUGARS = 60 lbs per adult

_____	Corn syrup
_____	Hard candy
_____	Honey
_____	Jello
_____	Jelly or jam
_____	Maple syrup
_____	Molasses
_____	Pudding, chocolate (5lb/can)
_____	Pudding, vanilla (5lb/can)
_____	Sugar (6lb/can)

BOLD ITALIC items are available from the LDS cannery

Monthly Food Storage Purchasing Calendar

Compiled by Andrea Chapman

If you are just starting out, this calendar can be used any year.
Just start with the current month's items.

We have tried to keep the costs down to between \$25 and \$35 per week. This might seem rather costly, but if you want to build a good food storage in only one year, it will cost you more each week than if you spread out acquiring it over several years. Be certain to buy only items your family will use, and rotate and use the items in your storage throughout the year. Milk is an expensive item and prices keep soaring, so you might need to invest in a bit higher food storage bill to buy it right now.

* The items in the first few months are basic essentials and are the most important to purchase and store.

It is vital to get **WATER-STORAGE**. If you don't have water, you will not be able to use many of the foods you have that are dehydrated or require water to cook. Many times in natural disasters, the electricity goes down and you will not be able to access your water. Sometimes the water is contaminated from flooding and cross-contamination from sewage. You will need water, at very least, you will need 3 days worth.

January

- Week #1
 - 1 case canned fruit
 - 2 #10 cans instant potatoes
- Week #2
 - 3 #10 cans dry milk
- Week #3
 - 3 #10 cans dry milk
- Week #4
 - 9 pounds yeast
- Week #5
 - Anything you have missed from above

February

- Week #1
 - Water Storage Containers-buy either 55 gallon drums, 5 gallon water containers (available at all emergency preparedness stores and some super markets) and spigot, or start to save water in pop bottles and plastic juice containers. Also purchase 100 lbs. hard white wheat and three plastic storage buckets with tight fitting lids. Check out the local mills in your area for best prices.
 - Week #2
 - 25 lbs of **sugar** or 20 lbs of **honey**
 - 5 lbs **salt** per person
 - bucket opener
 - Week #3
 - 4 #10 cans **shortening** or 4 - 48 oz bottles **oil**
 - 2 #10 cans of **dry instant milk**
 - Week #4
 - 2 case **canned beans** (like refried pinto, black, kidney, white, pink etc.) or 25 lbs **dry beans** (preferable) and bucket to store them in.
 - 50 lbs **dried corn or popcorn** (about \$10.00 from a mill or food storage company) and a bucket to store it in. (Can be ground into cornmeal as well as for popcorn.)
- (All grains and beans can be put into #10 cans at the LDS cannery.)*
(If not, the buckets work well.)

March

(please note that many of these items are repeats because we want to be SURE you have enough of the essentials!)

Week #1

Enough **water** containers for 14 gallons per person in the family.
(This was mentioned last month-but we want to be sure you have this)
(*Water is your most important item!*)
If you didn't get enough containers last month, you can get them this month.
White Rice, at least 15 pounds per person in the family and if possible buckets to store it.
(*Brown Rice goes rancid faster.*)

Week #2

2 jars **mayonnaise**
1 gallon oil
2 tubs **shortening**

Week #3

25 pounds **sugar**
1- 25 pound bag of **legumes** (pinto, lentils, white, pink etc.)

Week #4

Salt 5 more lbs
2 bottles of **bleach**
1 #10 can or 1 box of **dry milk**.

Week #5

Check your list for the last 8 weeks and purchase any items you fell short on.
These items are essential ones and you will need to be sure you have enough.

April

Week #1

100 pounds **wheat**
10 lbs. **brown sugar**

Week #2

2 #10 size cans **dried fruit** or 1 case **canned fruit**
1 pound **yeast**

Week #3

1 case **tuna** or **salmon**
2 #10 cans **milk**
3 lbs **sprouting seeds**
1 80 oz can Rumsford baking powder

Week #4

2 large jars **peanut butter** or
1 #10 can **peanut butter powder** (last longer)
2 cans **dried whole egg** (keep in a cool dry place)

May

Week #1

2 to 3 bottles of **multi-vitamins**
2 #10 cans of **rolled oats**
(if #10 cans are not available in your area, buy the largest packages available)
(in your local store, and also purchase a small bucket to store it in.)

Week #2

100 lbs. of **wheat**
3 buckets

Week #3

#10 can **margarine powder** - or shortening if marg. powder is unavailable
2 #10 cans **rolled oats**
(or equivalent, and a storage bucket)

Week #4

4 #10 cans **instant potatoes**
1 bottle **black pepper**

June

Week #1

2 cans **dry milk**, 2 boxes of **Rennet**
(used for making cottage cheese and other dairy products from dry milk.)
1 bottle **lemon juice**,
1 bottle **vinegar**. (also used in making dairy products from dry milk

Week #2

100 lbs **wheat**
25 lbs. **white flour**

Week #3

Baking **soda** (try to buy in bulk in places like Sam's Club or Cosco) Buy about 10 lbs.
25 lbs. or **legumes** (choose those you are willing to eat.
Remember you can sprout legumes and almost quadruple the nutritional value of them.
Buy one large box Knox or other gelatin to be used in place of eggs in baking.

Week #4

Tomato products (try to buy them by the case in normal size cans. Spaghetti sauce, tomato sauce, and whole and chopped tomatoes. Buy a combination of flavored and not flavored tomato-
Buy paste if you can get a good deal on it. It is less expensive to add water to paste to than it is just to buy sauce sometimes. *Buy three cases if possible.*)

Week #5

Be on the look out for **garden seeds** that are NON-Hybrid.
That way you can use the seeds from the plants you grow to grow a garden the next season.
A good price for them is about \$18-20 per can with about 10 varieties per can.

July

Week #1

200# **wheat**
(buckets to store it in if needed)
[keep filling pop bottles, Gallon syrup containers, etc. with water - basically no cost to this]

Week #2

20 lbs. **Peanut butter**
[keep filling those water containers]

Week #3

4 #10 cans **shortening**
2 # 10 cans **dry milk**
[keep filling water containers - make this a habit - when you empty something worthy of water storage, wash it and fill it right away]

Week #4

6 #10 cans **dry milk**
[more water!]

August

Week #1

25# **rice**
25# **sugar**
1 # 10 can **instant potatoes**
5 lbs. **salt**

Week #2

1 case **tuna** or **salmon** or other **meat**
2 # 10 cans **dry milk**

Week #3

2 #10 cans **dry milk**
2 cans **shortening**
1 #10 can **instant potatoes**

Week #4

Note* In late August and early September, many stores have sales on canned fruits and vegetables.
Ask your local store when these sales will be, and switch the weeks of this calendar as needed.
2 cases **fruit**

5 lbs. salt

Week #5

2 cases **canned fruit**
1 case misc. **vegetables** (green beans, peas, carrots, etc.)

September

Week # 1

2 cases **canned fruit**
1 case misc. **vegetables**

Week # 2

2 cases **canned fruit**
2 cans **shortening**

Week #3

2 cases **fruit**
1 case **vegetables**

Week #4

2 cans **shortening**
25# **rice**
buckets to store rice if it did not come in #10 cans

October

Week #1

100 lbs. **wheat** and 3 buckets

Week #2

1 case **tuna** or other **meat**

Week #3

25 lbs. **Sugar**
2 large cans **fruit juice powder**

Week #4

3 #10 cans **dry milk**

Week #5

9 #10 cans **potato flakes**

November

Week #1

4 large jars **peanut butter**

Week #2

1 case **canned fruit**
15 pounds **rice**

Week #3

7 #10 cans **shortening**

Week #4

50 pounds **rice** and buckets to store

December

Week #1

100 lbs. **wheat** and 3 buckets

Week #2

1 large can **fruit juice powder**
3 large jars **peanut butter**

Week #3

3 #10 cans **dry milk**

Week #4

50 pounds of **rice, oats, or barley**
buckets to store

The Seven Major Mistakes in Food Storage

By Vickie Tate

A month or two ago I met a cute little gal who was talking to me about her newly begun food storage. "You know," she began, "I've dreaded doing my food storage for years, it's seems so blah, but the way national events are going my husband and I decided we couldn't put it off anymore. And, do you know, it really hasn't been hard. We just bought 20 bags of wheat, my husband found a place to get 60 pound cans of honey, and now all we have to do is get a couple of cases of powdered milk. Could you tell me where to get the milk?" After I suggested several distributors, I asked, "Do you know how to cook with your wheat?" "Oh," she laughed, "if we ever need it I'll learn how. My kids only like white bread and I don't have a wheat grinder." She had just made every major mistake in storing food (other than not storing anything at all.) But she's not alone. Through 14 years of helping people prepare, I found most people's storage starts out looking just like hers. So what's wrong with this storage plan? **There are seven serious problems that may occur trying to live on these basics:**

1.) VARIETY -

Most people don't have enough variety in their storage. 95% of the people I've worked with only stored the 4 basic items we mentioned earlier: *wheat, milk, honey, and salt*. Statistics show most of us won't survive on such a diet for several reasons. a.) **Many people are allergic to wheat** and may not be aware of it until they are eating it meal after meal. b.) **Wheat is too harsh for young children.** They can tolerate it in small amounts but not as their main staple. c.) **We get tired of eating the same foods** over and over and many times prefer not to eat than to sample that particular food again. This is called *appetite fatigue*. Young children and older people are particularly susceptible to it. Store *less* wheat than is generally suggest and put the difference into a variety of other grains, particularly ones your family likes to eat. Also store a variety of beans. This will add variety of color, texture and flavor. **Variety is the key to a successful storage program.** It is essential that you store *flavorings* such as tomato, bouillon, cheese, and onion.

Also, *include a good supply of the spices* you like to cook

with. These flavorings and spices allow you to do many creative things with your grains and beans. Without them you are severely limited. One of the best suggestions I can give you is **buy a good food storage cookbook**. Go through it and see what your family would really eat. Notice the ingredients as you do it. This will help you more than anything else to know what items to store.

2.) EXTENDED STAPLES -

Few people get beyond storing the four basic items, but it is extremely important that you do so. *Never put all your eggs in one basket*. Store **dehydrated and/or freeze-dried foods** as well as home canned and store bought canned goods. Make sure you add cooking oil, shortening, baking powder, soda, yeast and powdered eggs. You can't cook even the most basic recipes without these items. Because of limited space I won't list all the items that should be included in a well-balanced storage program. They are all included in the *The New Cookin With Home Storage* cookbook, as well as information on how much to store, and where to purchase it.

3.) VITAMINS -

Vitamins are important, especially if you have children, since children do not store body reserves of nutrients as adults do. *A good quality multi-vitamin and vitamin C* are the most vital. Others may be added as your budget permits.

4.) QUICK AND EASY AND PSYCHOLOGICAL FOODS -

Quick and easy foods help you through times when you are psychologically or physically unable to prepare your basic storage items. **No cook foods such as freeze-dried** are wonderful since they require little preparation. **MRE's** (Meals Ready to Eat), such as many preparedness outlets carry, canned goods, etc. are also very good. Psychological Foods are the goodies - Jello, pudding, candy, etc. - you should add to

your storage.

These may sound frivolous, but through the years I've talked with many people who have lived entirely on their storage for extended periods of time. Nearly all of them say these were the most helpful items in their storage to normalize their situations and make it more bearable. These are especially important if you have children.

5.) **BALANCE-**

Time and time again I've seen families buy all of their wheat, then buy all of another item, and so on. Don't do that. It's important to **keep well-balanced as you build your storage**. Buy several items, rather than a large quantity of one item. If something happens and you have to live on your present storage, you'll fare much better having a one-month supply of a variety of items than a year's supply of two to three items.

6.) **CONTAINERS -**

Always store your bulk foods in food storage containers. I have seen literally tons and tons of food thrown away because they were left in sacks, where they became highly susceptible to moisture, insects and rodents. If you are using plastic buckets make sure they are lined with a food grade plastic liner available from companies that carry packaging supplies. **Never use trash can liners** as these are treated with pesticides. Don't stack them too high. In an earthquake they may topple, the lids pop open, or they may crack. A better container is the #10 tin can which most preparedness companies use when they package their foods.

7.) **USE YOUR STORAGE -**

In all the years I've worked with preparedness one of the biggest problems I've seen is people storing food and not knowing what to do with it. It's vital that you and your family become familiar with the things you are storing. You need to know how to prepare these foods. This is not something you want to learn under stress. Your family needs to be used to eating these foods. A stressful period is not a good time to totally change your diet. Get a food storage cookbook and learn to use these foods!

It's easy to solve these food storage problems once you know what they are. The lady I talked about at the

first of the article left realizing what she had stored was a good beginning, but not enough. As she said, "It's better to find out the mistakes I've made now while there's still time to make corrections." This makes a lot more sense.

If you're one who needs to make some adjustments, that's okay. Look at these suggestions and add the things you're missing. It's easy to take a basic storage and add the essentials to make it liveable, but it needs to be done. As I did the research for my cookbook I wanted to include recipes that gave help to families no matter what they had stored. As I put the material together it was fascinating to discover what the pioneers ate is the type of things we store. But if you have stored only the 4 basics, there's very, very little you can do with it. By adding even just a few things it greatly increases your options, and the prospect of your family surviving on it. As I studied how the pioneers lived and ate, my whole feeling for food changed. I realized our storage is what most of the world has always lived on. If it's put together the right way we'll be returning to good basic living with a few goodies thrown in.

COMMON STORAGE FOODS

Herein is covered a range of foods suited for incorporation into home storage programs.

As you review them there are several considerations you should keep in mind when deciding on what foods you want to include.

The first is *variety in the diet*. This is of great importance but many do not give it adequate thought. Some simply buy however much wheat, corn, rice, or beans they think is necessary to meet their needs and leave it at that. Others rely on prepackaged decisions made for them by their storage food retailer who put together a "year's supply of food" to buy all at once. Either decision could possibly be a mistake.

There are many food storage plans one may use as a guide. Some are based on the so-called "Mormon Four" of wheat, milk, honey and salt, with as many additional foods as the planner found desirable. This plan was developed in the 1930's and we've learned a great deal about workable food storage in the decades hence. Among which are the food allergies that an unfortunate number of people in our society develop.

One of the more common food allergens is wheat. Even more unfortunate is the fact that many who have such an allergy are unaware of it. They won't become aware until they try to live with whole grain wheat as a large part of their diet and their latent allergy reveals itself. Another thing we have learned is that many adults suffer from an intolerance to the milk sugar lactose, especially those of certain ethnic backgrounds. For these reasons and more you should always make it a practice to **store what you eat AND TO eat what you store**, so that ugly surprises such as these do not arise after it's too late to easily avoid them.

A second reason to think about storing a wide variety of foods is *appetite fatigue*. There are those who think providing variety in the diet is relatively unimportant and that if and when the time comes they'll eat what they've got and that will be that. For healthy, well adjusted adults under ordinary circumstances or for those who have the vital *survival mindset* this might be possible without too much difficulty. However, the reason for having a home food storage program in the

first place is for when circumstances aren't ordinary.

Times of crisis produce stress - possibly physical, but always mental. If you are suddenly forced to eat a diet both alien and monotonous, it is going to add that much more stress on top of what you are already dealing with. If your planning includes the elderly, young children, and/or infants there is a significant risk they will quit eating or refuse to eat sufficient amounts of the right foods leaving them unable to survive. *This is not a trivial problem and should be given serious consideration*. When it's wheat, day in and day out, wheat's going to start becoming unpopular fast. Far better to have a variety of foods on hand to forestall appetite fatigue and, more importantly, *to use those storable foods in your everyday diet so that you'll be accustomed to eating them*. In his book, *Making the Best of Basics*, James Stevens mentions a post-WWII study by Dr. Norman Wright, of the British Food Ministry, which found the people of England and Europe were more likely to reject unfamiliar or distasteful foods during times of stress than under normal conditions. *Consider the positive aspects of adding variety and comfort foods to your storage program*.

A last thought that I want to give for ALL foods you might put into your program. Unless you are already familiar with **and** eating a particular type and brand of food do not put large quantities of it into your pantry until you - preferably everyone who will be depending on that food - have eaten some of it first. It's not always as easy to pick up a new food as it may first appear. Differences between brands of foods alone can sometimes be enough to disappoint you when consumed. You'd hate to discover that you cannot abide a particular food item after you've brought home a case of Brand X. Seriously relying on any food that you are not already familiar with is making a fools bet.

Copyright © 2003.

Alan T. Hagan. All rights reserved.

GRAINS AND LEGUMES

ABOUT GLUTEN:

As you read through the grain descriptions below you will come across frequent mention of "gluten". Gluten is a combination of proteins found in some grains which enables the dough made from them to rise by trapping the gases produced by yeast fermentation or chemical reaction of baking powder or soda. The amount of these proteins varies depending on the species of grain and varieties within a species. Some grains such as rice have virtually no gluten at all and will not produce a raised loaf by itself while others like hard winter wheat have a great deal and make excellent raised bread. As a general rule yeast raised breads need a fair amount of gluten to attain good dough volumes while non-yeast raised breads may need little or none at all. Whether gluten content is of importance to you will depend upon the end uses you intend for your grain.

Some of the common and relatively uncommon types of grains are listed below.

AMARANTH:

Amaranth is not a true cereal grain at all, but is a relative of the pigweeds and the ornamental flowers we call "cock-scomb". It's grown not only for its seed, but for its leaves that can be cooked and eaten as greens. The seed is high in protein, particularly the amino acid lysine which is limited in the true cereal grains. It can be milled as-is, or toasted to provide more flavor. The flour lacks gluten, so is not suited for raised breads by itself, but can be made into any of a number of flat breads. Some varieties can be popped like popcorn, boiled and eaten as a cereal, used in soups, granolas, and the like. Toasted or untoasted, it blends well with other grain flours.

***NOTE:** Like some other edible seeds, raw amaranth contains biological factors that can inhibit proper absorption of some nutrients. For this reason amaranth seeds or flour should always be cooked before consumption, whether for human food or animal feed.*

BARLEY:

Barley is thought by some to be the first grain intentionally cultivated by man. It has short, stubby kernels with a hull that is difficult to remove. Excluding barley intended for malting or animal feed, this grain is generally consumed directly by humans in two forms. Most common

is the white, highly processed pearl barley with much of its bran and germ milled off along with its hull. It is the least nutritious form of barley. The second offering is called pot or hulled barley and it has been subjected to the same milling process as pearled, but with fewer trips through the polisher. Because of this, it retains more of the nutritious germ and bran, but does not keep as well as the more refined product without special packaging. Unless you are prepared to try to get the hulls off I don't recommend buying unhulled barley. Although it can be milled into flour, barley's low gluten content will not make a good loaf of raised bread. It can be combined with other flours that do have sufficient gluten to make leavened bread or used in flat breads. Barley flour and flakes have a light nutty flavor that is enhanced by toasting. Whole barley is commonly used to add thickness to soups and stews.

Recently, a hull-less form has become available on the market through a few suppliers. This is whole grain barley with all of its bran and germ intact and should have the most nutrients of any form of this grain available. I don't know yet how suitable it is for long term storage.

BUCKWHEAT:

Buckwheat is another of those seeds commonly considered to be a grain, but which is not a true cereal. It is, in fact, a close relative to the docks and sorrels. The "grain" itself is a dark, three cornered seed resembling a tiny beechnut. It has a hard, fibrous hull requiring a special buckwheat huller to remove. Here in the U.S., buckwheat is most often used in pancakes, biscuits and muffins. In Eastern Europe and Russia it is known in its toasted form as kasha. In the Far East, it's often made into soba or noodles. It's also a good bee plant, producing a dark, strongly flavored honey. The flour is light or dark depending on how much of the hull has been removed before grinding. Dark flour is much more strongly flavored than lighter flour, but because of the high fiber and tannin content of its hull, which can interfere with nutrient absorption, it is not necessarily more nutritious. Buckwheat is one of those foods with no middle ground in peoples opinions — they either love it or they hate it. Like amaranth, it's high in lysine, an amino acid commonly lacking in the

true cereal grains.

CORN (maize):

Corn is the largest grain crop in the U.S., but is mostly consumed indirectly as animal feed or even industrial feedstock rather than directly as food. As one of the Three Sisters (maize, squash and beans) corn was the staple grain of nearly all of the indigenous peoples of the American continents before the advent of European colonization. This American grain has an amazing variety of forms. Major classes are the flint, dent, flour, and popcorns. To a certain extent, they're all interchangeable for milling into meal (sometimes known as polenta meal) or flour (very finely ground corn, not cornstarch). The varieties intended to be eaten as sweet corn (fresh green corn) are high in sugar content so do not dry or store well relative to the other corns but instead are usually preserved as a vegetable. There are a number of lesser corn varieties with specialized uses that do not lend themselves to direct food use, but these are seldom found in the open market.

As a general rule of thumb, the flint varieties make better meal as they have a grittier texture than most other corns. If meal, hominy and hominy grits (commonly called just "grits") are what you are interested in then use the flint type if you can find a source. If you intend to make corn masa for tortillas and tamales, then the flour corns are what you want, but these are fairly uncommon on the commercial market so the dent corns are next best. Yellow dent seems to be the most commonly available and will work for almost any purpose except popping.

Popcorn is for snacks or used as a cold cereal after popping or can be ground into quite acceptable meal. In my experience I have found it difficult to hull popcorn with alkali treatment for making hominy (posolé, nixtamal) though your mileage may vary. Popcorn is one form of a whole grain available to nearly everyone in the U.S. It is so common a snack food, particularly at movie theaters, fairs, and ball games, that the smallest of towns will often have at least one business selling it cleaned, dried, and ready to pop in twenty-five or fifty pound bags. Popcorn is harder than other varieties of corn so if your mill is not of the heavy duty sort you may want to consider cracking the kernels into coarse pieces first then grinding into finer textured meal. The Family Grain Mill states that it should not be used to mill popcorn at all and the Back

To Basics mill should not be used for any great quantity. All other manual and electric mills that I am aware of will mill popcorn without problem.

Once you've decided on your preferred corn type you may also be able to choose your preferred color. There are yellow, white, blue, red, and multicolored varieties. The yellow and whites are the most common by far with the blues, reds, and parti-colored varieties mostly being relegated to curiosities, though the blue and red corns have been gaining in popularity these last few years. These would be worth investigating if you can find a good source. It should be kept in mind that white corn does not have the carotene content (converts into vitamin A) of yellow corn. As vitamin A is one of the major limiting nutrients in long term food storage, any possible source of it should be utilized. For this reason I suggest storing yellow rather than white corn. Additionally, much of the niacin content of corn is chemically bound up in a form not available for human nutrition unless it has been treated with an alkali. This is really of importance only if most of your sustained daily calorie intake will come from corn, but grits, hominy (posolé) or corn masa (for tortillas and tamales) are traditional uses of this grain and can go a long way toward increasing the number of recipes you can make with corn. Give them a try, they're quite good.

Any grain as widely grown as corn is naturally going to be processed into many products. Here are a few suited for use in home storage programs.

Corn Meal (polenta meal): This is simply dry corn ground into a meal. Corn meal intended for polenta may be found in either a coarse or a fine grind. In the U.S. corn meal for making corn bread and most other uses is typically ground to a fairly fine meal. Very finely milled corn is often used for breading foods to be fried and is known as corn flour to distinguish it from coarser meals. This sometimes causes confusion because corn starch (see below) is also known as corn flour in Great Britain - a very different product and not really interchangeable.

The germ of the corn kernel contains about twice the oil content of wheat and is highly susceptible to rancidity once the kernel is broken in the milling process. Because of this most commercially available corn meal will have had the germ and hull removed to extend shelf-life then nutritionally enriched to make up for some of the vitamins and minerals lost with the grain germ. This is desirable for the miller and the grocer, but for the diner it comes

at a cost of flavor and some of the nutrition of the whole grain. Some grocers may offer a whole grain corn meal that keeps the grain germ and bran which gives a superior flavored product and retains the full nutrition of the grain but makes for a more perishable commodity. If you go this route be sure of your product's freshness then store it in your refrigerator or freezer.

The grocer's corn meal is mostly milled from yellow or white corn, but some suppliers are now offering blue or even red corn meals. The flavor of the degerminated yellow and white meals are largely indistinguishable from each other, but blue and red corns are interestingly different. Might be worth investigating if you can find them.

Storage life of degerminated corn meal is about one year in average conditions in store packaging and a good deal longer if you repackage it for long term storage. Whole grain meal is good for about four weeks on the shelf, months in the refrigerator, and several years in the freezer or if carefully put up in oxygen free packaging. If you have a grain mill I recommend storing your corn meal in the form of whole corn and milling it as needed. This is what we do, milling a few weeks worth of meal at a time then keeping it in the freezer until needed. The fresh whole grain meal has a much fuller corn flavor than the degerminated meal from the grocery store.

Hominy (posole²): This is corn with the hull, and possibly the germ, removed. Hominy cooks faster than unhulled whole corn, is easier to digest, and in some circumstances the alkali peeled varieties can present a superior nutritional profile to whole corn. There are two methods of producing hominy: Mechanical dehulling in a wet milling process or by treating with one of a number of various alkalis such as industrial lye (sodium hydroxide), wood ash lye (mostly potassium hydroxides) or by using some form of lime (calcium hydroxide).

Dry lye peeled hominy is now seldom found for sale, but canned white or yellow hominy is still common across the Southern U.S. and many other areas as well as in Latin American groceries. Generally speaking hominy produced using lime is known by its Spanish name – posole² – but this will not always be clear on labels. I have seen can labels of lime peeled hominy simply called hominy. Whether this is important to you depends on the particular flavor you are trying to achieve in the dish you are preparing. Freshly hulled corn using the lime process that is to be ground to make masa (dough) for corn tortillas is

called nixtamal. Dry posole² can be found in Latin American groceries or ordered from the Internet in nearly any color that corn offers. There's a world of things that can be done with hominy other than simply heating it up and serving with butter and salt. A few minutes spent searching the Internet will produce dozens of recipes using hominy as a major ingredient. It's an excellent ingredient in hearty soups and stews.

Hominy Grits: Usually just called "grits" this coarsely ground meal can be either simple whole corn ground coarse or corn that has been hulled in a process using a form of lye to make hominy then dried and coarsely ground. Grits produced from lye peeled corn typically cook faster, have a longer shelf life, and presents a different, possibly superior, nutritional profile than the whole grain product. Grits produced from whole corn take much longer to cook, have a short shelf life if not refrigerated or put up in special packaging, a superior flavor to the lye peeled product, and retains the nutrition of the whole grain. Very coarsely ground grits is also known as samp.

Hominy grits in the U.S. must be enriched like many other refined grain products and are now typically industrially produced. They are usually what you will find at your local grocers. Whole grain grits are primarily the product of grist mills making stone ground products and are often found in living history demonstrations, heritage fairs, pioneer day celebrations, and so on. Both yellow and white corns are commonly milled for grits and which one you should buy probably depends on what you ate growing up. If you're indifferent as to the color of your grits then I suggest buying yellow corn grits as the beta carotene content of yellow corn can be converted by our bodies into Vitamin A whereas white corn has none.

Masa Harina: In Spanish "masa" means "dough" and "harina" means "flour" which is a straight forward description of what masa harina is: A lime peeled corn that has been dried and milled into meal to be made into tortilla dough. It's flavor is distinctively different from either corn meal or hominy grits and is used in making tortillas, tamales, and many other Southwestern, Mexican, Central and South American dishes. Can often be found in mainstream grocery stores and grocers catering to a Latin American trade. Will store on the shelf for about a year and even longer if refrigerated or put up in good storage packaging. If you have

a mind to try making your own tortillas you will save yourself much time and effort by using a tortilla press. These can be found in some groceries catering to a Latin American clientèle or ordered over the Internet.

Corn Starch: A common starch used as a thickener. Made by a roller milling process removing the hull and germ leaving behind a nearly pure starch. Storage life is indefinite if kept dry. In the United Kingdom and some other areas it is known as corn flour which occasionally causes confusion with very finely milled corn also known as corn flour here in the States. The two products are largely not interchangeable.

MILLET:

Millet is an important staple grain in North China and India, but is little known in the U.S, where we mostly use it as bird feed. The grain kernels are very small, round, and usually ivory colored or yellow, though some varieties are darker. A lack of gluten and a rather bland flavor may account for the anonymity of this cereal. Millet has a more alkaline pH (and a higher iron content) than other grains which makes it very easy to digest. A major advantage of millet is that it swells a great deal when cooked and supplies more servings per pound than any other grain. When cooked like rice millet makes an excellent breakfast cereal. It has little gluten of its own, but mixes well with other flours. Adding whole millet kernels to the dough can add a pleasant crunch to your home made breads.

OATS:

Though the Scots and the Irish have made a cuisine of oats, it is mostly thought of in the U.S. as a bland breakfast food. Seldom found as a whole grain, it's usually sold processed in one form or another. Much like barley, the oat is a difficult grain to separate from its hull. Besides its longtime role as a breakfast food, oats make an excellent thickener of soups and stews and a filler in meat loafs and casseroles. Probably the second most common use for oats in America is in cookies and granolas. A little creative thought can really increase their culinary range.

Listed below are the forms of oats found in the U.S. Rolled and cut oats retain both their bran and their germ.

Oat groats: These are whole oats with the hulls removed. They are not often found in this form, but can

sometimes be had from natural food stores and some storage food dealers. Oats are not the easiest thing to obtain a consistent grind from so producing your own oat flour takes a bit of experience. If you have a roller mill or attachment you can produce your own oatmeal using whole oat groats.

Steel cut oats: Also known as Irish, pinhead or porridge oats. They are oat groats cut into chunks with steel blades. They're not rolled and look like coarse bits of grain. Steel cut oats can be found in many supermarkets and natural food stores. They take longer to cook than rolled oats, but retain more texture. They need oxygen free packaging to be kept at their best for long term storage.

Rolled oats: These are also commonly called old fashioned, thick cut or porridge oats. To produce them, oat groats are steamed and then rolled to flatten. They can generally be found wherever oats are sold. They take slightly longer to cook than do the quick cooking oats, but they retain more flavor, texture and nutrition. This is what most people will call to mind when they think of oatmeal.

Quick cooking rolled oats: These are just steamed oat groats rolled thinner than the old fashioned kind above so that they will cook faster. They can usually be found right next to the thicker rolled oats.

Instant rolled oats: These are the "just add hot water" or microwave type of oat cereals and are not particularly suited for a storage program. They do, however, have uses in "bug out" and 72 hour food kits for short term crises.

Whole oats: This is with the hulls still on. They are sold in feed & seed stores and sometimes straight from the farmer who grew them. Unless you have some means of getting the hulls off, I don't recommend buying oats in this form. If you do buy from a seed supplier, make certain that they have not been treated with any chemicals that are toxic to humans.

QUINOA:

Quinoa is yet another of the grains that is not a true cereal. It's botanical name is *Chenopodium quinoa* (pronounced "keen-wah"), and is a relative of the common weed Lambsquarter. The individual kernels are about 1.5-2 mm in size and are shaped rather like small flattened spheres. When quinoa is cooked, the germ of the grain coils into a small "tail" that lends a pleasant crunch when

eaten. Some forms of this grain have a bitter tasting water soluble component that should be removed by a thorough washing unless this was already done by the processor as most of the quinoa sold in the U.S. apparently has. There are several varieties of quinoa that have color ranging from near white to a dark brown. The larger white varieties are considered superior and are the most common.

RICE:

Rice is the most widely consumed food grain in the world with the U.S. being the leading exporter of this important staple, though we actually only produce about 1% of the global supply. The majority of the world's rice is eaten within five miles of where it was grown.

Much like wheat and corn, rice comes in a number of varieties, each with different characteristics. They are typically divided into classes by the length of their kernel grains; short, medium and long.

Short grain rice: The short grain variety is a little softer and bit moister when it cooks and tends to stick together more than the longer rices. It has a sweeter, somewhat stronger flavor than long grain rice.

Medium grain rice: The medium grain variety is not very common in the States. It has flavor like the short variety, but with a texture more like long.

Long grain rice: The long grain variety cooks up into a drier, flakier dish than the shorter types and the flavor tends to be blander. It is the most commonly found size of rice on American grocery shelves.

Each of the above may be processed into brown, white, parboiled or converted, and instant rice. Below is a short discussion of the differences between the various types.

Brown rice: This is whole grain rice with only the hull removed. It retains all of the nutrition and has a pleasant nutty flavor. From a nutritional standpoint it is by far the best, but it has one flaw: The essential oil in the germ is very susceptible to oxidation and soon goes rancid. As a result, brown rice has a shelf life of only about six months unless given special packaging or storage. Freezing or refrigeration will greatly extend this. It's possible to purchase brown rice from long term food suppliers already specially packaged in air tight containers with an inert nitrogen atmosphere or you can do it yourself. In this kind of packaging, (if properly done), the storage life can be extended for several years.

Converted rice: Converted rice starts as whole rice still in the hull which undergoes a process of soaking and steaming until it is partially cooked. It is then dried, hulled and polished to remove the bran and germ. The steaming process drives some of the vitamins and minerals from the outer layers into the white inner layers. This makes it more nutritious than polished white rice, but also makes it more expensive. Its storage life is the same as regular white rice.

White rice: This is raw rice that has had its outer layers milled off, taking with it about 10% of its protein, 85% of its fat and 70% of its mineral content. Because so much of the nutrition is lost, white rice sold in the U.S. has to be "enriched" with vitamins to partially replace what was removed. It stores very well and is generally the cheapest form of rice to be found in the market place making it a very common storage food.

Instant rice: The type of rice is fully cooked and then dehydrated needing nothing more than the addition of water to reconstitute it. In a pinch, it's not even necessary to use hot water. It's not particularly suitable for inclusion in storage programs, but may have a place in "seventy-two hour" and other short-term emergency kits. The white variety is by far the most common, but in the last few years instant brown rice has made an appearance on the market.

RYE:

Rye is well known as a bread grain in the U.S. It has dark brown kernels longer and thinner than wheat, but less gluten. Rye flours can be found in varying stages of refinement from dark whole grain flour to semi-refined medium to pale fully refined offerings. Bread made from this grain tends to be dense unless gluten is added (often in the form of a lot of wheat flour). German pumpernickels and Russian black breads, made with unrefined rye flour and molasses, are two of the darkest, densest forms of rye bread. Many sourdoughs are built upon a rye base with a resulting interesting, intense flavor.

SORGHUM:

Sorghum is probably more widely known here in the States for the syrup made from the sweet juice squeezed from the stalks of some varieties of this grain. Also known as "milo", it is one of the principle cereal grains of Africa. Its seeds are somewhat round, a little smaller than peppercorns, of an overall brown color with a bit

of red and yellow mixed in. The varieties called "yellow endosperm sorghum" are considered to have a better taste. It is a major feed grain in the Southwestern U.S. and is where the vast majority of the national production goes. Like most of the other grains, sorghum is low in gluten, but the seeds can be milled into flour and mixed with higher gluten flours or made into flat breads, pancakes or cookies. In the Far East, it is cooked and eaten like rice, while in Africa it is ground into meal for porridge. It's also fermented for alcoholic beverages.

TEFF:

Easily the smallest of the grains, teff kernels are only about 1/32nd inch in diameter. The name itself means "lost" because if dropped on the ground, it's too small to recover. It's been very little known until recently, but has been a staple grain in Ethiopia for nearly five millennia. Small amounts are now being grown in South Africa and the United States. This grain ranges in color from reddish brown to near white. It has a protein content in the 10-12% range, good calcium and a useful source of iron. It is traditionally used in making the Ethiopian flat bread "injera", but has no gluten content of its own. It'll combine well with wheat flour though and has something of a sweetish flavor.

TRITICALE:

Triticale is not a creation sprung from the smooth brows of Star Trek script writers. It is, in fact, a cross between durum wheat and rye. This youngest of grains combines the productivity of wheat with the ruggedness of rye and has a high nutrition value. The kernels are gray-brown, oval shaped larger-than-wheat and plumper than rye. It can be used in much the same way as either of its two parents. It will make a raised bread like wheat does, but its gluten is a bit weak so wheat flour is frequently added to strengthen it. Because of the delicate nature of its gluten, excessive kneading must be avoided.

WHEAT:

The most widely consumed grain in the United States and along with rice and corn one of the three most widely grown in the world. Wheat is also one of the most intensively processed to turn into food of all the grains. It comes in a number of different varieties each more suitable for some purposes than others based on its particular characteristics. The most common classifications of these varieties are based on their respec-

tive growing season, hardness of kernel, and color of their bran layers - spring or winter, hard or soft, red or white.

The hard wheats have kernels that tend to be small, hard in texture, and with high protein (primarily gluten) contents. As a general rule, hard varieties have more protein than soft varieties. Yeast raised breads that need a lot of gluten are where it's at for the hard wheats.

The soft wheats have kernels tending to be larger, plumper and softer in texture than hard wheats. As their gluten content is lower they are primarily used in biscuits, pastries, quick breads, some pastas, and breakfast cereals where a higher gluten content would contribute an undesirable tougher texture. Soft wheats do not produce as fine a loaf of yeast raised bread as high gluten hard wheat, though it can still be used for yeast breads by combining with higher gluten flours or using methods suitable for its protein level. Many traditional European yeast raised breads are made with lower protein flours.

Durum wheat also has a very hard kernel and a high protein content, but of a somewhat different nature than the other hard wheats. Durum is not primarily used for breads but is instead consumed mostly in the manufacture of pasta where it lends its characteristic yellowish color to the finished product. There are some specialty breads that call for durum/semolina flour so it can be used for bread making even if it's not best suited to the task.

Winter wheats are planted in the Fall, over winter in the field, grow through the Spring and are harvested early the next Summer. Spring wheats are planted in the early Spring and are harvested the following Fall. Red wheats comprise most of the hard varieties while white wheats comprise most of the soft. Recently, hard white wheats have been developed that are very suitable for yeast raised bread making. Some feel the hard white varieties make a better tasting whole wheat bread than the hard reds and I am inclined to agree. When milled, whole grain hard white wheat flour looks somewhat like unbleached refined white flour in appearance.

The hard red varieties, either spring or winter, are commonly chosen for storage programs because of their high protein content which should be no less than 12% with 14% or more being excellent. The hard white spring wheats are still relatively new and not yet as widespread but are steadily growing in popularity. They have the same excellent storage characteristics as the hard red wheats

and should be selected with the same protein contents as well.

With so many different varieties of wheat it should come as no surprise that there are a number of different types of wheat flour offered to the home baker. Distinguishing between the array of products available through both retail grocery stores and commercial supply houses catering to bakers nearly requires the knowledge of a professional baker or a cereal chemist and would take up page after page to explain it all. Instead I will briefly cover only those flours or flour products that one can usually find in supermarkets in the U.S. and elsewhere. If you need more advanced knowledge in order to purchase through commercial or institutional food channels I recommend taking your questions to the Usenet newsgroups rec.food.baking, sci.bio.food-science, or alt.bread.recipes where you may be able to get answers from professionals in the field.

All Purpose Flour: Of all the flours in the retail market all-purpose flour is the one most subject to major differences between brands, regions of the U.S., and/or other nations. This refined flour is typically made from a blend of hard and soft wheats with a protein content that can range from as low as 8% to as high as 12%. The regional brands of the Southern U.S. have traditionally been on the lower end of the protein scale. This is due to the fact that historically only soft wheats were grown in the South and the resulting flour was best used in making biscuits and other types of non-yeast raised breads that did not require high gluten levels. The regional brands of the Northern U.S., and Canada are typically at the high end of the protein scale at or approaching 12%. This is because hard wheats are primarily northern grown and are well suited to making yeast raised breads which need higher gluten levels as were customarily made there. The national brands either differ by region or are in the 10-11% range in an effort to try to satisfy all markets.

In the U.S. all-purpose flour is enriched and can be had either bleached or unbleached and may possibly have small quantities of malt added as well (see below about enrichment, bleaching and maling).

As the name implies all-purpose is meant to serve as a general all-around flour from which you can make anything from cakes and pie crusts to sandwich bread. So far as it goes you can, but it's a lot like one-size-fits-all clothing in that chances are it won't work as well for a given

project as a flour milled with that particular use in mind. The lower protein all-purpose flours sold in the Southern U.S. will produce a more tender biscuit, cake, or pie crust than the higher protein all-purpose flours of the Northern U.S. and Canada, but unless you use some special techniques (like how true French bread is made) it won't produce a very satisfying loaf of yeast bread. The flours in 10-11% range try to strike a happy medium between the two, but still won't serve as well as flour produced specifically with a given end use in mind. If you want to limit the number of types of flour you put into your storage program I'd recommend going with the 10-11% flours and either plan on adding gluten as needed to make the best yeast raised breads or cornstarch to produce more tender cakes and pie crusts.

In the United Kingdom and Canada all-purpose flour is oft times labeled as "plain flour", "top patent", "general purpose", or "family flour."

Bread Flour: A refined white flour with a higher protein (gluten) content than most all-purpose flours to achieve better performance in making yeast raised breads. Protein levels should be at least 12% with 13-14% better still.

As this is a refined flour in the U.S. it will be enriched with added vitamins and iron, and can be found either bleached or unbleached. Because it is intended primarily for use in yeast raised breads this flour will usually have other additives such as small amounts of malt to improve yeast performance and vitamin C (ascorbic acid) to improve dough volume and texture. Some bread flours may also be treated with potassium bromate to improve gluten qualities, but concerns over possible toxicity of this additive is leading to its diminished use.

A high gluten refined bread flour is commonly added to whole wheat doughs to strengthen them which can improve loaf rises and volume. Bread flour is most commonly used in the production of yeast raised breads, pizza crusts, and some specialty baked goods. In Great Britain bread flour is often labeled as "Strong Flour" meaning it has a high protein content.

Whole Wheat Flour: Real whole wheat flour should include 100% of the bran and germ so read your ingredient labels carefully to be sure this is so. This flour is mostly milled from hard red wheats, but whole grain

hard white flour is available from some mills and will produce a bread that looks closer to refined white bread if that is what you are accustomed to eating. Protein contents can vary, but as most whole wheat flour is used in yeast bread making it should be at least 12% with 13-14% being better still. This is good because the bran and the germ can interfere with good gluten development as the dough is mixed and kneaded. Some do not mind this while others strengthen their flour by adding vital wheat gluten or high protein refined bread flours to achieve the rise and volume they are accustomed to in yeast breads. Approximately 90% of the total protein of a kernel of wheat is gluten with the remaining 10% other proteins being mostly found in the grain germ. Refined flours have had the germ removed so a statement of protein content can be taken as an indication of that flour's suitability for making raised yeast breads. With whole wheat flours one must remember that ten percent of non-gluten germ proteins and judge that flour's protein content accordingly. Whole wheat flour milled from lower protein soft wheats may be offered as "whole wheat pastry flour" so be sure of what you are buying. Some whole-wheat flours are also enriched.

Whole wheat flour may also be called "Graham Flour", sometimes simply "Stone Ground Wheat Flour" and in Great Britain, Canada, and Australia may be known as "Whole Meal Flour." In Britain there is also a "Brown Flour" which is midway between whole meal and white flour in that it retains about 85% of the wheat kernel rather than only the 72-75% that is typical of refined white flours.

The real disadvantage to storing whole wheat flour is that like other processed grain products that includes the oil rich germ it wants to go rancid. How fast this can happen depends upon temperature, moisture, etc., but four to six weeks is generally enough time for rancidity to become noticeable. One can, of course, package the flour in good containers with oxygen absorbers and the like, but better still would be to buy the flour in the form of whole wheat berries and mill them yourself. This is exactly what I and many other folks with food storage programs do. Baking with fresh, whole wheat flour is something of an art so the time to get good with it is right NOW while you can toss your failures to the chickens rather than having to eat them regardless because you can't afford to waste the food.

Vital Wheat Gluten: Sometimes labeled as simply "wheat gluten." This is the purified gluten of hard wheat extracted from flour. It is generally 75-80% protein and is used to strengthen weak or whole grain flours for making yeast raised breads or made into "seitan" a wheat protein meat substitute. Somewhat confusing the issue is "High Gluten Flour" which is available in some markets. Careful investigation is needed here because this flour can range from a mere high gluten bread flour (approx 14%) to a gluten enriched flour typically 40%+) all the way up to purified wheat gluten (75%+). Be clear as to what it is you're buying and if you're not certain contact the manufacturer. If your whole wheat bread is not rising for you as much as you'd like then an addition of a few spoonfuls of gluten or some high gluten flour may perk it up a bit.

Cake Flour: Typically the lowest protein content (6-8%) flour available to the home baker. This highly processed flour will make the tenderest cakes, cookies, and biscuits but performs poorly for yeasted breads. The flour is nearly always bleached (chlorinated) both to give it a bright whiteness and to improve its moisture holding capacity for cakes calling for a high ratio of sugars or fats. Unless you make a lot of cakes this is a rather specialized item to store.

Pastry Flour: Similar to cake flour, but generally slightly higher in protein, not chlorinated, and may be found bleached or unbleached. Used to produce tender pie crusts, biscuits, etc. Very similar to the regional all-purpose flours of the Southern U.S. Can also sometimes be found in a whole-wheat version as well. In Great Britain, Canada, and Australia may be known as "soft flour."

Semolina/Durum: Produced from durum wheat this flour is typically high in protein, 12% or more, enriched, unbleached with a distinctive pale yellow color. Texture depends largely on brand and can range from fairly coarse to bread flour fine. Most commonly used in the production of pastas, noodles, and couscous, but some specialty bread types call for semolina flour. May also be known as "alimentary flour", "macaroni flour", or "pasta flour." Farina, a coarse meal used as a breakfast cereal, is made from durum wheat.

Self-Rising Flour: This is ordinary refined and enriched all-purpose flour to which approximately 1.5 teaspoons of baking powder and 0.5 teaspoons of salt have been added to each cup of flour. This flour has its fans, but it's

not well suited to long storage as the baking powder wants to go flat over time even with special packaging. Nor is it suited to making yeast raised breads. Most self-rising flours are in the mid to low end of the protein scale (8-10%) because this is where chemically leavened quick breads perform best to achieve good rises and textures. You can make your own self-rising flour by adding in the requisite amount of double acting baking powder and salt mentioned above which is what I recommend doing rather than trying to store the ready-made product. Self-rising flour is sometimes known as phosphated flour (for the baking powder used in it) and in Great Britain, Canada, and Australia may be known as "self-raising flour" or "raising flour."

Instant Flour: This specialized flour product is also sometimes known as "shaker flour" for the shaker can in which it's usually found. This is a low-protein flour in a granular form processed for easy and rapid dissolution into hot or cold liquids for making sauces, gravies, and batters. A fairly specialized item which any worthy cook can use ordinary flour to replace.

FLOUR TREATMENTS AND ADDITIVES

Flour milling companies (and home bakers) use a variety of additives and treatments in their flours to improve or suppress a particular quality in their product. If you read the package labels carefully you can discern quite a lot about what has and has not been done. Here are a few of the more common:

Enrichment: U.S. law (and some other nations) requires that refined flours which have had their bran and germ portions removed to be "enriched" by adding back a portion of the niacin, thiamin, riboflavin, folic acid, and iron that were lost in the refining process. Some milling companies go even further by adding vitamins A & D as well. There are various opinions about the value of this enrichment, but it's there. It has no affect on the taste, color, texture, caloric value, or baking qualities of the flour. Outside of the U.S. refined white flours may or may not be enriched so study your package labels carefully if this concerns you.

Bleaching: White bread and white cakes come by their snowy beauty thanks to bleaching. This is a process by which the yellowish carotenoid pigments that naturally occur in wheat are bleached white in order to improve the appearance of the flour and perhaps to change some

of its physical characteristics as well. This would occur naturally by itself were the refined flour allowed to sit around for several months, but it's an uneven process and time is money to the milling companies who cannot afford to have large stocks of product sitting around in their warehouses for long periods of time.

Beyond making naturally off-white flour snowy in appearance bleaching can perform several other functions which the individual baker must decide if they are important to his needs. Until fairly recently much refined flour was also "bromated" using potassium bromate both to lighten the color, and to improve the qualities of the gluten. Concerns over the toxicity of this chemical has led to its gradual decline or outright ban on its use. Other bleaching agents are now used such as chlorine gas, chlorine dioxide, benzoyl peroxide and possibly others as well. Flours treated in this fashion will often exhibit improved loaf volume, finer grain, and look better in the finished product.

Cake flour is generally chlorinated not only whiten but also to improve its moisture holding ability when used in cakes with a high ratio of sugar and fat to flour. This bleaching also further tempers the already low gluten of the flour to produce the tenderest possible texture.

For the folks who do not care to buy bleached flours, small amounts of ascorbic acid (vitamin C) are often added as a dough conditioner and yeast nutrient. Home bakers often add their own vitamin C to their breads when they make them for the same reasons. A mere 1/8 tsp of ascorbic acid per cup of flour is all that is necessary.

All bleached flours must be so labeled in the U.S.

Malting: Many bread flours and some all-purpose flours will have small amounts of malt, malted barley flour, malt flour, or diastatic malt added to them. This additive improves the performance of the yeast by providing enzymes which speed the conversion of some of the flour starches into the digestible sugars the yeast use as fuel which can improve both the rise of the dough and the flavor of the finished product. The malt can also serve to improve the appearance of the bread when baked and lengthen its shelf life. You can add your own diastatic malt in the ratio of about 0.5-1.0

teaspoons for every three cups of flour.

Organic: This is flour produced and processed under the guidelines of the U.S. Department of Agriculture's Organic foods program. Most of the basic flour types (all-purpose, bread, pastry, etc.) can be found in organic forms though you may have to search a bit to find them.

Pre-Sifted: This is flour sifted at the mill before it was packaged. Supposedly this means you do not need to sift it again at home, but many feel that due to settling during transport and storage if the recipe calls for sifted flour it should be done again.

Other Additives: There are many other potential additives that you may potentially come across in flour which would require more space than is possible here to cover them. Most are for use within the commercial/industrial baking fields and you would need to contact the supplier to determine precisely what it is they can do for you.

STORING FLOUR PRODUCTS

As already mentioned above whole wheat flour wants to go rancid rather quickly after it has been milled. Once ground it will stay fresh for about four to six weeks sitting on your room temperature kitchen shelf. In a sealed container in the refrigerator the flour will stay good for a year or so. In the freezer it will keep for years. Personally, I think it best to store your whole wheat flour in the form of wheat berries and only mill as much flour as you will use in a week or two and keep that in the refrigerator or freezer until you do. If for some reason you cannot do this then buy the freshest product you can and package it well in Mylar bags, glass jars, or metal cans with oxygen absorbers. Due to the fine texture of flour it will not gas flush very well at all.

Even the refined white flours have limited shelf-lives. In spite of what some would have you believe they are not "dead foods." The bran and germ may have been removed, but a minute portion of the germ oils will remain as well as the naturally occurring enzymes found in the grain. Refined white flour won't noticeably go off on you the way whole wheat flour will, but given sufficient time and exposure to heat and atmospheric humidity the protein content of the flour will

slowly breakdown. Your first indications of trouble may be a slowly developing musty smell or degraded dough performance – poor rises and bad loaf volumes. In a sealed, air tight container you should easily achieve six months to a year at room temperatures. Sealed containers in the refrigerator or freezer will last for at least several years. If you want your white flour to stay at its best for the longest possible time then package it in Mylar bags, glass jars, or metal cans air tight with oxygen absorbers. At a decent storage temperature sealed in a low oxygen environment you should easily achieve five years of shelf life or more.

Copyright © 2003. Alan T. Hagan. All rights reserved.

LEGUME VARIETIES

If you're willing to spend what it takes on preserved meats and dairy products it's not necessary to store legumes at all. But most people do choose to keep a selection of beans, peas, and lentils in their larders either for reasons of economy, because they like them, or both. There are few non-animal foods that contain the amount of protein to be found in legumes with the varieties commonly available in the U.S. ranging from 20%-35%. As with most non-animal proteins, they are not complete in themselves for purposes of human nutrition, but become so when they are combined with the incomplete proteins found in grains. This is why grains and legumes are so often served together the world around.

The legume family, of which all beans, peas, lentils, and peanuts are a part, is one of the largest in the plant kingdom. Because of this and the many thousands of years of cultivation and development that man has given them on several continents the variety of edible legumes available to us is huge. Both their appearance and their names are colorful and varied. They range from "adzuki beans", a type of soybean from the Orient, to "zipper peas", a common field-pea here in the Southern U.S. Their color can range from a clean white, to deep red, dull green to flat black with thousands of mixtures and patterns in between.

In spite of this incredible variety, many legumes are largely interchangeable in cooking, although some dishes just wouldn't be the same if a different type were used. Below is a partial list of common legumes.

ADZUKI BEANS:

These small, deep red beans are very popular in Japan, China and other Asian nations, but are not as well known in the U.S. They are actually a cousin of the soybean and are commonly used in producing sweet bean paste for Chinese buns and other dishes. Pressure cooking will sometimes impart a bitter flavor so they are best presoaked then boiled in the conventional fashion. Their flavor is somewhat milder than kidney or small red beans, but they can serve as an adequate substitute for either in chili and other dishes in which those beans are commonly used.

BLACK BEANS:

Also known as "turtle beans", they are small, dark brown-

ish-black and oval-shaped. Well known in Cuban black bean soup and commonly used in Central and South America and in China. They tend to bleed darkly when cooked so they are not well suited to being combined with other beans, lest they give the entire pot a muddy appearance. The skins of black beans also slip off easily so for this reason they are generally not recommended for pressure cooking for fear of clogging the vent. This can be lessened by not presoaking before cooking.

BLACK-EYED PEAS:

Also known as "cowpeas" or "field peas" there are many varieties these peas eaten across the Southern United States, Mexico, and Africa with black-eyed peas being the most commonly known in the U.S. The coloring of field-peas is as varied as the rest of the legume family, with black-eyed peas being small, oval shaped with an overall creamy color and, of course, their distinctive black-eye. Dried field-peas cook very quickly and combine very tastily with either rice or cornbread and are often eaten as Hoppin' John every New Years for luck. They're also reputed to produce less flatulence than many other beans.

CHICKPEAS:

Also known as the "garbanzo bean" or "cecei pea" (or bean), they tend to be a creamy or tan color, rather lumpy roundish and larger than dried garden peas. Many have eaten the nutty flavored chick-pea, even if they've never seen a whole one. They are the prime ingredient in hummus and falafel and are one of the oldest cultivated legume species known, going back as far as 5400 B.C. in the Near East. Chickpeas tend to remain firmer when cooked than other legumes and can add a pleasant texture to many foods. I like them in red spaghetti sauces in particular and they are often used in Spanish cuisine in a tomato based sauce. Roasted brown then ground they have also served as a coffee substitute.

FAVA BEANS:

Not as well known in the U.S. as in Europe and the Mediterranean favas are also known as "broad beans" or "horse beans" being broad in shape, flat and reddish brown in color. This is one of the oldest legume

species in European cultivation, but it does require more effort to consume. The hull of the bean is tough and not conducive to being tenderized by cooking so is often peeled away. The skinless bean falls apart so is made into a puree. A small number of people with Mediterranean ancestry have a genetic sensitivity to the blossom pollens and undercooked beans, a condition known as "favism" so should avoid consuming them.

GREAT NORTHERN BEANS:

A large white bean about twice the size of navy beans they are typically bean flavored and are frequently favored for soups, salads, casseroles, and baked beans. One of the more commonly eaten in the U.S. Milled into meal these mild flavored beans can be included in many baked goods as a protein booster or used to thicken soups and stews.

KIDNEY BEANS:

Like the rest of the family, kidney beans can be found in wide variety. They may be white, mottled or a light or dark red color with their distinctive kidney shape. Probably best known here in the U.S. for their use in chili and bean salads, they figure prominently in Mexican, Brazilian and Chinese cuisine.

LENTILS:

Lentils are an odd lot. They don't fit in with either the beans or the peas and occupy a place by themselves. Their shape is different from other legumes being roundish little discs with colors ranging from muddy brown, to green to a rather bright orangish-red. They cook very quickly and have a distinctive mildly peppery flavor. They are much used in Far Eastern cuisine from India to China. Next to mung beans they make excellent sprouts though their peppery flavor tends to strengthen somewhat so are best mixed with milder sprouts.

LIMA BEANS:

In the Southern U.S., they are also commonly called "butter beans". Limas are one of the most common legumes, found in this country in all manner of preservation from the young small beans to the large fully mature type. Their flavor is pleasant, but a little bland. Their shape is rather flat and broad with colors ranging from pale green to speckled cream and purple. They combine very well with rice.

MUNG BEANS:

Best known here in the States in their sprouted form, they are quite common in Indian and other Asian cuisines and are a close relative of the field peas (cowpeas). Their shape is generally round, fairly small with color ranging from a medium green to so dark as to be nearly black. They cook quickly and presoaking is not generally needed.

NAVY BEANS:

Smaller than Great Northerns these petite sized beans are also sometimes known as pea beans. They are the stars of Navy and Senate Bean Soups, favored for many baked bean dishes, and are most often chosen for use in commercial pork and beans. They retain their shape well when cooked. Ground into meal they can be added to many soups and stews without overpowering them.

PEANUTS (Groundnuts):

The peanut is not actually a nut at all, but a legume. They are another odd species not much like the more familiar beans and peas. Peanuts have a high protein percentage and even more fat. Whatever their classification peanuts are certainly not unfamiliar to U.S. eaters. They are one of the two legume species commonly grown for oilseed in this country, and are also used for peanut butter, and boiled or roasted peanuts. Peanut butter (without excessive added sweeteners) can add body and flavor to sauces, gravies, soups, and stews. Many Central and South American, African, Chinese, and Thai dishes incorporate peanuts so they are useful for much more than just a snack food or cooking oil.

PEAS, GREEN OR YELLOW:

More often found as split peas though whole peas can sometimes be had. The yellow variety has become somewhat uncommon but has a milder flavor than the green types which well lends them to blending inconspicuously into other foods. Probably best known in split pea soup, particularly with a smoky chunk of ham added. They are also used in Indian cuisine, especially dals. Whole peas need soaking, but split peas can be cooked as is. Split peas and pea meal makes an excellent thickener for soups and stews. Because splitting damages the pea, this more processed form does not keep for as long as whole peas unless given special packaging.

PINK AND RED BEANS:

Related to the kidney bean these are smaller in size but similar in flavor. The pink bean has a more delicate flavor than the red. The are both often favored for use in

chili and widely used across the American Southwest, Mexico, and Latin America. They can add nicely to the color variety in multi-bean soups.

PINTO BEANS:

Anyone who has eaten Tex-Mex food has likely had the pinto bean. It is probably the most widely consumed legume in the U.S., particularly in the Southwestern portion of the country. Stereotypically bean shaped, it has a dappled pattern of tans and browns on its shell. Pintos have a flavor that blends well with many foods. When ground together with great northern or navy beans they make my favorite homemade version of falafel. When milled into a meal pintos will cook in mere minutes, making a near instant form of refried beans.

SOYBEANS:

The soybean is by far the legume with the highest protein content in large scale commercial production and it's amino acid profile is the most nearly complete for human nutrition. Alongside the peanut it is the other common legume oilseed. The beans themselves are small, round, and with a multitude of different shades though tan seems to be the most common that I've seen. Because of their high oil content, they are more sensitive to oxygen exposure than other legumes and precautions should be taken accordingly if they are to be kept for more than a year in storage, especially if they are to be processed for soy milk or tofu. Although the U.S. grows a large percentage of the global supply, we consume virtually none of them directly. Most go into cattle feed, are used by industry, or exported. What does get eaten directly has usually been intensively processed. Soybean products range from soy milk to tofu, to tempeh, to textured vegetable protein (TVP) and hundreds of other forms. They don't lend themselves well to merely being boiled until done then eaten the way other beans and peas do. For this reason, if you plan on keeping some as a part of your storage program you would be well served to begin to learn how to process and prepare them now while you're not under pressure to produce. This way you can throw out your failures and order pizza, rather than having to choke them down, regardless.

Copyright © 2003. Alan T. Hagan. All rights reserved.

AVAILABILITY OF GRAINS AND LEGUMES

Grains and legumes of all types may be purchased in a number of different ways depending largely on where you live and the time of year. The following will cover the various steps of the processing chain starting with the forms most immediately suitable for storage and progressing all the way back to the farmer.

Each type of availability has its good and bad points. As you might expect, the more processing a product receives, the higher its price is likely to be. The further back along the processing chain you go the cheaper a product should become in terms of purchase price. It will, however, cost you more in time and effort to get it ready for storage.

The easiest and simplest way to incorporate grains and legumes into your storage program is to purchase your items pre-cleaned and prepackaged. These are products that have been harvested, passed through fans and screens to remove chaff, smut balls, insect parts, mouse droppings and other debris, then put up in retail sized bags or other containers - possibly even going so far as to already be packaged for long-term storage. This would be either from your local grocer or a storage food dealer. If you don't live in the area where what you want is grown it may be your only option.

If you want to purchase in bulk then you may be able to find pre-cleaned but not yet packaged products. These sources would be commercial or institutional food suppliers, food co-ops, warehouse grocers like Sam's Club or Costco, local food companies that package their own product lines, and the like. If what you want is not already in 50-100 lb bags you may have to provide your own container and there may be minimum purchase amounts as well. If the moisture content is in the right range then nothing will need to be done other than to put it up in your own storage packaging. If you don't buy it from some sort of foods dealer then be certain read the cautionary text below.

Should you happen to live in the area where the type of grain or legume that you are interested in purchasing is grown you may be able to purchase direct from the producer or distributor.

If you are interested in doing this, it may be possible to

find your product field-run which simply means that it's been harvested and sold shortly thereafter. It will not have been given any cleaning or processing and is likely to be rather dirty depending upon the conditions under which it was grown and harvested.

A second form called field-run from storage is product that has been harvested then put into storage for a time. It will have the dirt and debris of field run grain and whatever it may have picked up from the grain elevator as well.

IMPORTANT NOTE: If you have purchased your grains and legumes from a foods dealer then you needn't worry about hidden mold infections, fungicides or insecticides that are unsafe for human consumption. In the U.S., the products will have been checked several times by Federal and State agriculture departments and probably by the major foods dealers as well, to ensure its quality.

This is not necessarily the case when you purchase your grains or legumes directly from the farmer or elevator operator as field-run or field-run from storage grain. Nor is it necessarily the case if you've made the decision to utilize grains marketed as animal feed. Inspection procedures vary from nation to nation, so if you buy outside of the U.S. inquire of your supplier.

If you are buying your grains and legumes from some place other than a foods dealer, you need to know the history of what you are buying. There is the remote possibility that field-run from storage or any grade of grain not specifically sold for human consumption may have had fumigants, fungicides or insecticides not certified as safe for human foods added while it was in the bin. It is important to know what it has been treated with before you buy it.

Straight field-run grain, other than being dirty, is not likely to have had anything added that would make it undesirable for human consumption. There is, however, the also remote possibility it may have been infected with fungi that would make it unsafe for eating.

One of these fungal infections of grain is called “ergot”. This fungal disease affects the flowering parts of some members of the grass family, mostly confined to rye. Consuming the fungus causes a nervous disorder known as St. Anthony’s Fire. When eaten in large quantities the ergot alkaloids may cause constriction of the blood vessels, particularly in the extremities. The effects of ergot poisoning are cumulative and lead to numbness of the limbs and other, frequently serious, symptoms.

The fungus bodies are hard, spur like, purple-black structures that replace the kernel in the grain head. The ergot bodies can vary in size from the length of the kernel to as much as several times as long. They don’t crush as easily as smut bodies of other funguses. When they are cracked open, the inner broken faces can be off-white, yellow, or tan. The infected grain looks very different from ordinary, healthy rye grains and can be spotted easily. Ergot only rarely affects other grains and will generally afflict rye only when the growing conditions were damp. If you purchase field run rye, you should closely examine it first for the presence of ergot bodies. If you find more than a very, very few pass up that grain and look elsewhere.

Ergot is typically not a problem in the U.S and is easily spotted when it does occur. Other grain fungi, however, are much harder to spot and also have serious consequences should they be consumed. The various species of *Aspergillus* and *Fusarium* molds can be a problem almost anywhere.

Animal feed grains or seed grain/legumes are widely available and there are those who want to consider using these sources. Keep in mind that animal feeds are typically dirtier than food grains and may have a higher contaminant level than what is permissible for human consumption. The USDA allows the sale of grain or legumes for animal feed that could not be sold for direct human food use. It may even be mixed varieties of one grain and not all one type. In the case of feed wheat it may have an acceptable protein content but still make miserable raised bread so try milling and baking with a small amount before you put a lot of it away. Seed grains, in particular, must be investigated carefully to find out what they may have been treated with. It is quite common for seed to be coated with fungicides, and possibly other chemicals as well. Once treated, they are no longer safe for human or

animal consumption. Be sure to inquire of your supplier.

If you do purchase field-run grain of any sort, examine it closely for contamination and moldy grain. Ask the farmer or distributor whether it has been tested for mold or mycotoxin (fungal toxin) content. This is especially the case if you are buying field-run CORN, RYE, SOYBEANS or RICE. When you purchase direct from the field, you may be getting it before it has been checked. Be certain of what it is that you are buying and ask questions if you choose to go this route. Know who you are dealing with. Unless you just can’t find any other source, I don’t recommend using animal feed or seed grains for human food use.

Copyright © 2003. Alan T. Hagan. All rights reserved.

MOISTURE CONTENT

The moisture content of the grain or legume you want to put by has a major impact on how long you will be able to profitably keep it in storage. Some of the available literature states that grain with a moisture content as high as 13% can be safely put up, but there is a risk to keeping it at that level that should be understood.

The outside of every kernel of grain and bean you buy or grow hosts thousands of fungi spores and bacteria. This is all perfectly natural and is not a cause for alarm. The problem is that at moisture levels between 13.5% to 15% some fungal species are able to grow and reproduce. Aerobic bacteria (needing free oxygen to survive) require moisture in the 20% range. If you have grain with a moisture content as high as 13% you are perilously close to having enough moisture to enable mold growth which could lead to the spoilage and loss of your product. For this reason, I suggest you keep all grains and legumes to a moisture content of no more than 10%. An exception to this is raw peanuts which are particularly susceptible to an *Aspergillus* mold growth that produces aflatoxin (a type of mycotoxin) so should be stored with an 8% moisture content or less.

If you do not have a clue as to what the moisture level of your grain is here are several methods to determine it. The first method is quick, simple and will usually give you a close enough idea to work with of how much moisture there is in your grain or legume. The last two require a great deal more time and effort, but give more precise results.

METHOD ONE

This is the method I use myself. It's quick and dirty requiring nothing more than crushing a kernel of grain or a bean between two solid objects like a hammer and a brick. You don't have to hit it like you're driving spikes, just give it a sharp rap. If the grain shatters nicely into powdery debris or many small bits then the moisture level ought to be in the right range and you can package as-is. If the kernel just mashes flat or only reluctantly breaks into pieces it probably has too much moisture. If you're not sure of what you're seeing try drying a small amount overnight at only a warm temperature (100° Fahrenheit) such as you'd get from the pilot light in a gas oven. The next day take another sample from the same container and rinse in warm water for a few seconds, rub dry on a towel and let sit for about ten minutes. Now try the crush test on both samples. One should give you a good result and the other should be much different. Any seed with a high fat content such as soybeans and peanuts will not work well with this method.

COMMON TO METHODS TWO AND THREE

The more precise moisture content measurements require more time and effort. Nevertheless, you can make useful determinations with home equipment and I include them here for those who find Method One to be unsatisfactory. You'll need some way to measure weight with a fair degree of accuracy. The better the scale you use, the more reliability you'll have in your determinations. Provided that it will weigh accurately to the half-ounce or less, any scale that can be calibrated with a known check weight will do. Postal scales can be made to serve if they are carefully calibrated against a known weight. Many individuals interested in starting storage programs may have grain weight scales used in ammunition reloading that might serve well.

Also necessary is a thermometer capable of withstanding and accurately measuring oven temperatures. As many bakers can tell you, home oven thermostats are often notoriously inaccurate so it is better to rely on a decent thermometer. Most kitchen supply stores can supply one that is oven safe and will accurately measure to the degree Fahrenheit or Celsius.

Proper technique calls for preheating the oven for a half-hour or more before starting the dehydrating process so that it will be of a uniform heat throughout. The sample pan should be placed on the middle rack as close to the vertical and horizontal center of the oven as possible. The bulb or dial of the thermometer should be placed next to

the pan.

METHOD TWO

This method is for measuring moisture content in whole grains and legumes. Grain flours or meals, milk powders and any other finely textured foods should use Method Three detailed below.

To be done prior to measuring — choose a shallow heat resistant container that has a close fitting lid. Clean it thoroughly and dry completely in your oven for 10-15 minutes. Allow it to cool and then weigh it carefully. This will give you the tare weight or what your container weighs empty.

Depending on how your scale is calibrated you can use a smaller sample size than what is indicated below. Using the twenty-ounce sample mentioned in the following text will allow for fairly accurate readings with the average postal scale. A scale that will measure to the gram could use as small a sample as 20 grams. A powder scale could use even less, but the smaller your sample size becomes the more finicky care you must exercise not to allow error to creep in. Keep your sample size large enough to easily work with.

Allowing for the weight of the sample pan, measure out a weighed twenty-ounce representative sample of the grain or legumes in question. Ideally, you should thoroughly mix the entire lot immediately before removing the sample, but if this is not possible then take it from the middle center of the container. It is important that you use care in this measurement since it will affect all following determinations.

Put the sample in the container making sure it is not more than an inch deep. Place it in the oven with the lid off and allow to heat. Below is a table giving the oven temperatures and times per grain or legume type:

Time and Temperature Settings for Determining Moisture Contents of Whole Seeds			
Seed	Oven Temperature ° Fahrenheit*	Oven Temperature ° Celsius*	Oven Heating Time
Barley	266	130	20
Beans	217	103	72
Corn	217	103	72
Oats	266	130	22
Rye	266	130	16
Sorghum, millet	266	130	18
Soybeans, peanuts	217	103	72
Wheat, rice	266	130	19

*No home oven that I am aware of will allow for such precise temperature control. Try to keep the temperature within ten degrees either way of what is listed and you will still achieve useful results.

When the dehydration period is over place the close fitting lid on the sample pan and allow to cool in the oven with the door closed. Remove and carefully weigh the pan.

A one ounce loss in weight indicates your grain has a roughly five percent moisture content, 2 ounces indicates that it has a 10% moisture content, etc., etc. You might even be able to cut it as fine as a half-ounce loss, but I wouldn't try to take it further than that.

DAIRY PRODUCTS

Got milk? Butter? Cheese? In the refrigerator, right? Dairy products are a great source of essential amino acids, vitamin D, and calcium, but in their usual forms found in the refrigerator case of your local supermarkets are perishable commodities. Fortunately, there are a number of dairy products that lend themselves to food storage.

DRY MILKS

Dry, powdered milk is available in nearly as many varieties as the fresh fluid product. Most can be found on the shelves of your local supermarket while a few may have to come from rather more specialized suppliers. Skillfully and knowledgeably used they can vastly improve the quality of your food storage program.

NONFAT (skim):

This is pasteurized skim milk reduced to a powdered concentrate and is found in two forms - regular and instant. They are both made from the same type of milk, but the instant variety has been given further processing to make it more easily soluble in water than regular dry milk. Both types have essentially the same nutrient composition. The regular variety is more compact, requires less storage space than the instantized variety, usually costs somewhat less, but is a little more difficult to reconstitute. Instant dry milk is commonly available in nearly any grocery store. The regular type generally has to be sought out from baking and restaurant suppliers or storage food dealers. There is a retail brand by the name of "Milkman" that has a bit of fat content that makes it similar to 1% milk. The fat content means it should be stored like whole milk, described below.

It takes 3.2 oz or about 3 tablespoons of instant nonfat dry milk added to 32 oz of water to make 1 quart of milk you can drink or cook with like fresh milk. Combining the dry milk with water at least several hours before you plan to use it gives it time to dissolve fully and to develop a fresher flavor. Shaking the fluid milk vigorously will incorporate air and will also help to improve flavor. Add the powder to baked goods, gravies, smoothies, hot cereals, casseroles and meat

loaf as a nutrition booster. It can also be used to make yogurt, cheese and most any cultured dairy product that does not require a high fat content. Several of the ways that we use dry milk powder is in making grits, oatmeal, and our favorite whole wheat bread. A few tablespoons of dry milk greatly improves the amino acid composition of any grain product.

FLAVORED NONFAT:

This may be found packaged in a variety of forms from a low calorie diet drink (artificially sweetened) to the other end of the scale, as cocoa mix or malted milk. The key ingredient is the dry milk so buy and store these products accordingly.

WHOLE MILK:

This is whole dry milk with all of its fat content (roughly 28% milkfat) and therefore has a shorter shelf life than nonfat. Other than that, it may be reconstituted and used in exactly the same way as nonfat dry milk. Dry whole milk can sometimes be found in the Hispanic foods area of grocery stores (Nido and Klim by Nestlé are the two brands I know), natural or health food stores, and some storage food suppliers carry it as well as institutional and restaurant foods businesses. It can also sometimes be found where camping and outback supplies are sold. Because of the high fat content this form of dry milk really needs to be either vacuum sealed or packaged with oxygen absorbers in gas impermeable containers such as canning jars, Mylar bags, etc. Rotate and use dry whole milk within two years, less if not packaged for long-term storage.

BUTTERMILK:

Dry buttermilk is for use in recipes calling for buttermilk. It can be reconstituted into liquid buttermilk, but it's not much like the fresh liquid product and is best used in baked goods. Since it has a slightly higher fat content than nonfat dry milk, it generally does not keep as long. If properly packaged it should keep for several years.

SOUR CREAM:

Made from cultured sweet cream like the fresh product then dried and processed into a powder. Like the real thing it has a high milkfat content (25-28%) and should be stored like whole milk using vacuum sealing and/or

oxygen absorbers and kept in a cool place. Mixed with the proper amount of cold water it can be reconstituted into a rich, thick product much like fresh sour cream and can be used in a similar manner or just used as a powder to add a tangy richness to many foods. Properly stored in oxygen free packaging and kept in a cool environment it is possible to achieve about a three year shelf life.

MILK SUBSTITUTES:

There are a number of products on the market that purport to take the place of cow or goats milk. They range from soy "milk", rice or other grain "milks", and beverages based on milk components such as whey. If there is not a substantial fat content they may all be stored as you would nonfat dry milk. Those products with a significant fat content (above 1% by weight) should be stored as you would whole dry milk. Do keep in mind that nearly all of these products **DO NOT** have the same nutritional composition as either nonfat or whole milk. In storage food programs dairy products serve as important sources of high quality complete proteins, calcium, vitamin D and possibly vitamin A. If the milk substitute you're considering does not you'll need to find another adequate source of these important nutrients.

BUYING DRY MILK PRODUCTS

- (a) - Be sure the dry milk you are buying has been fortified with vitamins A and D. All of the whole and nonfat dry milks I've seen come fortified with these two vitamins. The dry buttermilk does not come this way, at least the SACO brand does not. The flavored dry milks vary by manufacturer.
- (b) - There should be no artificial colors or flavors. I believe it is illegal to add preservatives to any dry milk sold in the U.S. so a claim of "no preservatives" on the label is of no consequence. Other nations may be different, however.

- (c) - "Extra Grade" on the label indicates the manufacturer has held to higher processing and quality standards and the milk is somewhat lower in fat, moisture and bacterial content, is more soluble, and has fewer scorched particles.

There are still some manufacturers of dry milk that sell ordinary Grade A product, but they are becoming fewer. Every brand of instant powdered milk in my local grocery store is the Extra Grade, even the generic

store brand. This, too, may vary outside of the States.

- (d) - If you'll be buying your milk in bulk from businesses such as restaurant and institutional foods suppliers be sure to specify "low-temperature spray process" dry milk. The high-temperature process dry milks will not give you a very desirable product unless you intend to use it solely for baking.

- (e) - Try to buy your dried milk in containers of a size that makes sense for the level of consumption in the household. Once it is opened, powdered milk has a short shelf life before undesirable changes in flavor and nutrient content occurs. If you buy large packages and do not use much at one time, consider breaking it down and repackaging into smaller containers at the time of purchase. I vacuum seal mine in glass canning jars.

- (f) - As with any storage food you buy, try to deal only with reputable dealers. It is particularly important to do this with dry milk because of its short shelf life and sensitivity to storage conditions. Check expiration dates, then date and rotate packages.

STORING DRY MILKS

Dry milk products are highly sensitive to environmental conditions, particularly temperature and moisture. Their vitamins A and D are also photosensitive and break down rapidly if exposed to light.

The area where your dry milk is stored should be kept as cool as possible. Air-conditioning or even refrigeration can greatly extend the nutrient shelf life.

If the storage container is transparent or translucent then it should be put into a second container opaque to light or stored in a dark room.

Dry milk will absorb moisture and odors from the air so storage containers should be impervious to both air and moisture. The drier it can be kept, the better it will keep which makes the use of desiccants is an excellent idea. Oxygen also speeds decomposition so vacuum sealing or oxygen absorbers will decrease the available

oxygen. Because of its fine powdery texture gas flushing with nitrogen or carbon dioxide generally yields poor results.

If the dry milk you purchased was not packaged for long term storage then it should be repackaged right away.

I purchase the instant variety of dry skim, whole milk, and sometimes buttermilk powder at my local grocery and repack it at home. The method I now use is to pour the powder into clean, dry canning jars then vacuum seal them with my Tilia Foodsaver using the jar adapter then storing in the ubiquitous cool, dark place. They must be guarded against breakage, but they offer the advantage of not holding odors, thus allowing for reuse after cleaning. Since the glass is transparent they must be protected against light.

Clean, sound plastic one and two liter soda bottles can also be used, but probably should be used just once since the plastic is somewhat permeable and will hold odors.

If you have access to a can sealer, #10 cans make wonderful storage containers for dry milk, particularly if used in conjunction with O2 absorbers.

SHELF LIFE OF DRY MILKS

From: SacofFoods@aol.com (Amy Thompson)

To: Dumross@dkkeep.com (Alan Hagan)

Subj: SACO Mix'nDrink Instant Pure Skim Milk

Date: May 9, 1996

Dear Mr. Hagan:

Thank you for your e-mail today and for your interest in SACO Mix'nDrink Pure Skim Milk.

Our Mix'n Drink will keep its nutrition value for up to about two years if kept cool and dry, and the only vitamins that actually decrease over time are the vitamins A and D. These are not shelf-stable vitamins and are sensitive to heat and light. A good rule of thumb to follow is that the vitamins A and D will dissipate at a rate of about 20% every year if stored properly. The less heat and moisture the milk is exposed to, the better the vitamins will keep. A freezer could extend the shelf life, as long as the powder does not get moisture in it. If you had to put a time limit on the Mix'nDrink, for rotation purposes, I would date it at two years after the date of purchase.

After opening a package of dry milk, transfer the powder to a tightly covered glass or metal container (dry milk can pick up odors from plastic containers) and keep it in the refrigerator. Unsealed nonfat dry milk keeps for a few months; dry whole milk for a few weeks.

Copyright © 2003. Alan T. Hagan. All rights reserved.

CANNED FLUID MILKS AND CREAMS

Preserved liquid milk comes in a number of forms, none of which are very similar to each other. The most common are as follows:

CANNED MILKS: These are commonly called UHT milks (Ultra High Temperature) for the packaging technique used to preserve them. They come in the same varieties as fresh liquid milks: Whole, 2%, 1% and skim. I've even found whipping cream in UHT packaging (Grand Chef - Parmalat), though this may be offered only in the commercial and restaurant trade. In the U.S. they all have vitamin D added. The lesser fat content milks do not keep as long as whole milk and their use by dates are correspondingly shorter term. This milk is packaged in aseptic laminated paper cartons. It has the same composition as fresh milk of the same type, and can be stored at room temperature because of the special pasteurizing process used. The milk has a boiled flavor, but less so than evaporated milk. The dates are usually for approximately six months. The milk is still usable past its date, but the flavor soon begins to go stale and the cream separates.

With a six-month shelf life this type of canned milk naturally requires a much faster rotation cycle than other types. Several companies sell flavored milks (chocolate, etc.) in this packaging, usually in the smaller single-serving sizes. UHT milk makes excellent yogurt, losing the boiled flavor.

EVAPORATED MILK: Made from fresh, unpasteurized milk using a vacuum-heating process that removes 60% of the water, the concentrate is heated, homogenized, and in the States, vitamin D is added. It is then sealed in cans and heated again to sterilize the contents. Some brands may have other nutrients and/or chemical stabilizers added so read can labels closely. A mixture of one part water and one part evaporated milk will have about the same nutritional value as an equal amount of fresh milk. It does not taste like fresh milk but many do not find the flavor to be disagreeable. Both whole and skim milk varieties are available with the higher fat content type having the best storage life. The typical recommended storage time is six months. There is generally no date or use by code on evaporated milk.

Some grocers along with health food stores carry canned, evaporated goat's milk, in a similar concentration.

SWEETENED CONDENSED MILK: A less processed product than evaporated milk. It starts with pasteurized milk combined with a sugar solution. The water is then extracted until the mixture is less than half its original weight. It is not heated because the high sugar content prevents spoilage. It's very rich as well: 8 oz contains 980 calories. Obviously with a greatly reduced water content and a high sugar level it won't taste like fresh milk but it does have many uses in cooking. Some use condensed milk to cream their coffee. This type too is available in whole and skim varieties.

A fairly new entry into the sweetened condensed milk field is Dulce de Leche a popular dessert item in Latin America. It's basically sweetened condensed milk that has been heated to the point that the sugar begins to brown which produces a rich tasting caramel dessert. In the past you had to make it yourself, but now it can be purchased ready made in the can. I have seen it in the canned/dry milk areas or the Hispanic/ethnic foods areas of many grocery stores here in Florida.

Although it is often hard to find, the condensed milk can label should have a stamped date code which indicates the date by which it should be consumed. Condensed milk may thicken and darken as it ages, but it is still edible.

CANNED CREAM: So far as I have found here in the U.S. only the Nestlé company produces canned creams, both being imports. One is "Media Crema" produced in Mexico with a pull-top can and the other is "Table Cream" produced in Australia in a standard (as in use an opener) can. There is a slight difference in preservatives and thickeners, but basically both are a shelf stable light cream which can be used in any way that you would use fresh light cream. I haven't yet determined a shelf-life for these products, but it seems to be in excess of two years in any decent storage environment. Like the Dulce de Leche above I found them either in the dry/canned milk areas or the Hispanic/ethnic areas of my local grocery stores. Would be worth looking or asking for in your local markets.

BUTTER

Butter can be found in several forms each with their

particular strengths and weaknesses.

BUTTER POWDER: Probably the easiest to find of the shelf-stable butters the powder is a moisture free product consisting of butter fat condensed on milk solids generally with added antioxidants. It can be reconstituted by mixing with water to make a spread similar to whipped butter, but it cannot be used for frying or other applications requiring high heat that would burn the milk solids. Most butter powders have something of a milky taste due to the additional milk solids necessary to create the powder, but many do not find this objectionable. Because it is a powder (lots of surface area) with a high fat content it needs good packaging to keep it at its best. Vacuum sealing and/or oxygen absorbers will work well if you are doing your own packaging.

CLARIFIED BUTTER (GHEE): Another form of butter suitable for storage programs is clarified butter or ghee as it is known in India. This is fresh, unsalted butter gently heated to drive off the moisture with the remaining fat poured off of the butter solids. It can be purchased commercially but most choose to make it themselves. As it's essentially pure butterfat with no water there is little to spoil so will keep for years in a glass jar protected from oxygen, heat, and light. A good source of fat calories and useful in cooking, but maybe not something you'd want to spread on a biscuit.

CANNED BUTTER: For those whom only the real thing will do it's now possible to find shelf stable real butter. It seems mostly to be sold in those nations where home refrigeration is not as common as it is here in the U.S. As a rule I do not single out suppliers for any given product but at the time of this writing (11/2003) the only U.S. importer of shelf stable canned butter I've been able to find is Bruce Hopkin's Internet Grocer (<http://www.internet-grocer.com>). His product is Red Feather brand canned butter from New Zealand. It is salted though not as heavily as most salted butter in the U.S. The manufacturer claims an eighteen month shelf-stable storage life though they do advise keeping it in a cool, dry place. Like all butter it will liquefy it allowed to warm too much. Each can contains twelve ounces (equivalent to about three sticks of butter) and once opened should be handled like any other butter.

CHEESE

There are a number of shelf-stable cheese products

that are suited for storage programs. Each of them have particular strengths or weaknesses for given uses. The basic forms storage cheeses can take are:

CANNED CHEESE: Actually, it's "Pasteurized Processed Cheddar Cheese Product" but it's the closest thing to a shelf-stable real cheese that I've yet found. It's another one of those products produced for use in countries where home refrigeration is scarcer than it is here in the U.S. The only brand available in the States that I know of at this time is made by Kraft's Australian division whose product most resembles a mild white cheddar or perhaps an American cheese. The only U.S. source for this cheese that I have found thus far is again Bruce Hopkin's Internet Grocer (<http://www.internet-grocer.com>). It comes in an eight ounce can and the manufacturer claims it will keep "indefinitely" at any reasonable storage temperature.

DRIED GRATED CHEESES: These are the familiar grated dry Parmesan and Romano cheeses, possibly others as well. They're generally a coarse dry powder, low or nonfat, and often with a fair amount of salt. Kept dry, cool, and dark they'll keep as they come from the store for several years though to get the maximum possible shelf life you should vacuum seal them in glass. Usually fairly expensive for the amount you get but as they're also strongly flavored a little will go a long way.

CHEESE SAUCES AND SOUPS: These are products such as Cheez Whiz, Campbell's Cheddar Cheese Soup, chip dips and related. They're not really cheese, but a mixture of cheese, milk, flour, and other ingredients. Depending on what your end uses may be they can provide a cheese flavor, calories, and a degree of protein, fat, and calcium. In any decent storage conditions they'll keep for several years at least. Aerosol cheese is an abomination that will not be discussed here.

POWDERED CHEESE: Used in products such as boxed macaroni and cheese, au gratin potatoes, snacks, and the like, this is basically cheese that has had its moisture removed leaving behind mostly protein, fat, a fair amount of calcium and various flavoring and coloring compounds (naturally occurring or added) along with a fair amount of salt. It can't really be melted, but it can add a nice cheese flavor where a real cheese texture is not needed.

There are also cheese powder blends, typically a mixture of cheese powder, food starch, whey, milk solids and other non-cheese ingredients. It has less fat than true cheese powder, about the same protein, but less calcium. You

can make it yourself with dry milk and cornstarch so there's little point in not getting real cheese powder.

Cheese powder will keep for many years in sealed metal cans kept at cool temperatures. You'll probably have to get it from restaurant foods suppliers or order it from storage foods dealers. It's high fat content means that it needs low-oxygen packaging.

EGGS

The noble fruit of the hen, eggs play an important role in the kitchen arts. Unfortunately, outside of regular runs to the store to buy fresh eggs or keeping your own hens (which is what I do) they're problematical to store. There are two basic ways to keep eggs for those times when fresh eggs may be hard to come by. One is to preserve them in the shell, a process which must be done at home as there are no commercial sources of preserved shell eggs that I know of. The second is to buy dry, or powdered, eggs. I may address home shell egg preservation in a future FAQ update but for now I will concentrate on dry eggs which anyone can buy.

DRY EGGS

Dry eggs are generally available in four different forms—whole eggs, egg whites, egg yolks, and as a mix for making scrambled eggs and omelets. Which you should buy depends on how you expect to use them. As a general rule I find dry eggs reconstitute more easily when mixed with warm (not hot) water. Mixing the dry powder with other dry ingredients before adding liquids also increases the ease by which they can be reconstituted. Allowing the eggs to sit a few minutes before using improves water adsorption.

WHOLE EGGS: This is everything but the shell and the water. Usually found in the form of a somewhat clumpy, egg smelling yellow powder. Typically one tablespoon of whole egg powder mixed with two tablespoons of water will equal one large fresh egg. Can be used to make most anything you'd make with fresh eggs though personally I prefer to use them in baking rather than as scrambled eggs or omelets. Whole egg powder is commonly used in baking mixes of all kinds, but I've never seen plain powdered eggs for sale in any grocery. Fortunately, they're easy to come by from mail order suppliers. A #10 can of powdered eggs is quite a lot so give some thought as to how fast you might use them and either order smaller cans, repackaging an opened can into smaller containers, or plan on eating eggs often.

EGG WHITES: Nearly pure protein, egg white powder can add a high-protein boost to anything you put it in. The powder itself is whitish in color and not as clumpy as whole egg powder. When properly reconstituted it will whip into meringue like fresh egg whites and can be used in producing angel food and sponge cakes. Dry egg whites are often found in the baking section of many supermarkets. The brand name I have seen is "Just Whites" by Deb El. Powdered egg whites are also available from many mail order suppliers.

EGG YOLKS: High protein, high fat, and a source of lecithin (a natural emulsifier). Egg yolk powder can add richness and flavor to any number of foods, used to make custards, sauces, noodles, even mayonnaise. Not generally as easy to find as whole eggs and whites, but can be mail ordered. Being pure yolks this powder has a high fat content and most be appropriately packaged to achieve a good shelf life.

EGG MIX OR SCRAMBLING MIX: Typically a mix of whole egg powder, nonfat milk powder, oil, and salt. Used for making scrambled eggs, omelets, or general egg cookery. This mix does offer a degree of convenience but you can easily make it yourself and save the trouble of having to store it as a separate product.

STORING DRY EGGS

All dry egg products are exceedingly sensitive to moisture and will go off quickly if allowed to become the least bit damp. Whole eggs, egg yolks, and egg mix have high fat contents which make them very sensitive to oxygen. I highly recommend vacuum sealing in glass jars or using oxygen absorbers in conjunction with some other form of high barrier property packaging to keep these products at their best. If you bought quality products, packaged them well in oxygen free packaging, and put them away in a good storage environment then whole eggs, egg yolks, and egg mix should be able to achieve at least a three year shelf life, possibly more. Egg whites will easily achieve five years. Naturally, if you're packaging your eggs in any sort of transparent or translucent packaging then they should be stored in a dark place.

SUGAR, HONEY AND OTHER SWEETENERS

There are a wide number of sugars to be found for purposes of sweetening foods. Fructose is the primary sugar in fruit and honey; maltose is one of the sugars in malted grains; pimentose is found in olives, and sucrose is what we know as granulated or table sugar. Sucrose is a highly refined product made primarily from sugar cane though sugar beets still contribute a fair amount of the world supply. Modern table sugar is now so highly refined as to be virtually 100% pure and nearly indestructible if protected from moisture. Powdered sugar and brown sugar are simple variations on granulated sugar and share its long life.

Liquid sweeteners do not have quite the longevity of dry sugars. Honey, cane syrup, molasses, corn syrup and maple syrup may crystallize or mold during long storage. These syrups are chemically not as simple as table sugar and therefore lose flavor and otherwise break down over time.

GRANULATED SUGARS:

Buying refined sugar is a simple matter. Select a brand you know you can trust, be certain the package is clean, dry and has no insect infestation. There's little that can go wrong with it.

GRANULATED:

Granulated sugar does not spoil, but if it gets damp it will grow lumpy or turn into a sugar rock. If it does, it can be pulverized into smaller pieces and used. Granulated sugar can be found in varying textures, coarser or finer. "Castor/caster sugar" is a finer granulation than what is commonly sold as table sugar in the U.S. and is more closely equivalent to our super fine or berry sugar.

POWDERED, CONFECTIONERS, ICING:

All names refer to the same kind of sugar, that is white granulated sugar very finely ground. For commercial use there is a range of textures from coarse to ultra-fine. For home consumption, what is generally found is either Very Fine (6X) or Ultra-Fine (10X), but this can vary from nation to nation. Not all manufacturers will indicate the grind on the package. Sugar refiners

usually add a small amount of cornstarch to prevent caking which will make it undesirable for use in sugar syrups or solutions where clarity is needed.

Powdered sugar is as inert as granulated sugar, but it is even more hygroscopic and will adsorb any moisture present. If it soaks up more than a little it will cake and become hard. It's difficult to reclaim hardened powdered sugar, but it can still be used like granulated sugar where clarity in solution (syrups) is not important.

BROWN, LIGHT & DARK:

In the United States brown sugar is generally refined white sugar that has had a bit of molasses or sugar syrup and caramel coloring added to it. Dark brown sugar has more molasses which gives it a stronger flavor, a darker color and makes it damp. Light brown sugar has less molasses which gives it a milder flavor, a blonder color and is slightly dryer than the dark variety. Light brown sugar can be made by combining one fourth to one third white sugar to the remainder dark brown sugar and blend thoroughly.

Both varieties need to be protected from drying out, or they will become hard and difficult to deal with. Nor do you want to allow them to become damper than what they already are.

There are dry granulated and liquid brown sugars available, but they don't have the same cooking qualities as ordinary brown sugars. They also don't dry out and harden quite so readily either.

RAW, NATURAL, TURBINADO & OTHERS:

In recent years, refiners have realized there is a market for less processed forms of cane sugar in the U.S. so have begun to sell these under various names and packaging. None of them are actually raw sugar as it is illegal to sell in the States due to the high impurities level in the truly raw product. All will have been processed to some degree, perhaps to remove the sticky surface molasses or to lighten the color, but will not have been subjected to the full refining and whitening processes of ordinary white table sugar. This leaves some of the natural hue and a strength of flavor that deepens with the color. All of these less refined sugars may be stored and handled like brown

sugar.

Outside of the United States it is possible to buy cane sugars from the truly raw product with all of the detritus remaining from the cane juice extraction process up through various stages of refinement much like we have here in the United States. Many can be found with names such as "muscavado", "jaggery" (usually a raw palm or date sugar), "demerara", "sucanat," and others. Colors will range from quite dark to blonde and may or may not be sticky with molasses. Generally the darker the color the stronger the flavor will be. In spite of any impurities they can be stored like brown sugar since their sugar content is high enough to inhibit most microbial growth. Recently I have found demerara sugar for sale here in the U.S.

STORING GRANULATED SUGARS

All granulated sugars have basically the same storage requirements. They need to be kept in air tight, insect and moisture proof containers. For powdered, and granulated sugar you might want to consider using some desiccant in the storage container if your local climate is damp. Since brown sugars and raw sugars are supposed to be moist, they do not need desiccants. Shelf life is indefinite if kept dry, but anything you intend to eat really should be rotated occasionally. Time has a way of affecting even the most durable of foods.

I've used brown sugar that was six years old at the time it was removed from storage and, other than the molasses settling somewhat toward the bottom, it was fine. A friend to whom I gave a bucket of the brown sugar finished it off three years later which was nine years after it was packaged and it, too, was fine.

HONEY

Honey may be the oldest sweetener known to man - its use predates recorded history. Remains of honey have been found in the Egyptian pyramids. This product of honeybees is typically sweeter than granulated sugar by a factor of 25%-40% depending upon the specific flowers from which the bees gathered their nectar. This means a smaller amount of honey can give the same amount of sweetening as sugar. The source flowers also dictate the flavor and the color as well. Honey color can range from very dark (nearly black) to almost colorless. As a general rule, the lighter the color and the more delicate the flavor, the greater the price the honey will bring. As you might expect, since honey is sweeter than table sugar, it also

has more calories as well — an average of twenty two per teaspoon compared to granulated sugar's sixteen. There are also trivial amounts of minerals and vitamins in the bee product while white sugar has none. Honey is not a direct substitute for table sugar however, its use in recipes may call for a bit of alteration to make them to turn out right.

Although the chance is remote, raw honey may also contain minute quantities of *Clostridium botulinum* spores so should not be fed to children under one year of age. PLEASE READ THE POST FROM GERRI GUIDETTI CONCERNING THIS BELOW. Raw honey is OK for older children and adults.

Honey comes in a number of forms in the retail market and all with somewhat different storage characteristics:

WHOLE-COMB:

This is the bee product straight from the hive. It is the most unprocessed form of honey, being large pieces of waxy comb floating in raw honey. The comb itself will contain many unopened honey cells.

RAW:

This is unheated honey that has been removed from the comb. It may contain bits of wax and other small particles.

FILTERED:

This is raw honey that has been warmed slightly to make it easier to filter out small particles and impurities. Other than being somewhat cleaner than raw honey it is essentially the same. Most of the trace amounts of nutrients remain intact.

LIQUID/PURE:

This is honey that has been heated to higher temperatures to allow for easier filtering and to kill any microorganisms. Usually lighter in color, this form is milder in flavor, resists crystallization and generally clearer. It stores the best of the various forms of honey. Much of the trace amounts of vitamins, however, are lost.

SPUN, CRYSTALLIZED or CREAMED:

This honey has had some of its moisture content removed to make a creamy spread. It is the most

processed form of honey. It keeps quite well. Also available in various flavors.

BUYING HONEY

Much of the honey sold in supermarkets has been blended from a variety of different honeys and some may have even had other sweeteners added as well. Like anything involving humans, buying honey can be a tricky business. It pays to deal with individuals and brands you know you can trust. In the United States you should buy products labeled U.S. GRADE A or U.S. FANCY if buying in retail outlets. However, be aware there are no federal labeling laws governing the sale of honey, so only honey labeled pure is entirely honey and not blended with other sweeteners. Honey grading is a matter of voluntary compliance which means some producers may be lax in their practices. Some may also use words like "organic", "raw", "uncooked" and "unfiltered" on their labels, possibly to mislead. Fortunately, most honey producers are quite honest in their product labeling so if you're not certain of who to deal with, it is worthwhile to ask around to find out who produces a good product.

Honey may also contain trace amounts of drugs used in treating various bee ailments, including antibiotics. If this is a concern to you, then it would be wise to investigate with your local honey producer what they may have used.

STORING HONEY

Honey is much easier to store than to select and buy. Pure honey won't mold, but may crystallize over time. Exposure to air and moisture may cause color to darken, flavor to intensify and may speed crystallization as well. Comb honey doesn't store as well liquid honey so you should not expect it to last as long.

Storage temperature is not as important for honey, but it should not be allowed to freeze or exposed to high temperatures if possible. Either can cause crystallization and heat may cause flavor to strengthen undesirably.

Filtered liquid honey will last the longest in storage. Storage containers should be opaque, airtight, moisture and odor-proof. Like any other stored food, honey should be rotated through the storage cycle and replaced with fresh product.

If crystallization does occur, honey can be reliquified by placing the container in a larger container of hot water until it has melted. Avoid adding water to honey you intend to keep in storage or it may ferment.

Avoid storing honey near heat sources or petroleum products (including gasoline/diesel engines), chemicals or any other odor-producing products which may infuse through plastic packaging.

RAW HONEY AND BOTULISM

From: Geri Guidetti arkinst@concentric.net

Duane Miles wrote:

If I recall correctly, honey contains very, very small amounts of the bacteria that cause botulism. For adults, this seldom causes problems. Our immune system is capable of dealing with small numbers of even nasty bacteria, they do it all the time. The problem is when we get large numbers of bacteria, or when our immune system is damaged or not yet developed.

That is where the problem with honey comes in. Some people used to use honey to sweeten milk or other foods for infants. Infants immune systems sometimes cannot handle the bacteria that cause botulism, and, of course, those infants became seriously ill. So pediatricians now advise strongly against using honey for children under a certain age.

Yes, raw honey can contain the temperature resistant spores of *Clostridium botulinum*, the bacterium that causes botulism. The organism is a strict anaerobe, meaning that it only grows in the absence of molecular oxygen. The problem with infants and honey is that the small, intestinal tract of an infant apparently is sufficiently anaerobic to allow the spores to germinate into actively growing *C. botulinum* organisms. Essentially, the infant serves the same role as a sealed, airtight, contaminated can of beans as far as the organisms are concerned. There in the infant's body the bacteria secrete the dangerous toxin that causes the symptoms of botulism. There have been quite a few documented infant deaths due to honey. As I recall, the studies identifying honey as the source were done in the '80s. Most pediatricians recommend no honey for the first year. It is probably best to check with your own for even later updates..Geri Guidetti, The Ark Institute

EDITOR'S NOTE: The advice not to give raw honey or

foods containing raw honey to infants under one year of age still stands. Do please understand, though, that honey is not the only means by which infants can suffer from botulism, in many of which cases no certain source of contagion could ever be determined. The actual chances of any infant being stricken is very, very small and keeping the child's colon open, active and healthy can reduce it still more. Breast-fed children seem to be more resistant as well.

HONEY OUTGASSING

Q: My can of honey is bulging. Is it safe to use?

A: Honey can react with the can lining to release a gas especially when stored over a long period of time. Honey's high sugar content prevents bacteria growth. If there is no sign of mold growth, it is safe to eat. **FREQUENTLY ASKED FOOD QUESTIONS, FN250**

CANE SYRUPS

CANE SYRUP:

Seldom found in supermarkets pure cane syrup is a sweet symbol of the U.S. Deep South. Produced by boiling down the extracted juice of the sugarcane in much the same fashion as sorghum and maple syrups are produced. The best syrup is clear with a dark amber color and a smooth intense flavor. Cane syrup usually has to be purchased from roadside stands, living history recreations, farm festivals, or state and county fairs. Some syrup makers will add small quantities of lemon juice or corn syrup to deter crystallization. Flavored cane syrups can sometimes be found, but are usually a sign of inferior syrup.

MOLASSES:

A by-product of sugar refining, molasses is generally composed of sugars such as glucose that are resistant to crystallization, browning reaction products resulting from the syrup reduction process, and small amounts of minerals. Flavor can vary between brands, but is usually strong and the color dark and opaque. Sulfured molasses can sometimes be found but its intense flavor is unappealing to most. Brands labeled as 'blackstrap molasses' are intensely flavored.

SORGHUM SYRUP:

This is produced in the same manner as cane syrup, but sweet sorghum cane, rather than sugar cane, is used.

Sorghum tends to have a thinner, slightly sourer taste than cane syrup. Good syrup should be a clear dark amber with a smooth flavor. It can sometimes be found in the supermarket, but more often is found in the same types of places as genuine sugar cane syrup.

TREACLE:

This sweetener comes in varying colors from a rather dark version, similar to, but not quite the same as blackstrap molasses, to paler versions more similar to golden syrup. If you cannot find it in your store's syrup area check in their imported foods section.

All of the above syrups are generally dark with a rich, heavy flavor.

GOLDEN SYRUP:

This syrup is both lighter and paler in color than any of the above four, more similar to what we would call a table syrup here in the U.S. Can usually be found in the same areas as treacle above.

TABLE SYRUP:

There are many table syrups sold in supermarkets, some with flavorings of one sort or another such as maple, various fruits, butter, etc. A close examination of the ingredients list will reveal mixtures usually of cane syrup, cane sugar syrup or corn syrup along with preservatives, colorings and other additives. Table syrup usually has a much less pronounced flavor than molasses, cane or sorghum syrup or the darker treacles. Any syrup containing corn syrup should be stored as corn syrup.

STORING CANE SYRUPS

All of the above syrups, except for those having corn syrup in their makeup, have the same storage characteristics. They can be stored on the shelf for about two years and up to a year after opening. Once they are opened, they are best kept in the refrigerator to retard mold growth. If mold growth does occur, the syrup should be discarded. The outside of the bottle should be cleaned of drips after each use. Some pure cane and sorghum syrups may crystallize in storage, but this causes no harm and they can be reliquified using the same method as for honey. Molasses or other sugar refining by-products won't usually crystallize, but will dry into an unmanageable tar unless kept sealed.

CORN SYRUP

Corn syrup is a liquid sweetener made by breaking down cornstarch into its constituent sugars through an enzyme reaction. Available in both a light and a dark form, the darker variety has a flavor similar to molasses and contains refiners syrup (a by-product of sugar refining). Both types often contain flavorings and preservatives. It is commonly used in baking and candy making because it does not crystallize when heated. Corn syrup is common in the U.S., but less so elsewhere.

Corn syrup stores poorly compared to other sweeteners and because of this it often has a best if used by date on the bottle. It should be stored in its original bottle, tightly capped, in a cool, dry place. New unopened bottles can be expected to keep about six months past the date on the label and sometimes longer.

After opening, keep the corn syrup four to six months. These syrups are prone to mold and to fermentation so be on the lookout for bubbling or a mold haze. If these present themselves, throw the syrup out. You should wipe off any drips from the bottle after every use.

MAPLE SYRUP

Maple syrup is produced by boiling down the sap of the maple tree (and a lot of it too) collected at certain times in the early Spring until it reaches a syrup consistency. This native American sweetener is slightly sweeter than table sugar and is judged by much the same criteria as honey: Lightness of color, clarity and taste. Making the syrup is energy and labor intensive so pure maple is generally expensive. Maple flavored pancake syrups are usually mixtures of corn and cane sugar syrups with either natural or artificial flavorings and should be kept and stored as corn syrups.

New unopened bottles of maple syrup may be kept on a cool, dark, shelf for up to two years. The sweetener may darken and the flavor get stronger, but it is still usable.

After the bottle has been opened, it should be refrigerated. It will last about a year. Be careful to look out for mold growth. If mold occurs, discard the syrup.

Copyright © 2003. Alan T. Hagan. All rights reserved.

FATS AND OILS

All oils are fats, but not all fats are oils. They are similar to each other in their chemical makeup, but what makes one an oil and another a fat is the percentage of hydrogen saturation in the fatty acids of which they are composed. The fats which are available to us for culinary purposes are actually mixtures of differing fatty acids so for practical purposes we'll say saturated fats are solid at room temperature (70°F, 21° C) and the unsaturated fats we call oils are liquid at room temperature. For dietary and nutrition purposes fats are generally classified as saturated, monounsaturated and polyunsaturated, which is a further refinement of the amount of saturation of the particular compositions of fatty acids in the fats.

BUYING AND STORING OILS AND FATS

There is a problem with storing oils and fats for the long term and that is they want to go rancid. Rancid fats have been implicated in increased rates of heart disease, arteriosclerosis and are carcinogenic (cancer causing) so are best avoided whenever possible.

Oxygen is eight times more soluble in fat than in water and it is the oxidation resulting from this exposure that is the primary cause of rancidity. The less saturated a fat is, the faster it will go off. This may not, at first, be readily apparent because vegetable oils have to become several times more rancid than animal fats before our noses can easily detect it. An extreme example of rancidity is the linseed oil (flaxseed) that we use as a wood finish and a base for oil paints. In a matter of hours the oil oxidizes into a solid polymer. This is very desirable for wood and paint, very undesirable for food.

Because of this difficulty in storing fats and oils for any long period of time many books and articles on the subject of food storage make only passing mention of them, if they say anything at all. This is unfortunate because fat contains *nine* calories to the gram compared to the *four* calories contained by either carbohydrates or protein. This makes fat a valuable source of concentrated calories that could be of real importance if faced with a diet consisting largely of unrefined grains and legumes. For small children, infants, nursing mothers, and the elderly, they may not be able to consume the volume of food that would be necessary in the course of a day to get all of the calories they would need to avoid weight loss and possible malnutrition. Additionally, fats play an important role in

our perception of taste and texture and their absence would make many foods more difficult to prepare and consume. Furthermore, a small amount of dietary fat is necessary for our bodies to properly absorb fat soluble vitamins like A, D, E and K.

Long term storage of fats may be problematical, but it is not impossible. There are some general rules you can follow to get the most life out of your stored cooking oils and fats.

#1 - Exposure to oxygen, light and heat are the greatest factors to rancidity. If you can, refrigerate your stored oil, particularly after it's been opened. If possible, buy your oils in opaque, airtight containers. If you purchase it in plastic, particularly clear plastic, then transfer it to a gas impermeable glass or metal container that can be sealed airtight. If you have a means of doing so, vacuum sealing the storage container is an excellent idea as it removes most of the air remaining inside, taking much of the oxygen with it. Transparent glass and plastic containers should be stored in the dark, such as in a box or cabinet. Regardless of the storage container, it should be stored at as cool a temperature as possible and rotated as fast as is practical. All other considerations being equal, oils and fats with preservatives will have a greater shelf life than those without, provided they are fresh when purchased.

#2 - Unless they have been specially treated, most unopened cooking oils have a shelf life of about a year to a year and a half, depending upon the above conditions. Some specialty oils such as sesame and flax seed have shorter usable lives. If you don't use a lot, try to not buy your fats in big containers. This way you won't be exposing a large quantity to the air after opening, to grow old and possibly rancid, before you can use it all up. Once opened, it is an excellent idea to refrigerate cooking fats. If it turns cloudy or solid, the fat is still perfectly usable and will return to its normal liquid, clear state after it has warmed to room temperature. Left at room temperatures, opened bottles of cooking oils can begin to rancid in anywhere from a week to a couple of months, though it may take several

more months to reach such a point of rancidity that it can be noticeably smelled.

#3- Although darker colored oils have more flavor than paler colored, the agents that contribute to that flavor and color also contribute to faster rancidity. For maximum shelf life buy paler colored oils.

EXTENDING SHELF LIFE BY ADDING ANTI-OXIDANTS

I take no position on doing this, but if obtaining the maximum possible shelf life in your cooking fats is important to you, it is possible to add antioxidant preservatives to the fat you have purchased. Used in conjunction with a gas impermeable container, either opaque in color or stored in a dark place, and cool storage temperatures (70° F 21°C or less) then shelf life can be extended to about five years, possibly longer.

The antioxidant in question is Butylated HydroxyToluene (BHT). It is often used in the food industry to slow the development of off-flavors, odors and color changes caused by oxidation, mostly in foods with significant fat contents. BHT is on the U.S. Food and Drug Administration's Generally Recognized As Safe (GRAS) list as a common preservative. The FDA limits the use of BHT to 0.02% or 200 parts per million (ppm) of the oil or fat content of a food product. The directions that I give below will be for the FDA limit. BHT is available over the counter in the retail trade, typically found in health or natural foods stores or vitamin and nutritional supplement suppliers. It may also be found from various suppliers on the Internet.

To get the best results you will need the freshest oil you can find. Purchasing from a large, busy supermarket will usually suffice. You'll also need containers that are gas impermeable such as glass jars, or metal cans. There may be plastic containers with high gas barrier properties that will also serve, but I cannot knowledgeably say about this. It is important that your containers be food grade, clean, dry and dust-free. In keeping with the FDA's GRAS guidelines you want to add 5.3mg of BHT crystals per fluid ounce of oil or fat. If you're using a scale calibrated in grains, such as a reloading powder scale, you may use the following table.

HT in grains	OIL	BHT in milligrams
0.1 grain	1 fl oz	5.3 mg
0.7 grain	8 fl oz (1 cup)	42.4 mg
1.3 grain	16 fl oz (1 pint)	84.8 mg
2.6 grain	32 fl oz (1 quart)	169.6 mg
5.2 grain	64 fl oz (1/2 gal)	339.2 mg
10.3 grain	128 fl oz (1 gallon)	678.4 mg

NOTE: The grain weight measurements have been rounded up to the nearest tenth grain since most powder scales will not accurately measure less than one-tenth of a grain.

IMPORTANT NOTE: If you are using a reloading powder scale, be sure the balance pan is clean and the balance has been calibrated recently with a reliable set of check weights.

Remove the BHT crystals from their gelatin capsules and weigh them, if you're going to. Once you have the appropriate amount, add the crystals to a pint or so of the oil, shaking vigorously. It may take several hours for the preservative to dissolve completely. Bringing the oil up to a warm, NOT HOT, temperature will speed the process. Once completely dissolved, pour the antioxidant laden oil into the rest of the oil and mix thoroughly. Once mixed, the oil can then be poured into its storage containers leaving approximately 1/2 inch of headspace. If you have a vacuum sealer the jars or cans may be vacuum sealed to remove most of the oxygen laden air from the container, otherwise just seal the lid. Store in a cool place and if using transparent jars, be certain to put them in a larger container such as a box to keep the contents in the dark. Don't forget to label and date the jars.

Before I close out this section on fats and oils, please allow me to reemphasize that no amount of preservatives that can be added to your stored fats will substitute for proper storage and rotation. *Don't sit on your oil supply for years without rotating it. A little bit rancid is a little bit poisonous.* *Nuff said.*

COOKING ADJUNCTS

BAKING POWDER

Baking powder is a combination of an acid and an alkali with starch added to keep the other two ingredients stable and dry. The powder reacts with liquid by foaming and the resulting bubbles of carbon dioxide can aerate and raise dough. Almost all baking powder now on the market is double acting, meaning it has one acid that bubbles at room temperature and another acid which only reacts at oven temperatures. Unless a recipe specifies otherwise, this is the type to use.

Don't expose baking powder to steam, humid air, wet spoons, or other moisture. Store in a tightly lidded container for no more than a year. Even when kept bone dry it will eventually lose its potency. To test its strength, measure 1 tsp powder into 1/3 cup hot water. The mixture should fizz and bubble furiously. If it doesn't, throw it out.

For those folks concerned with aluminum in the diet, the Runford brand has none and there may be others.

BAKING SODA

This gritty powder is sodium bicarbonate also known as sodium acid bicarbonate (NaHCO_3), a mild alkali. When combined with an acid ingredient such as buttermilk it is used in baking to leaven quick breads and other baked foods working in the same manner as baking powder. It can also be used to make hominy. When combined with an acid ingredient, the bicarbonate reacts to give off carbon dioxide bubbles which causes the baked good to rise. If kept well sealed in an air- and moisture-proof container its storage life is indefinite. If kept in the cardboard box it usually comes in, it will keep for about eighteen months. Do keep in mind that baking soda is a wonderful odor absorber. If you don't want your baked goods tasting of whatever smells it absorbed then keeping it in an airtight container is a good idea.

HERBS AND SPICES

It is difficult to give exact instructions on how best to store culinary herbs and spices because there are dozens of different seeds, leaves, roots, barks, etc., we call an herb or a spice. There are, however, some general rules that may be followed to best preserve their flavors. All spices, particularly dried, are especially sensitive to heat,

air, moisture, and light. Room temperature is satisfactory for storage but refrigeration or freezing is even better. Whatever you do they should be kept away from heat sources. It is common for the household spice cabinet or shelf to be located over the stove, but this is really about the worst possible place to keep herbs and spices even if it is convenient. Dark opaque glass is best for storage, but failing that, keeping a tightly sealed glass container in a dark place is next best. The cellophane packets some products come in won't do. Tightly sealed metal containers will work as well. Even dense plastic will do, but glass is best.

Where possible, buy spices whole. Whole nutmegs will keep their flavor far longer than ground nutmeg, the same for other seeds and roots. You'll have to use a grater, grinder or whatever, but the difference in flavor is worth it.

If you buy spices in bulk containers (which is certainly cheaper) consider transferring some into smaller containers and keeping the larger one tightly sealed in a cool, dark place. This will prevent unwanted light and air from continually getting in and playing havoc. My large jars of reserve spices are kept in vacuum sealed jars with smaller jars of ready spices kept in the kitchen.

There are many mail order or online suppliers of bulk herbs and spices. My personal favorite is Penzey's (<http://www.penzey.com>). Their products have been consistently excellent with good prices. It's worth investigating some of these companies as they can really take the sting out of purchasing large quantities.

SALT

Storage life for salt is indefinite. So long as you do not let it become contaminated with dirt or whatever, it will never go bad. Over time, iodized salt may turn yellow, but this is harmless and can still be used. Salt is rather hygroscopic and will adsorb moisture from the air if not sealed in an airtight container. If it does cake up, it can be dried in the oven and then pulverized again with no harm done.

All salt, however, is not the same. Salt comes in a

number of different varieties, and very little of what is produced in the U.S. is intended for use in food. The rest of it, about 98%, has other uses. Therefore, it is important to be certain the salt you have is intended for human consumption. Once you are satisfied it is, you should then determine its appropriateness for the tasks to which you might want to set it to. Below is a list of some of the available salts

TABLE SALT: This is by far the most widely known type of salt. It comes in two varieties, iodized and non-iodized. There is an ingredient added to adsorb moisture so the salt will stay free flowing in damp weather. This non-caking agent does not dissolve in water and can cause cloudiness in solutions if sufficiently large quantities are used. In canning this won't cause a problem since little per jar is used. For pickling, though, it would be noticeable. If you are storing salt for this purpose, you should be sure to choose plain pickling salt, or other food grade pure salt such as kosher salt. In the iodized varieties, the iodine can cause discoloration or darkening of pickled foods. For folks in areas that are historically iodine deficient a store of iodized salt for table consumption should be kept.

CANNING SALT: This is pure salt and nothing but salt. It can usually be found in the canning supplies section of most grocery stores. This is the preferred salt for most food preservation or storage uses. It is generally about the same grain size as table salt.

KOSHER SALT: This salt is not really, in itself, kosher, but is used in "kashering" meat to make the flesh kosher for eating. This involves first soaking the meat then rubbing it with the salt to draw out the blood which is not-kosher and is subsequently washed off along with the salt. The cleansed meat is then kosher. What makes it of interest for food storage and preservation is that it is generally pure salt suitable for canning, pickling and meat curing. It is of a larger grain size than table or canning salt, and usually rolled to flake the grains for easier dissolving. Frequently it is slightly cheaper than canning salt and usually easier to find in urban/suburban areas.

NOTE: Not all brands of kosher salt are exactly alike. *Diamond Crystal Kosher Salt is the only brand that I'm aware of that is not flaked, but still in its unaltered crystal form. The Morton brand of Coarse Kosher Salt has "yellow prussiate of soda" added as an anti-*

caking agent but unlike other anti-caking agents it does not cause cloudiness in solution. Morton even gives a kosher dill pickle recipe on the box.

Whether flaked or in its unaltered crystal form, kosher salt takes up more volume for an equivalent amount of mass than does canning salt. If it is important to get a precise amount of salt in your pickling or curing recipe you may want to weigh the salt to get the correct amount.

SEA SALT: This type of salt comes in about as many different varieties as coffee and from many different places around the world. The "gourmet" versions can be rather expensive. In general, the types sold in grocery stores, natural food markets and gourmet shops have been purified enough to use in food. It's not suitable for food preservation, though, because the mineral content it contains (other than the sodium chloride) may cause discoloration of the food.

ROCK or ICE CREAM SALT: This salt comes in large chunky crystals and is intended primarily for use in home ice cream churns to lower the temperature of the ice filled water in which the churn sits. It's also sometimes used in icing down beer kegs or watermelons. It is used in food preservation by some, but none of the brands I have been able to find label it as food grade nor do they specifically mention its use in foods so I would not use it for this purpose.

SOLAR SALT: This is also sometimes confusingly called "sea salt". It is not, however, the same thing as the sea salt found in food stores. Most importantly, it is not food grade. It's main purpose is for use in water softeners. The reason it is called "solar" and sometimes "sea salt" is that it is produced by evaporation of sea water in large ponds in various arid areas of the world. This salt type is not purified and still contains the desiccated remains of whatever aquatic life might have been trapped in it. Those organic remains might react with the proteins in the foods you are attempting to preserve and cause it to spoil.

HALITE: For those of us fortunate enough to live where it is warm, halite is the salt that is used on roads to melt snow and ice. It, too, is not food grade and should not be used in food preservation. This form of salt is also frequently called rock salt, like the rock salt above, but neither are suitable for food use.

SALT SUBSTITUTES: These are other kinds of metal salts such as potassium chloride used to substitute for the

ordinary sodium chloride (NaCl) salt we are familiar with. They have their uses, but should not be used in foods undergoing a heated preservation processing, as they can cause the product to taste bad. Even the heat from normal cooking is sometimes sufficient to cause this.

VINEGAR

There is vinegar and then there is vinegar and it is not all alike. The active ingredient in all vinegars is *acetic acid*, but how the sour stuff was made can vary widely. The most common vinegar is *white distilled* which is actually diluted distilled acetic acid and not true vinegar at all. It keeps pretty much indefinitely if tightly sealed in a plastic or glass bottle with a plastic cap. The enamel coated metal caps always seem to get eaten by the acid over time. It is usually about 5-6% acetic acid and for pickling it is the type most often called for.

The next most common is *apple cider vinegar* which is available in two varieties. A *cider flavored* distilled acetic acid type and a *true cider vinegar* fermented from hard cider. Either will store indefinitely at room temperature until a sediment begins to appear on the bottom. Non-distilled vinegar will sometimes develop a cloudy substance. This is called a *mother of vinegar* and it is harmless. As long as the liquid does not begin to smell foul it can be filtered out through cheesecloth or a coffee filter and rebottled in a clean container. The mother can even be used to make more vinegar. If it begins to smell bad, however, it's gone over and should be tossed out.

The more exotic *wine, balsamic, mal, rice* and other vinegars can be stored like cider vinegar. Age and exposure to light and air, however, eventually begin to take their toll on their delicate flavors. Tightly capped in a cool, dark cabinet or refrigerator is best for their storage.

YEAST

Yeast is just not a product you can stow away and forget about until you need it in a few years. After all, this single celled microscopic fungus is a living organism so if it's not alive at the time you need it, you'll get no action. When we incorporate yeast into our bread dough, beer wort or fruit juice it begins to ferment madly (we hope) and produce several by-products. If you're baking, the by-product you want is carbon dioxide which is trapped by the dough and subsequently causes it to rise. In brewing or vinting what is wanted is the ethyl alcohol and, if the drink is to be carbonated, the carbon dioxide as well.

Almost all yeasts used for these purposes are in the same

genus (*Saccharomyces* or sugar fungi), but several different species or strains within species have evolved and some are more suitable for a particular task than others. It's entirely possible to use grocery store bread yeast to brew beer or ferment wine, but the flavor may leave a great deal to be desired. It's also possible to use yeast from ale brewing to make bread. From my limited experience with trying it myself the results were pretty much indistinguishable from bread yeast.

Types of Baking Yeasts

Leaving aside the brewing and vinting yeasts that are outside the scope of this FAQ I am going to concentrate on bread yeast. It comes in two generally available forms, *compressed* or *fresh yeast* and *dried yeast* which is further broken down into *active dry yeast* and *rapid acting* also known as *rapid rise* or *bread machine yeasts*. Although both of the dry yeasts are in the same species they come from different genetic strains with different performance characteristics and are processed somewhat differently from each other.

COMPRESSED (FRESH) YEAST: Compressed yeast is only partly dried (about 70% moisture), requires refrigeration and keeps even better in a deep freezer. If kept in an air- and moisture-tight container to prevent desiccation this type of yeast will keep for a year in the freezer (0°F, -17°C or less), but only about two weeks in the refrigerator. Unless your kitchen is quite chilly it will not keep on the shelf. It should not have a mottled color or a sour odor. Compressed Yeast is generally available in 0.6-ounce and 2-ounce foil-wrapped cakes. For traditional baking, dissolve compressed yeast in warm (90°-95°F, 32°-35°C) liquids. A 0.6-ounce cake will leaven up to 4 cups of flour (about a pound). A 2-ounce cake will leaven about 12 cups or roughly three pounds of flour.

ACTIVE DRY YEAST: A granular powder with about an 8% moisture content, active dry yeast can be found in either single use foil packets or vacuum packed foil covered one pound 'bricks'. In general bread making active dry yeast is typically dissolved in water (105°-115°F, 40°-46°C) along with an equal amount of sugar to give it time to resuscitate and actively begin growing before being mixed into the dry ingredients. Bread machines, however, are often different in this regard and you should follow the directions your particular machine's manufacturer gives. Mine calls for putting the dry yeast atop the

other dry ingredients completely out of contact with the liquid ingredients until the machine mixes them together. One envelope (roughly 2 1/4 teaspoons) is sufficient to leaven about four cups or roughly one pound of flour.

RAPID ACTING & BREAD MACHINE YEAST:

A more finely granulated powder with a lower moisture content than standard active dry yeast the rapid acting version is designed to raise bread as much as fifty percent faster. This lends it to the 'quick' or 'rapid' cycles of many bread machines that eliminate one rise cycle of the bread dough to facilitate faster production. This form of yeast is also generally mixed with a small amount of ascorbic acid which acts as a dough conditioner to give improved rise performance. Rapid Acting yeasts often perform poorly in recipes calling for long fermentation periods. Because of its finer granulation it does not need to be dissolved in liquid first and should be added to the dry ingredients instead. In the case of bread machines follow the manufacturer's directions. One envelope (roughly 2 1/4 teaspoons) is sufficient to leaven about four cups or roughly one pound of flour.

Interchanging Yeast Types

Can fresh, active dry, and rapid acting yeasts be used interchangeably?

Yes, to a certain extent.

To substitute Rapid Acting yeasts for Active Dry yeasts reduce the amount of Rapid Acting used by 25% from the amount of Active Dry the recipe calls for then add the dry yeast to the dry ingredients before mixing.

To substitute Active Dry for Rapid Acting increase the amount of Active Dry by 25% over what the recipe calls for of Rapid Acting yeast and dissolve in warm water (105°-115°F, 40°-46°C) with an equal amount of sugar before mixing in with the dry ingredients.

Once 0.6 ounce cake of fresh, compressed yeast is roughly equivalent to one pack of active dry yeast (2 1/4 teaspoons) or to about 1 3/4 teaspoons of Rapid Acting yeast.

NOTE: Substituting one yeast type for another can be done, but will oft times require a bit of tweaking. If at all possible use the yeast type specified in the recipe. If you can't be prepared to make adjustments where necessary.

PROOFING YEAST: Although it's generally not necessary anymore if you are concerned that your yeast may be dead due to age or poor storage conditions any type of yeast can be tested for viability by *proofing*. This is nothing more than mixing a small amount of the yeast with an equal amount of sugar in warm water 105°-115°F, 40°-46°C for dried, 90°-95°F, 32°-35°C for fresh. Within about five to ten minutes active yeast will become bubbly and begin to expand (at normal room temperature). Yeast which only slowly becomes active can still be used, but you will have to use more. If there is no activity at all, the yeast is dead and should be tossed. If you've stored your yeast in half-way decent conditions, or better yet in the freezer, proofing will usually not be necessary.

NOTE: Rapid Acting yeast loses its fast rising capabilities if dissolved in liquid for proofing, and will require two complete rises like standard active dry yeast.

STORING YEAST: All of the dry yeasts will last for months on the shelf, until the expiration date which should be clearly stamped on the package. If packaged in an air/moisture tight container and kept in the freezer it may last for several years though one year is the general recommendation most often found among various authorities. I'm presently (12/2003) using yeast stored in my refrigerator freezer in a tightly sealed canning jar with a "Best Used By" date of June, 1998 that is still going strong. The larger packs of yeast should be transferred to an air and moisture tight container after opening. A canning jar with a decent lid will suffice.

There is another means of providing leavening for breads besides buying yeast from a grocery store and that is by using a sourdough starter. I'm not going to address it here, but I will point out that it has a Usenet newsgroup all its own (*rec.food.sourdough*) which has several FAQs devoted to it. You can find addresses for these FAQs in the Resources section. Drop in and read for awhile and you'll learn more than you thought you could ever want to know.

INFANT FORMULA

While not universal, it's safe to say that most folks interested in food storage are planning for families, real or as yet hypothetical. Many of these families include children (or hope to) under the age of two. Very young children such as this have nutritional requirements that are different from adults and require somewhat different preparations than adults or even older children.

If at all possible, it's best for children up to the age of six months to be breast fed by their mothers and up to the age of one year breast milk should contribute a significant portion of the child's nutritional intake. Indeed, breast feeding can supplement a child's diet in an important way until age two. Even the American Academy of Pediatrics now recognizes and recommends this. There are those who nurse even longer, but I mention this only as an observation, not necessarily as a recommendation. For the preparedness-minded breast feeding makes particularly good sense as mama can consume a far wider range of storable foods than a baby can, and she can produce from those foods a nutrition source perfectly suited to her child.

To promote this end here is the contact information for the largest and best known breast feeding support group.

La Leche League International 1400 N. Meacham Road
Schaumburg, IL (USA) 60173-4808
Phone (847) 519-7730 or 1-800-LALACHE (US) Fax
(847) 519-0035 E-mail: LLLHQ@llli.org Web: <http://www.lalecheleague.org>

They can help you to find local chapters of the League in your area and point out useful books and sources of information. When our daughter was born my wife has attended a number of our local chapter's meetings and borrowed books with which to educate ourselves.

Also in this same line, there is a useful document put out by the World Health Organization titled *How to Breastfeed During an Emergency*. It apparently is no longer hosted on any WHO sites so I have taken the liberty of hosting it myself at:

http://athagan.members.atlantic.net/PFSFAQ/Breastfeeding_in_an_emergency.html

It would be an excellent idea to print out a few copies

and put them away. You never know who you might come across who'll desperately such information should there come a Fall.

ALTERNATIVES TO BREASTFEEDING

If breastfeeding should not be a viable option you'll need to find another source of infant nutrition. I STRONGLY RECOMMEND AGAINST USING HOME-MADE INFANT FORMULAS AS A SOLE SOURCE OF NUTRITION FOR A BABY. If you know you're going to have a nursing infant on your hands, if and when the balloon should go up, you should take steps in advance of the crisis to put away a suitable food supply for the child. Young children have nutritional needs that are different from those of adults or even older children. Lacking human breast milk, you should put by a store of commercially made infant formula. Evaporated milk, dry milk, sweetened condensed milk, goat's milk and all the rest can be an important *supplement* for children over the age of six months, particularly over one year of age. For children under six months of age these products simply do not contain sufficient amounts of the appropriate nutrients to provide adequate nutrition when used as the sole source of sustenance.

As for soy milk, there are considerable important differences in soy nutritional content compared to cow's milk which is to say nothing of human milk. Soy milk alone is simply not nutritious enough to serve as a sole source of nutrition for children under the age of six months and should not be used as more than a *supplement* for children over six months of age. This does not apply to commercially made *soy protein infant formula* which is a very different product than soy milk.

SELECTING AND FEEDING AN INFANT FORMULA

If the child you're concerned with is already on the scene then you probably already know which formula you need to put away. Unless instructed against doing so by your doctor, my only suggestion here is to make sure the formula has iron in it. The problems of iron in formulas from the nineteen fifties and sixties have long ago been solved and young children very much need

this nutrient.

If you feel the need to store formula in advance for a child not yet on the scene (or who is only a contingency to plan against) I suggest storing one of the *cow's milk based lactose-free formulas*. Two brand names that will work well are "Lactofree" from Mead Johnson and "Similac Lactose Free" from Ross Laboratories. Lactose is the sugar found in milk and an inability to properly digest lactose is the most common source of infant formula feeding problems. Of course, there is the remote chance the child could have a true allergy to cow's milk protein, but the child could be allergic to soy protein too. It's been known to happen for a child to be allergic to both at the same time. There is no absolute certainty in preparedness, but you can plan for the most likely problems which is why I suggest storing lactose free cow's milk formula.

Unless you store only disposable bottles and "ready to feed" formula, don't forget that both reconstituting formula from dry powder or liquid concentrates and washing feeding equipment requires the use of clean, safe drinking water. You'll need to carefully examine your water storage in this regard.

STORING INFANT FORMULAS AND BABY FOODS

Storing infant formula and baby food is easy. Infant foods are one of the few areas in which the (US) Federal government regulates shelf life labeling. All containers of infant formula and baby food should have a clear "best used by" or similar date somewhere on the container which is generally longer than a child will require such food. Unopened containers of formula should be stored the same way you would keep dry milk, in a dark, cool, dry place and used before the date on the container is reached. Opened containers of dry formula powder should be used within one month of opening and the contents should be kept bone dry, cool and in the dark.

If it hasn't been needed by the time the expiration date begins to near it's an excellent idea to donate the infant formula to a nursing infant or organization like a food bank that can put it to use before it expires. There's too much valuable high quality nutrition in infant formula to allow it to go to waste.

Growing and Using Sprouts

Sprouts are great to eat for everyday living and especially so in an emergency situation. Typical foods set aside for storage are traditionally low or nonexistent in vitamin C and many of the B vitamins. Yet it is exciting to know the seeds from those same storage foods can be sprouted to give a rich source of these important nutrients. Sprouts are an excellent source of vitamin C and also contain many good B vitamins. And you probably won't find a less expensive way to get these vitamins than from low calorie sprouts. Green leafy sprouts are also a good source of vitamin A. Sprouts are a good source of fiber, protein, and contain enzymes that aid digestion. In addition, sprouting destroys the seed's natural preservative enzymes that inhibit digestion.

Different kinds of seeds you can sprout: (This list gives the popularly sprouted seeds and is not all inclusive as you can sprout almost any kind of seed.)

Generally eaten raw:

Alfalfa, radish, mung bean, sunflower, clover, cabbage.

Generally cooked:

Kidney, Pinto and other miscellaneous beans.

Eaten raw or cooked:

Lentils, Soy beans, green peas and wheat. (In addition, all the sprouts that are generally eaten raw can be easily cooked.) Alfalfa: Alfalfa, one of the most popular sprouts, is a good source of vitamins A, B, C, D, E, F, and K and is rich in many minerals, as well as many enzymes needed for digestion.

Radish sprouts are high in vitamin C and potassium and have a rich flavor.

Wheat is high in Vitamins B, C, and E and has three times the vitamin E of dry wheat. Wheat also has many minerals.

Mung Beans:

These sprouts should be sprouted under pressure to produce long and juicy sprouts. Mung bean sprouts are an excellent source of protein, vitamin C, A and E, along with many minerals.

Green Pea sprouts are rich in many of the B vitamins and vitamin C. Green pea sprouts make a rich addition to any green salad.

Soybeans:

An extremely rich source of protein and vitamins A, B, C and E. Soybeans are rich in minerals and lecithin. They can be sprouted under pressure like mung beans.

Kidney beans, pinto beans and miscellaneous beans:

They are a good source of vitamin C, many of the B vitamins and many minerals. Sprouting these beans also changes their indigestible carbohydrates to digestible carbohydrates thereby greatly reducing the intestinal gas they otherwise cause.

Lentils:

Rich in protein, vitamin C and the B vitamins. They have a mild ground pepper flavor.

Buckwheat:

Makes a great salad green. High in vitamins A, B, C and D. Sunflower: Rich in vitamins B, D, and E, many minerals, and Linoleic Acid, the W6 EFA.

Do Not eat tomato, peppers or potato sprouts as they are poisonous.

Growing Sprouts:

Sprouts are easy to produce and require no special equipment or knowledge. All that is required to produce sprouts is seeds, moisture, warmth, darkness and maybe 10 minutes of your time every day. Methods vary from high tech production to something as simple as quart jar or a cloth covered pan. Perhaps the simplest method is to take your seeds, place them in a quart jar, and cover them with water to start the process.

Seed amounts to use per quart jar:

1/2 Cup Seeds: Wheat, All Beans, Rye, Oats, Rice, Sunflower, Lentil, Hulled Buckwheat, and Garbanzo Beans.
2 Tablespoons: Alfalfa, radish, clover, cabbage.

Be aware that seeds soak up 2 or 3 times their dry volume in water. After they have absorbed all the water they are going to absorb (2-12 hours depending on the size of the seed), drain the water off, rinse them, and put them in a dark, warm place, with the bottle upside down and tipped up against a corner so water can drip out. Of course you need to put something under the bottle to catch the dripping water. Use a lid that permits air to move in and out of the jar. You can use a thin cloth, a nylon stocking, or anything you have that's handy. Fasten it down around the opening of the jar using an elastic or bottle ring. After the seeds have stopped draining, if you are sprouting very small seeds like alfalfa, cabbage or radish seeds, roll the bottle, coating the outer wall of the bottle with seeds. Leave the bottle on it's side in the dark. Room temperature is best for growing sprouts, around 70 degrees F. Rinse the seeds twice a day, being sure to drain them well. *(Do not neglect to rinse them. They will sour and be useless.)* Within two days your seeds should begin sprouting.

For sprouts you are going to cook, let the sprout grow only as long as the seed. For sprouts you will eat raw (except wheat) let them grow up to 2-3 inches. Expose mature alfalfa, wheatgrass, buckwheat or sunflower sprouts to indirect sunlight for 4-5 hours. As they turn dark green their vitamin A content dramatically increases. (This is an important step, for if you don't, your sprouts will have only about 1 percent of this vitamin's RDA. Don't expose bean sprouts to sunlight as this will give them an unpleasant bitter taste.) When your sprouts have grown to the desired length, rinse them again, then put them in a sealed container with something to absorb the water on the bottom and store them in the refrigerator.

Sprouting mung beans under pressure

Place soaked beans in a small colander inside another container. Place several layers of burlap over the top of the seeds, then place a 3-5 pound bag of marbles or small stones on top of this. Water every two or three hours to ensure adequate moisture (this prevents the root systems from over developing in their search for water). Keep them in the dark at all times or they will turn bitter as they begin to green. When they are 2 to 3 inches long, remove them from the colander and refrigerate.

Using your sprouts

After sprouts reach their peak, they immediately begin to lose their vitamin C. Because of this, don't attempt to store sprouts longer than a week. Only grow small quantities of sprouts that can be used in a short period of time. If you plan on getting many of your vitamins from sprouts, it would be a good idea to have one or two small batches of sprouts growing all the time.

Cook sprouted beans using the same recipes you normally use. Sprouted beans cook in 2/3rds the time of unsprouted beans. Heat kills a percentage of the vitamins and enzymes gained by sprouting, so simmer or steam slowly depending on your recipe, and don't cook longer than necessary.

You can sprout a mixture of seeds to make great green salads all by themselves. You can also use raw sprouts in just about anything:

- Blended in drinks.
- Added to bean or lettuce salads.
- Mixed with already cooked breakfast cereals.
- Wrapped in tortilla or taco shells and smothered in your favorite sauce.
- Added to soups and stews just before eating.
- Sprout filled Won Tons.
- Put into sandwiches.

Raw sprouts are so versatile that they can also be thrown into just about anything then cooked, such as:

- Breads and biscuits.
- Soups.
- Pancakes.
- Eggs and omelets.
- Oatmeal or cracked wheat.
- Sauces.
- Mexican or Chinese foods.
- Potato Patties.
- Casseroles.
- Dips.
- Meatloaf.
- Any vegetable.
- Stir fried all by themselves.
- Even desserts. Really, the sky's the limit.

When cooking sprouts, it is better to steam or stir fry them than to boil them and discard the water. You only lose 20-30 percent of the vitamin C compared to 60 percent.

How much sprouting seed you should store and tips on purchasing.

It is suggested that if you plan to get all your vitamins from sprouts alone, that you store up to 125 lbs of a variety of seeds per year per person. If you have other sources for your vitamins, it is suggested you have 30 lbs of seeds set aside for sprouts to be eaten raw, and 30 lbs of sprouts intended to be cooked per year per person.

Many specialty companies exist that deal exclusively in sprout seed. Usually these seeds cost several times more than other seeds of the same type. One study shows that mung beans sold exclusively for sprouting cost 4.5 times more than regular mung beans. Yet 99 percent of the time the cheaper seed will sprout and grow as quickly as the more expensive seed. It is the web page author's opinion that it is a waste of money to buy 'sprouting seed' over regular seed. Before purchasing a large amount of storage seed intended for sprouting, purchase a small amount and test it to see if it sprouts well.

Do not attempt to store your sprouting seed for more than 5 years unless it is stored in a cool (at least 60-65 degrees F) dry place. If you are storing large seed, it may be packed in the absence of oxygen. Seed may last up to 15 years stored in this way. As your seeds get old they will take longer to sprout, and you will progressively get more seeds that won't sprout. The key again is rotate, rotate, rotate.

Use several different kinds of sprouts to find what you like before purchasing a large quantity of seed. Do not purchase seeds intended for anything except human consumption. Many seeds processed by farmers and gardeners for planting have been **treated with fungicide and or insecticide** agents and are very **poisonous**. These seeds are usually, but not always dyed red. If in doubt, ask.

All contents copyright (C) 1996, Al Durtschi.

Pros and Cons of Freeze-Dried, Dehydrated, MRE, Food Bars, & Basic Commodities.

Pros

Very low moisture
Very lightweight
Long shelf life
Reconstitutes quickly
Retains original shape, texture, color after reconstitution
Best way to dry meat items

Cons

Freeze-Dried / Instant

Most expensive food storage option
Most items require water to prepare
Items are bulkier than if dehydrated

Dehydrated (most items)

Low moisture
Lightweight
Long shelf life
No waste
Not easily spoiled

Requires water to prepare
Some items take a long time to reconstitute
Some items loose taste after reconstitution
Dehydration process can affect nutritional value
Some items have poor visual appeal

MRE (Meal Ready to Eat)

Can be eaten right from pouch without preparation
Requires no water to prepare
Can be heated for hot meal by many methods
Convenient to use
Familiar foods available
No mixing or blending required

Taste of MREs considered poor by some
Artificial additives added in many recipes
Expensive considering actual food received
Many entrees more like sauces & require additional quality carbohydrates for a filling meal
Entrees alone will not supply adequate nutritional value
Because of foil pouch, they are susceptible to puncture
Can be heavy if larger quantities need to be transported

Emergency food bars

Compact - convenient
Low cost
5 year shelf life
Can take exposure to high heat

Limited nutritional value
Not a satisfying substitute for a hot meal
Not adequate for prolonged use

Grains, Beans, Basic Commodities

Very familiar
Low cost
Long storage life
Traditional basic foods
Good nutritional value
Many sproutable seeds, grains, and beans increase nutritional value

Not generally appropriate for shorter term emergencies
Very heavy weight
Requires large quantities of water and fuel to prepare
More time consuming to prepare
Time is required to adapt to basic commodity oriented diet
For higher calorie requirements a fairly large quantity of grains/beans must be consumed when eaten exclusively.

MRES: MEALS, READY TO EAT

This category includes more than the modern day military rations known by the above acronym, but also their civilian equivalents which are marketed by two of the major U.S. military MRE contractors, and a number of other products on the civilian market that fit better into this category than any other. Over the last several years the number of self-contained meals available in either the new style flexible pouches or old fashioned metal cans has greatly increased. I can't cover them all in detail so for this section I will cover only those meals that also include some form of self-contained heating device to warm the food to serving temperature. This allows one to have a hot meal yet needing no equipment other than a spoon to eat with. Whether you buy self-heating meals or supply the heat yourself to non-self heating meals you should investigate the offerings your local grocer may now be carrying. They have great potential for those situations where cooking food would be difficult or impossible.

U.S. MILITARY MRES

The Meal, Ready to Eat (MRE) is the current U.S. military field ration for those times when troops are out of contact with their regular mess facilities. In the early 1980's they replaced the older C & K-rations that had honorably served since the Second World War. These new rations represented a major leap forward in food preservation technology by disposing of the heavy, unwieldy metal can and replacing it with the much lighter, flexible "retort pouch." These pouches are the beefier cousins of the aluminized Mylar bag much used in long-term food storage and are basically constructed the same way. A thick outer layer of tough polyester film, a thin middle layer of aluminum foil for its excellent gas barrier properties, and an inner layer of food safe polypropylene film to allow heat sealing. Food is placed in the pouch then specially heat processed for preservation which renders it microbiologically shelf-stable, fully cooked, and ready to eat.

What's in an MRE?

From the Defense Logistics Agency Subsistence web site (<http://www.dscp.dla.mil/subs/rations/meals/mres.htm>) we find this:

The twenty-four different varieties of meals can be seen in the menu table. Components are

selected to complement each entrée as well as provide necessary nutrition. The components vary among menus and include both Mexican and white rice, fruits, bakery items, crackers, spreads, beverages, snacks, candy, hot sauce, and chow mein noodles for the pork chow mein entrée. The fruits may be applesauce, pears, peaches, pineapple, or strawberry. The bakery items include a fudge brownie, cookies, fruit bars, a toaster pastry, and pound cake in flavors of lemon, vanilla, orange, pineapple, and chocolate mint. Each meal also contains an accessory packet. The contents of one MRE meal bag provides an average of 1250 kilocalories (13 %protein, 36 %fat, and 51 % carbohydrates). It also provides 1/3 of the Military Recommended Daily Allowance of vitamins and minerals determined essential by the Surgeon General of the United States.

All of which is then placed inside of a heavy plastic pouch and sealed. Being field rations they had to be designed to take considerable punishment in packs, air drops, and other forms of abuse remaining safely intact until consumed. By and large they do just that.

All of this sounds rather attractive to the person interested in emergency preparedness and they are. So much so, in fact, that several years ago the U.S. military finally said "enough!" to the continuing losses of their rations to the civilian market and banned any further civilian sale. All new MRE complete ration packs now bear the words "U.S. Government Property. Commercial Resale Is Unlawful."

This did slow the loss rate somewhat, but anyone that wants the real thing can still get them from military personnel they may know, at gun shows, some military surplus shops, or via E-Bay. Whether you should do this is up to you, but I will give a couple of cautions here:

#1 – Being a back channel acquisition chances are you have no way of knowing the storage history of what you're buying. Maybe it's been sitting in some nice cool warehouse since it was produced or maybe it bounced around in the back of a deuce-and-a-half in the Nevada desert for a month last summer. If you don't know where it's been how can you estimate how much useful shelf-life it may have left?

#2 – Make sure what you're buying really is a military MRE or MRE component. Some of the civilian commercial products can look remarkably similar, but are not quite the same. Know what you're looking at and make it clear with the person you're buying from that you want genuine military issue (if that's what you want).

MRE Heaters: These devices will either come with your MRE at the time of purchase or they can be bought separately. They contain a small amount of salt, magnesium, and iron and when you add a small amount of water they undergo a flameless chemical reaction that will heat an 8 oz MRE entrée by roughly 100° Fahrenheit (37°C) in about ten minutes. As water is what starts the reaction it is imperative the heaters be kept dry until used. If stored in an area of high humidity the heaters can undergo a slow reaction leading to degraded performance later or even complete failure over time. As a part of the chemical reaction the heaters release small amounts of hydrogen gas which is generally harmless but large numbers of heaters in a damp, sealed storage area could conceivably present a danger. This is unlikely unless you're storing many cases of heaters. In such an event keep them in an airtight storage container with some desiccant.

While any MRE can be eaten cold these heaters can certainly improve the palatability of the food. Lacking a heater you can simply boil the individual retort pouches in water for a few minutes, lay them in the sun to warm, or tuck them in your shirt. The one thing you should not do is expose them to direct flame.

For more detailed information on U.S. military, civilian, some foreign military MREs, and other rations please see the excellent MRE Info website at <http://www.mreinfo.com/index.html>

U.S. MILITARY MRE SHELF LIFE

Much discussion has gone into how long one should keep MREs on hand before rotating them out of stock. In this regard they're no different than any other type of preserved food. The longer you keep them on hand the more unpalatable and non-nutritious they will become with heat playing a large role in shortening their useful lifespan.

The short answer to the shelf-life question (from <http://www.dsdp.dla.mil/subs/rations/meals/mres.htm>) is

simply "The shelf life of the MRE is three (3) years at 80 degrees F. However, the shelf life can be extended through the use of cold storage facilities prior to distribution." Of course, that's at 80° Fahrenheit (27°C). What if your storage temperature is different? Then you need the storage life chart that was developed by the U.S. Army's NATIC Research Laboratories which basically says that at a given storage temperature an MRE will remain palatable for so many months as illustrated below:

Storage Temperature	Shelf Life
120° F (49°C)	1 month
110° F (43°C)	5 months
100° F (37°C)	22 months
90° F (32°C)	55 months
80° F (27°C)	76 months
70° F (21°C)	100 months
60° F (15°C)	130 months +

Note: As with any other stored food, time and temperature have a cumulative effect. For example, storage at 100° F. for 11 months moved to 70°F(21°C) would lose one half of the 70°F. storage.

A complete shelf-life chart for all U.S. military rations may be found here:

<http://www.dsdp.dla.mil/subs/subsbo/qapubs/table.pdf>

U.S. CIVILIAN MREs (WORNICK, SOPAKCO, OTHERS?)

Except for contract overruns on individual components actual military MREs, especially complete MRE ration packs, are not legal for sale on the civilian market. Recognizing there was a civilian market for such rations both Wornick and Sopakco through its Crown Point, limited, subsidiary brought out similar products for commercial sale. Their complete civilian ration packs are not precisely the same as their military cousins, but the individual components are usually produced on the same production lines.

Because there are no legal restrictions on their sale these civilian MREs are easier to find and are generally

available in three basic forms –individual components, complete ration packs, and multi-serving tray packs meant for group feeding. Exact menus vary over time, usually being a subset of whatever the companies are producing for the military at the time of their production so I'm not going to try to address specific menus.

Some of the typical differences between military and civilian MREs are:

Menu choice. Military MREs presently have twenty four different menu choices. Their civilian equivalents are currently limited to twelve.

Ration heaters. These are standard with military MREs, but you may have to pay extra to get them with the civilian equivalents.

Total amount of food. Many of the civilian offerings contain less total food than military MREs, typically in the form of fewer side items. One notable difference is that fewer of the civilian rations contain the little Tabasco packets than their military counterparts.

The spoon. The spoons in the civilian packets are not the same as in the military rations. The civilian spoon is white plastic while the military spoon is brown and of a longer length which makes it easier to get to the bottom of the pouches without getting food on your fingers. This strikes me as particularly chintzy on the manufacturer's part.

For more detailed information on U.S. military, civilian, and some foreign military MREs, and other rations please see the excellent MRE Info website at <http://www.mreinfo.com/index.html>

U.S. CIVILIAN MRE SHELF LIVES

One would think that the shelf lives of U.S. military and civilian MREs would be the same, but are they? If you look at the manufacturer's websites for what they say about their civilian equivalent rations we find:

Crown Point, Ltd (SOPAKCO)
From <http://www.crownpt.com/Q&A.shtml>

How long will these products last? < /p>

SOPAKCO Packaging uses an estimated shelf life figure of "3-5 years, plus or minus" for its MRE-type pouched food products. Actual shelf life may

vary from this estimate. A key factor effecting actual shelf life is the temperature of the storage environment. Storage at temperatures higher than 85F (85 degrees Fahrenheit) may shorten the shelf life of MRE-type food products. On the other hand, lowering the storage temperature will help extend the products' shelf life. This effect is common to most processed food products.

The shelf life figures given below for MRE's are based on studies conducted by the U.S. Army's NATTC Research Laboratories. This study was conducted by NATTC without participation of the MRE manufacturers. As such, SOPAKCO Packaging cannot verify the test procedures used by the NATTC labs, nor do we adopt these shelf life figures as a guarantee of any sort. The data is useful, though, as a general indication of the effects of storage temperatures on the shelf life of MRE-type food products.

Temperature (Fahrenheit): 100° 90° 85° 80° 75° 70° 60°

Storage Life in Months: 22 55 60 76 88 100 130+

The above storage data and time periods were based on "acceptable taste" measures, which is a subjective standard that may vary among each individual. Test participants were asked to indicate which products they were presented would be rated to still be of "acceptable taste". Responses were noted, and average values were calculated to yield the data above.

The above data does not indicate the maximum useful life of MRE food products. The NATTC study noted that nutritional value and product safety value of the products often extended far beyond these time points.

Again, SOPAKCO Packaging in no way adopts the NATTC shelf life figures as any form of express or implied guarantee of the actual shelf life of its MRE food products. This information is provided as a general indication of the effects of storage temperature on MRE-type packaged foods.

Long Life Food Depot (The Wornick Company's civilian sales agent)

From <http://www7.mailordercentral.com/longlifefood/Eag.asp#heaterpouches>

How long do MRE products last - what is their Shelf Life

We guarantee our MRE products to last 5 years from the date of sale, in a room temperature environment (70 deg. F), no matter what the production date.

Of course, the production date is visible on all our entrees and on most side dishes, desserts, and other components.

The production date is a four digit number (date code) on each item, example "2156." In this example the 2 represents the year 2002 (a "3" would represent 2003, etc.), the 156 represents the 156th day of the year. See the top of the individual box or look on pouch for the Date Code.

At this time nearly all of our MRE products were manufactured between 2002 and 2003 and have always been kept in a climate-controlled warehouse to ensure freshness.

The official MRE Shelf Life Chart, created by the Army's Natick Research Lab, gives the whole picture and explains why we are prepared to guarantee our products for 5 years from date of sale. It is clear that the wholesomeness of the products extends well beyond 5 years. To see this chart and a more complete discussion of MRE Shelf Life, click here.

Which takes you to the text below

<http://www.longlifefood.com/mre.html#Shelflife>

MRE Shelf Life:

A main concern in the development and testing of rations for our armed forces has always been SHELF LIFE. An amazing amount of research has been done in the development of the retort pouch and the MRE to determine the exact

length of time and the exact conditions under which it is safe to store the entrees and the side dishes.

The main thing we have to work with is the shelf life chart (shown below) compiled by the Army's Natick Research labs. This gives a very good overview and summary of all the findings gathered from all the testing of MRE products. However, it leaves many questions unanswered. Here are additional facts and observations we have gathered about MRE shelf life:

1) The shelf life ratings shown in the chart below were determined by taste panels, panels of "average" people, mostly office personnel at the Natick labs. Their opinions were combined to determine when a particular component or, in this case, the entire MRE ration, was no longer acceptable.

2) The shelf life determinations were made solely on the basis of taste, as it was discovered that acceptable nutritional content and basic product safety would extend way beyond the point where taste degradation would occur. This means that MREs would be safe and give a high degree of food value long after the official expiration of the products as determined by taste.

3) MRE pouches have been tested and redesigned where necessary according to standards much more strict than for commercial food. They must be able to stand up to abuse tests such as obstacle course traversals in field clothing pockets, storage outdoors anywhere in the world, shipping under extremely rough circumstances, 100% survival of parachute drops, 75% survival of free-fall air drops, severe repetitive vibration (1 hour at 1 G vibration), 7,920 individual pouch drops from 20 inches, and individual pouches being subjected to a static load of 200 lbs for 3 minutes.

4) Freezing an MRE retort pouch does not destroy the food inside, but repeated freezing increases the chances that the stretching and stressing of the pouch will cause a break in a layer of the laminated pouch. These pouches are made to withstand 1,000 flexes, but repetitive freezing does increase the failure rate by a small fraction of a percent.

MRE Storage Life Chart A graphic of the chart I have reproduced above.

As we can see both company's refer to the NATIC shelf-life chart then give qualifiers "The NATIC study noted that nutritional value and product safety value of the products often extended far beyond these time points." and "This means that MREs would be safe and give a high degree of food value long after the official expiration of the products as determined by taste." Neither state how much or what kinds of nutrition would remain once the food goes beyond it's recommended shelf life, but it can be safely assumed the most sensitive nutrients (notably vitamins A and C among others) will have significantly declined. Old food is not likely to be attractive food, nor will it give long term nutrition, but if it's all you've got it'll still be safe to eat it.

BRITISH/CANADIAN MREs

These are basically MREs little different in form than the American made product but made by companies in these respective nations. Shelf-life is the same. Menu choices reflect British/Canadian tastes, of course. Company contact information can be found in the Suppliers Section.

One minor difference seems to be with the Hot Pack company of U.K./Canada in that they claim their ration heaters are somewhat larger than the ones packaged with U.S. MREs

From the company's web site:

Will defrost ice or snow for drinking water.

Will heat 300 g (10.6 oz.) of food or water from room temperature to 80°C (178°F) in 12 minutes.

Will provide a source of heat for up to forty five minutes after activation.

Is sometimes reusable for a limited heat cycle (dependent on how much of the heating element was exhausted in the first cycle).

The chemical reaction is totally safe. When water is added to the heater, the mixture bubbling away inside the sleeve (magnesium hydroxide) is a pharmaceutical chemical used by doctors to treat stomach acidity.

Food grade ingredients are used in the manufacturing of the heater.

Once activated, the heater will keep hot for approximately 45 minutes.

It can be used as a body warmer or to heat a drink

after heating the meal.

OTHER SELF-HEATING READY TO EAT TYPE PRODUCTS

As one might expect once the bugs were worked out of retort pouch and flameless ration heater technologies the manufacturing companies that produce them would try them on the civilian market. This has been a little slow in coming, mostly because in the modern day 'fresh is best and refrigeration is cheap' world their market segment is somewhat small, but they are arriving. At the time of this writing there are several products now available, some of them quite new.

HEATERMEALS

HeaterMeals are a type of MRE in casual clothing. Like the rations above they are a retort pouch preserved meal with its own built in heater. The heater itself is the same technology as the MRE heaters (the company makes them for the military), but a little different in form, to include having its own self-contained water to start the heating reaction. The meals themselves aren't packaged with the idea of rough handling in mind, but they'll keep well on the shelf.

The meals themselves come in two basic forms:

An entrée pack with the heater, seasoning packet and cutlery

A complete meal pack with the heater, entrée, seasoning packet, cutlery, side items like fruit, snack, and dessert, and a bottle of water to drink.

If you're not having to use them under rough field conditions they represent a self-heating, completely self contained meal.

These meals can be ordered from the manufacturer, a number of dealers which are listed on the company website, or you can often find them at truck stops, some supermarkets, sporting goods stores, and other such businesses.

Shelf life info for HeaterMeals was found at: <http://www.heatermeals.com/faq.html#shelflife>

What is the shelf-life of HeaterMeals and HeaterMeals Plus Meals?

HeaterMeals are a high quality canned food, so storage is easy.

HeaterMeals Dinner entrees do not require refrigeration, and are shelf-stable for approximately 2 years. HeaterMeals entrees come with a "Please use by" date stamped on each box. This date is two years after we package the meals, as this is the optimum time to eat your HeaterMeals.

The HeaterMeals Breakfast "Pancakes, Syrup & Sausage Links" and all HeaterMeals Plus meals have a one year shelf-life.

HeaterMeals dinner entrees are designed to safely store (at 80 degrees Fahrenheit) for at least two years; three years or more, if stored at a temperature of 60°F or cooler. The shelf-life of HeaterMeals can be even longer; and the unique packaging of the entree and water pouch permits freezing for unlimited storage.

HOT CANS – UNITED KINGDOM

In the United Kingdom there is another entry in the self-heating meal field. This is the Hot Can from Hot Can UK, Limited. It's an interesting blend of old and different new tech in that the food itself is contained in a run-of-the-mill pop-top metal can, but the food can is contained in a sealed larger can filled with calcium oxide (quicklime) and a separate water capsule. When needed the self-contained water capsule is pierced with the provided tool allowing moisture to seep into the dry quicklime below and the food can pop-top is removed. In twelve to fifteen minutes the can will have heated to 65°-70° Celsius and remains at that temperature for roughly forty five minutes which means once you've finished the food inside you can quickly rinse the can and heat something else, perhaps a beverage.

There are a variety of meals available from the company, each weighing about 400 grams (roughly 14 ozs). Shelflife is "Three years from manufacturing date, or as indicated on printed bottom end of can." The heater itself releases no harmful or dangerous gasses and if for some reason you should break one open and spill some of the quicklime on yourself it can simply be washed off again with water.

Company contact information can be found in the Suppliers Section. Hot Cans are probably also available through retail dealers in the U.K. and elsewhere.

ALPINEAIRE INSTANT – SELF HEATING MEALS

New on the market from AlpineAire is their entry into

the self-heating meal arena. Uses the same retort and flameless heater technology as MREs but in different packaging. Snap the bottom of the package and in eight minutes your entrée is hot and ready to go. As I write this there are only two entrees with more coming in the near future. They're rather pricey at a suggested retail of \$8.95 for a mere 240 calories worth of vegetarian food. Still, it's a start and with time they may both lower the price and increase the menu choices.

Alpineaire advises an eighteen month shelf life for this particular product line. They may be ordered directly from AlpineAire or through their many stocking dealers.

MOUNTAIN HOUSE MOUNTAIN OVEN

Mountain House isn't really offering a true Meal, Ready to Eat since you still have to add water to their freeze dried/dehydrated food, but I'm including it here since it's close. Basically, what they're offering is their own version of a flameless ration heater and some new packaging of a few of their entrees that allows the pouches to be put into their heaters to be warmed. They call their heater a "Mountain Oven" though they really don't bake anything, just warms things up.

To use their heater you dissolve one of the furnished salt tablets in a plastic bottle that comes in the kit. Place a "heat activation pad" in the bottom of the insulated over pouch then pour the salt water on it. Open up the food pouch, pour in the required amount of water then put the pouch inside the insulated bag and zip it closed (the outer bag is vented). Twenty minutes later the food should be about 100° F. (38°C) hotter than when you started.

Each Mountain Oven kit is good for five uses. At a suggested retail of \$11.99 per kit that's about \$2.40 per use which makes it rather pricey compared to the ordinary MRE heaters already on the market which can usually be purchased for about a buck apiece or less. Still, like the AlpineAire entry it's a start and with time they may come down in price and perhaps be easier to use as well.

The Mountain Oven kits can be ordered from Mountain House directly or purchased from one of their many dealers as they are distributed.

RATION BARS

U.S. Coast Guard approved lifeboat ration bars are not common storage foods. Nevertheless they have a specific use important enough to warrant inclusion in personal preparedness programs.

As many involved with emergency preparedness discover, finding foods capable of being stored for long periods of time under harsh conditions that will remain both palatable and nutritious is a real undertaking. This is especially a problem with vehicle emergency kits where interior temperatures in the Spring, Summer, or Fall may exceed 120°F (50°C) for hours at a time each day. Very little in the way of anything usefully edible will survive such sustained temperatures for long before it breaks down, becomes unpalatable, with most or all of its nutrients damaged or destroyed.

This is a problem not only for those of us trying to build vehicle emergency kits but also for mariners needing to provision life boats that might be exposed to anything from desert temperatures to arctic climates. In reaction to this and a number of other marine emergency preparedness needs most of the world's maritime nations met to develop the Safety Of Life At Sea (SOLAS) conventions, one of which concerns itself with emergency provisions for lifeboats. In the United States responsibility for implementing the SOLAS regulations falls to the U.S. Coast Guard and they have developed guidelines by which manufacturers must abide in order to become Coast Guard approved suppliers of life boat rations.

Among the guideline requirements are:

- Lifeboat rations must be capable of withstanding long periods of high temperatures or sub freezing weather without significant deterioration;
- must not increase bodily water needs with high protein or salt levels yet provide sufficient calories to keep the body from burning its fat reserves which also increases bodily water needs;
- be compact in size and lightweight;
- be sufficiently palatable that injured or ill passengers would be able to eat them;
- not constipate nor cause diarrhea;
- use packaging that is sufficiently durable to withstand rough conditions.

Those manufacturers that meet these guidelines can submit their products for approval to be placed on the *U.S. Coast Guard Equipment List 160.046 - Emergency Provisions for Merchant Vessels* which may be found here: <http://www.uscg.mil/hq/g-n/mse/equiplists/160046.pdf>

Each of these companies produces lifeboat rations. In the U.S. the two most commonly available product lines are the Mainstay Emergency Food Ration and the Datrex Red (or White) or Blue ration.

The Mainstay rations are lemon flavored and available in 1200, 2400, and 3600 calorie packages. The Datrex rations are coconut flavored and available in 2400 (red or white ration) or 3600 (blue ration) calorie packages. As per regulations both have a five year shelf life. Each package from either company has been tabletized and subpackaged to make it easier to serve them out in controlled portions.

Both are primarily composed of complex carbohydrates, fairly low protein, enriched with extra vitamins and minerals then vacuum sealed in heavy aluminized plastic pouches similar to military MREs. Flavors are noted above, textures are similar to a fairly dense pound cake. I've sampled both and while I wouldn't care to eat them for a week straight for the relative few days a vehicle or similar emergency kit is intended to get you through they'll get the job done and not turn into something nasty after a few months of hot weather. In the cool times of the year when vehicle interiors do not climb into oven temperature ranges food options increase considerably with some form of military or civilian-equivalent MRE being well suited to the task.

Something to consider if you're building emergency kits or bug-out bags.

Copyright © 2003. Alan T. Hagan. All rights reserved.

STORAGE CONTAINERS

WHAT IS FOOD GRADE PACKAGING?

Q: OK, I'm ready to start my storage program. What should I put the food in?

A: You should use food grade packaging for storing anything you intend to eat. A food grade container is one that will not transfer noxious or toxic substances into the food it is holding. If you are uncertain whether a package type is food grade you can contact the manufacturer. Ask if that particular container is (US) FDA approved meaning that it is safe for food use. When inquiring be sure to specify the characteristics of the food you are storing; wet, dry, strongly acidic or alkaline, alcoholic or a high fat content. A container that is approved for one of the above types of food may not be approved for another.

The major functions of a food storage container are to:

- #1.** Protect its contents from outside environmental influences such as moisture, and oxygen, but possibly also heat or cold, light, insects and/or rodents as well.
- #2.** Prevent damage during handling and shipping.
- #3.** Establish and/or maintain microbiological stability. The container should not allow microorganisms such as fungi and bacteria from outside the container to come into contact with its contents. This is of critical importance to wet-pack foods such as canned vegetables, fruits and meats.

#4. Withstand the temperatures and pressures it will be exposed to. This is necessary if the contents are to be pasteurized or sterilized, either immediately before or after filling. It must not have any structural failures nor release any noxious or toxic breakdown chemicals into the food it contains. This is the reason why purpose built canning jars are recommended for home canning and mayonnaise jars aren't. The former are made heavier to withstand high temperatures and handling whereas the latter are not and have an increased risk of breakage if used for that purpose.

Virtually all containers used in home food preservation

involving exposure to high temperatures are made of glass or metal, with the exception of some specialized "heat & seal" type of plastic bags. Glass can be used with any food type providing it is clean and in sound condition but the lids, particularly the liner inside the lid, may not be so you'll need to investigate suitability.

Metal cans are more specialized. They must be intended for food use and must also have a lining or coating of the inside that is suitable for the pH level of the food it will be in contact with.

If the foods are not subjected to some form of heat processing before or after packaging your selection of container types for home use is a great deal larger. Virtually any kind of clean, sound glass jar can be used and many types of new metal containers. Several sorts of plastics have become popular. These various kinds of plastics are each suited for different purposes, making selection a more complex task.

WHERE DO I FIND FOOD GRADE CONTAINERS?

Food grade packaging is everywhere. Every time you go into the grocery store you are surrounded by it. Many well known companies such as Tupperware and Rubbermaid manufacture and sell empty packaging for the express purpose of containing repackaged foods. The kinds of containers you are interested in and the types of foods you want to put in those containers will dictate where you need to look for a particular packaging system.

For food storage purposes most folks are usually interested in five and six gallon plastic pails, certain recycled plastic containers such as soda or juice bottles, glass jars from half pint to gallon sizes, metal containers such as the institutional sized #10 cans, and Mylar or other high barrier property plastic bags. Those are the containers most often used, but virtually anything that can protect foods from outside environmental influences, safely contain something you're going to later eat and have a volume capacity large enough to be worthwhile may be used.

A number of food storage retailers such as those listed in the Resources section sell plastic buckets, Mylar bags and a few even sell new #10 cans with lids. It may also be possible to purchase #10 cans through the LDS Family Canneries and dealers such as *Lehman's Hardware, Cumberland General Store* or *Home*

Canning Specialty and Supply. On the local scene, plastic five gallon buckets are widely available, but only if you purchase them through a company catering to a food related trade will you likely be able to tell if they're safe to keep food in. If you can locate a customer service number for the manufacturer of a container that interests you call them and ask. Many times manufacturers will make products that are FDA approved and sell them as general purpose containers, but you need to ask to be sure.

Packaging supply houses have large FDA approved packaging lines. Several such companies are listed in the Resources section and a bit of detective work will certainly turn up more. Some require minimum orders and others don't. The cost of shipping the containers will probably play a major role in your decision making. If you are going to package a great deal of food all at once, perhaps for a group, some of the companies that require minimum purchases may save you a fair amount of money and supply packaging you might otherwise have a difficult time finding. Some time spent searching the *Thomas Register*, available both online (<http://www.thomastregister.com>) and in library reference sections, might turn up some valuable leads.

For glass jars, don't overlook flea markets, yard sales, thrift shops and similar places. Canning jars can sometimes be had for very little. Delicatessens, sub shops and restaurants of all sorts can be a source of one gallon glass jars formerly containing pickles, peppers, etc. If the lids are still in good condition, they are well suited to bulk storage and can be reused over and over. When I need new buckets I go to a neighboring town to buy them from a beekeeping supply house which sells them for bulk honey storage. A bit of looking will turn up other potential sources as well.

Metal cans, by and large, are not reusable for food storage, but some companies might be able to sell you new cans. The traditional single use #10 can is only the beginning of what might be available with a little looking. Gallon sized or larger cans with double friction lids (like paint comes in) make excellent storage containers and some companies make them food safe. One gallon and larger cans with wide diameter screw caps are available from some companies as well. You might have seen some of these holding edible oils, soy sauce, honey and other liquid

food. If they come with a cap that will seal air tight they would be well suited for bulk storage of grains and legumes, particularly if they come in a four to six gallon size.

Pick up your local phone book, log on to your favorite search engine or head to your local public library and explore the possibilities. Make it clear that what you want must be FDA approved and be up front about how many you need or can deal with. If one company won't deal with you, try another. You'll eventually get what you want.

PLASTIC PACKAGING

Before we can discuss plastic packaging it is necessary to understand what is the substance we call "plastic." Plastics are produced from basic polymers called "resins", each of which have differing physical properties. Additives may be blended in for color or to modify particular properties such as moldability, structural rigidity, resistance to light or heat or oxidation. Additionally, it is common for several different kinds of plastic to be laminated together each performing a particular desired task. One might offer structural rigidity and the other might be more impermeable to the transfer of gasses and odors. When bonded together a rigid, gas impermeable package can be made.

Whether that package is safe for food use will depend on the exact nature of the additives blended into the plastic. Some of them, notably *plasticizers* and *dyes*, can migrate from the packaging material into the food it's containing. This may be exacerbated by the food it's in contact with especially if it is high in fat, strongly acidic, or alcoholic in nature. Time and temperature may also play a prominent role in the migration of plastic additives into food. For this reason, the (US) FDA assesses the safety of packaging materials for food contact and conducts toxicological studies to establish safety standards. Only plastics that are FDA approved for a particular food type should be used for direct contact with that food.

Being FDA approved, however, may not be all of the story. It must still be determined whether the particular plastic in question has the physical properties that would make it desirable for your purpose.

As mentioned above each base resin has somewhat differing physical properties that may be modified with additives or combined by laminating with another plastic or even completely unrelated materials such as metal foils. An example of this is "Mylar", a type of polyester film.

By itself, it has moderate barrier resistance to moisture and oxygen. When laminated together with aluminum foil it has very high resistance and makes an excellent material for creating long term food storage packaging. One or more other kinds of plastic with low melting points and good flow characteristics are typically bonded on the opposite side of the foil to act as a sealant ply so that the aluminized Mylar can be fashioned into bags or sealed across container openings. The combined materials have properties that make them useful for long term storage that each separately do not have.

The most common plastic that raises suitability questions is *High Density Polyethylene* (HDPE). It's used in a wide array of packaging and is the material from which most plastic five and six gallon buckets are made. It has a moderate rigidity, a good resistance to fats, oils, moisture and impacts, a fair resistance to acids, but is a relatively poor barrier to oxygen.

Whether it is suitable for your purpose depends on how sensitive to oxygen your product is and how long you need it to stay in optimal condition. Foods such as whole grains are not particularly delicate in nature and will easily keep for years in nothing more than a tightly sealed HDPE bucket. Most legumes are the same way, but those that have high fat contents such as peanuts and soybeans are more sensitive to O₂. Other foods such as dry milk powder might only go a year before deleterious changes are noticed. If that milk were sealed in an air-tight aluminized Mylar bag with the oxygen inside removed, the milk would keep for much longer. Better still would be to seal the milk in a metal can or glass jar. HDPE alone can be used for long term storage with one or more of the following precautions to keep a high food quality: The food should either be put on a shorter rotation cycle than packaging also using a second gas barrier such as Mylar; be periodically opened and re-purged or fresh absorbers should be inserted.

Another common plastic used in food storage is *polyethylene terephthalate* commonly known as PETE or PET plastic. Used to make soda, juice, and some water bottles among other products it is available for recycling into food storage containers in nearly every home. Properly cleaned and with intact screw-on lids PETE plastic containers will serve for keeping nearly any kind of food providing the containers are stored in a dark location. PETE has good barrier properties against oxygen and moisture and when used in combination with oxygen absorbers presents a complete dry-pack canning system

in itself. About the only drawbacks to PETE plastics are that they are nearly always transparent to light, container volumes typically are limited to a gallon or less, and when used in conjunction with oxygen absorbers the sides will flex sufficiently to make stacking difficult though you could simply lay them on their sides.

There are other plastics and plastic laminates with good oxygen and moisture barrier properties that are suited for long term food storage, but they are not as easy to find, though some used containers might be available for reuse.

HOW DO I GET THE ODOR OUT OF PICKLE BUCKETS?

I've had fairly good luck doing it in the following way. As vinegar is the primary smell in pickles and it's acidic in nature, we use a base to counteract it. First we scrubbed the bucket well, inside and out, with dish detergent, most any sort will do. Then we filled the buckets with hot water and dissolved a cup of baking soda in each. Stir well, get the bucket as full as you can and put the top on. Put the bucket in the sun to keep it warm so the plastic pores stay open as much as possible. In a couple of days come back and empty the buckets. Rinse them out, fill with warm water again and add about a cup of bleach and reseal. Put back in the sun for another couple of days. Empty out and let dry with the tops off. We completely eliminated the vinegar smell this way. It might be possible to cut the time down a lot, but we haven't experimented that much.

METAL CANS

Metal cans and glass jars being heat resistant, can both be used for heat processed, wet-pack foods and for non-heat treated dry pack canning. Relative to glass jars though, metal cans have several disadvantages for the do-it-yourselfer. They are hard to come by, and they need specialized equipment to seal them that can be difficult to locate. The greatest flaw which makes them unpopular for home canning is they can only be used once. As the commercial canning industry is not interested in reusing the containers, metal cans make great sense for their purposes. The cans are both cheaper (for them) and lighter than glass jars. This adds to the economy of scale that makes canned foods as cheap as they are in the grocery store.

For home canning, glass jars are better because even the smallest of towns will usually have at least one business that carries pressure and boiling water canners along with jars, rings and lids. With metal cans a sealer is also necessary which usually has to be ordered from the manufacturer or a mail-order distributor. A few of which are listed in the Resources section.

Tin cans are not really made of tin. They're actually steel cans with a tin coating on the inside and outside. Some kinds of strongly colored acidic foods will fade from long exposure to tin so an enamel liner called "R-enamel" is used to forestall this. Certain other kinds of food that are high in sulfur or that are close to neutral in pH will also discolor from prolonged contact with tin. For those foods, cans with "C-enamel" are used.

The excellent food preservation book, *Putting Food By* Chapter 6 (see reference list) has a section on the use of metal cans for wet packed foods as does the *Ball Blue Book*.

Probably the most common use of metal containers is the #10 cans such as are used by the LDS Family Canneries discussed below. This is not the only way metal containers may be used though. It will probably take a bit of searching, but there are various food grade metal containers available of sufficient volume to make them useful for food storage. They usually have double friction lids similar to paint cans or screw caps like jars that can achieve an air-tight seal. If you can find them with a sufficient volume capacity they can be of real use for storing bulky foods such as grains, legumes and sugar. Smaller cans of a gallon or less would be useful for storing items like dry milks. If properly sealed, metal cans have a far higher barrier resistance to gasses such as oxygen, CO₂, and nitrogen than any plastic.

Although they can hardly be considered portable the use of clean metal drums (not garbage or trash cans), either themselves food grade or used with food grade liners, is also a possibility. A fifty five gallon drum of grain will weigh several hundred pounds, but may make for a much easier storage solution than multiple buckets. The advantage of using such a large container is that a great amount of a single product can be kept in a smaller amount of space and fumigating or purging the storage atmosphere would be simpler. The disadvantages are the difficulties of moving it and rotating the stock in the drum. If using oxygen

absorbers make sure the drum you want to use is capable of making an air-tight seal, otherwise you should stick with carbon dioxide fumigation.

POOLING RESOURCES:

THE CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS — THE MORMONS

Although the purchase of a can sealer and metal cans for home use is not generally economically feasible for most people there is one method by which it can be made practical. This is by pooling community resources to purchase the equipment and supplies. It may even not be necessary to form your own community to do this. If you live in the right area your local Latter Day Saints church may have facilities they will allow you to use. They may even have suitable food products to sell you. This is an offshoot of the church's welfare programs and is done in their Family Canneries also known as Home Storage Centers. Rather than using plastic buckets they have gone over to using metal cans and aluminized Mylar bags church-wide for dry-pack canning. By sharing the cost of the equipment and purchasing the cans in bulk quantities, they are able to enjoy the advantages of metal cans and professional equipment over plastic containers while minimizing the disadvantages of cost.

Any food products you want to have sealed in cans or pouches will need to fall within the LDS cannery guidelines of suitability for that type of packaging. This is for reasons of spoilage control as many types of foods aren't suitable for simply being sealed into a container without further processing. If you purchase food products from them, they will already be within those guidelines.

Once you have your foodstuffs on hand, either supplying your own or by purchasing them from the cannery you're ready to package them. It is here that using some forethought concerning your packaging system can save you much time and aggravation.

IMPORTANT NOTE: Please keep in mind that the individuals responsible for the family canneries are all volunteers with demands on their time from many areas. Be courteous when speaking with them and, if there are facilities for use, flexible in making arrangements to use them. You will, of course, have to pay for the supplies that you use, cans and lids at the least, and any food products you get from them. As a general rule they cannot put your food in storage for you. Be ready to pay for your purchases in advance. They do not take credit cards and probably cannot make change so take a check with you.

The following is a list of suggestions to make the most efficient use of your access time:

#1 - Make your appointment well in advance. Possibly you may be able to go with another church member if you cannot go for yourself alone. Many people may be trying to make use of the canneries so making advanced reservations is a must.

#2 - Have enough people to set up an assembly line type operation. Make sure each of your people knows what they need to do and how to do it. At least four people for any serious amount of food is a good number. Ask the cannery volunteer to go over the process with you and your crew.

#3 - Make sure you have enough muscular helpers to do the heavy lifting so you don't wear yourself out or hurt your back. Some of the supplies you will be working with, such as wheat, come in fifty pound bags and a box of #10 cans or pouches full of sugar or other weighty food is heavy.

#4 - Make labels in advance for any foods you bring with you to pack that the cannery does not carry. This will save time and possibly much confusion after the cans or pouches are filled. Once sealed one anonymous looking can or pouch looks like another.

#5 - Take out only as many as oxygen absorbers as you will use in fifteen minutes. They use most of their adsorptive capacity within two to three hours depending on temperature and humidity so you don't want to waste any by soaking up the oxygen in the room. The ones you don't use right away should be tightly sealed in a gas proof container.

#6 - Save powdery food items such as dry milk powder, pudding mixes, grain flours and meals till last. They can be messy to can and this will keep them out of your other foods. Dust masks may not be a bad idea.

#7 - Leave time to clean up after yourself. The cannery is doing you the courtesy of allowing you to use their equipment and selling you the supplies at cost. You should return the favor by leaving the place *at least* as clean as you found it. If they give you a set amount of time to work in then *finished*

or not honor that time slot. Others may be waiting to use the equipment too.

#8 - Always keep in the back of your mind how much volume and weight your vehicle can haul. You'd hate to find you had canned more than you could carry home.

PREVENTING EXTERIOR CORROSION OF CANNED GOODS

Some areas have difficulty storing metal canned goods for long periods of time. This is usually caused by high humidity or exposure to salt in a marine environment. If this is a problem, it is possible to extend the life of metal cans by coating their outsides. I've seen this used on boats here in Florida, especially when loading for a long trip. There are at least five methods that can be used to do this, but for cans that require a can opener only the paraffin or mineral oil methods should be used.

PARAFFIN METHOD: Using a double boiler, paraffin is melted and brushed on the clean, untrusted cans. Be certain to get a good coat on all seams, particularly the joints. If the can is small enough, it can be dipped directly into the wax. Care must be taken to not cause the labels to separate from the cans. Do not leave in long enough for the can contents to warm.

MINERAL OIL METHOD: Use only food grade or drug store (medicinal) mineral oil. Wipe down the outside of each can with only enough oil to leave a barely visible sheen. Paper labels will have to be removed to wipe underneath with the contents written on the outside beforehand with a marker or leave the under label areas uncoated. Even with a barely visible sheen of oil the cans will tend to attract dust so you will need to wipe off the can tops before opening.

PASTE WAX METHOD: Combine 2-3 oz. of paste or jelly wax with a quart of mineral spirits. Warm the mixture **CAREFULLY** in its container by immersing it in a larger container of hot water. **DO NOT HEAT OVER AN OPEN FLAME!** Stir the wax/spirits thoroughly until it is well mixed and dissolved. Paint the cans with a brush in the same manner as above. Place the cans on a wire rack until dry.

B: A light coating of ordinary spray silicone may be used to deter rust. Spray lightly, allow to dry, wipe gently with a clean cloth to remove excess silicone.

CLEAR COATING: A clear type of spray or brush on coating such as Rustoleum may be applied. This is best suited for larger resealable cans, but will keep them protected from corrosion for years.

GLASS JARS

Compared to metal cans, glass jars are very stable, although they obviously don't take being banged around well. Fortunately the cardboard boxes most jars come in are well designed to cushion them from shocks. The box also has the added bonus of keeping damaging light away from food.

The major advantage of glass jars is they are reusable. For wet-pack canning the lids should be replaced, but the rings can be reused until they finally rust away or become too dented to use. For dry pack canning even the lids may be reused nearly indefinitely if you're careful in removing them. In my personal experience I've grown to prefer Ball lids rather than Kerr, especially for vacuum sealed dry pack canning. The red sealing compound Ball uses seems to more reliably achieve a seal than the gray compound Kerr uses.

When you get right down to the bottom line, it is seldom practical strictly in terms of dollars and cents to wet-pack your own food in jars. When you count the cost of your equipment, including the jars, rings, lids and all the rest, along with a not inconsiderable amount of your personal time, the cost of purchasing or growing your produce, you'll almost always come out ahead to buy food canned for you by the commercial canning industry. That said, forget about the strict bottom line and examine more closely why you want to put up your own food. For many, gardening is a pleasure and they have to have something to do with the food they've grown! There's also the fact that for many, you simply cannot buy the quality of the food you can put up for yourself. The canning industry tries to appeal to a broad spectrum of the general public while you can put up food to your own family's specific tastes. Home canning is not so much about saving money as it is about satisfaction. You get what you pay for.

If home canning appeals to you, please allow me to point you toward the rec.food.preserving FAQ where much good information about methods and techniques may be found.

Dry-pack canning using glass jars, on the other hand, may well make a great deal of economic sense. It is

usually far cheaper per pound to purchase dry foods in bulk quantities, but often unsuitable to store it that way. Breaking the food down into smaller units allows for easier handling and exposes a smaller quantity to oxygen and moisture before it can be eaten. Of course, packaging used for doing this can be made of many different materials, but glass is often the easiest and most convenient to acquire and use. Used containers are often free or of little cost. One source of gallon sized glass jars are sandwich shops and restaurants that use pickles, peppers and other sandwich condiments. There are also half-gallon canning jars, though they are sometimes difficult to find. Both Ball and Kerr make these jars and I have a local Ace hardware order mine.

MYLAR BAGS

The word "Mylar" is a trademark of the DuPont corporation for a special type of polyester film. Typically made in thin sheets, it has a high tensile strength and is used in a wide variety of industrial settings.

In food storage, particularly for the long term, it is commonly found as a laminate with Mylar as the top layer, a very thin aluminum foil in the middle and one or more other types of plastic films on the bottom acting as sealant plies. This laminate combination possesses a high resistance to the passage of oxygen, carbon dioxide, nitrogen, other gasses, water vapor, and light which is what makes it valuable for our purposes. Unfortunately, it has a poor puncture resistance so must be used as an interior liner for more puncture resistant containers rather than as a stand-alone package.

Food grade aluminized Mylar complies with US FDA requirements and is safe to be in contact with all food types except alcoholic.

For food use, Mylar is most commonly available as pre-made bags of various sizes. Flat sheets or rolls of the material might also be found from which bags could be fashioned as well.

When Mylar bags are used by the storage food industry they are generally for products sealed in plastic buckets. The reason for doing this is the High Density PolyEthylene (HDPE) from which the pails are made is somewhat porous to gasses. This means that small molecules, such as oxygen (O₂), can slowly pass through the plastic and come into contact with the food inside. The problem is further compounded if oxygen absorbers are used, as the result of their absorbing action is to lower the air pressure

inside the container unless it has first been carefully flushed with an inert gas such as nitrogen. How fast this migration activity will occur is a function of the specific plastic formulation, its wall thickness and the air pressure inside the container. In order to gain the maximum possible shelf life a second gas barrier, the Mylar bag, is used inside the pail.

Whether the use of these bags is necessary for your home packaged storage foods depends on how oxygen sensitive the food item is and how long you want it to stay at its best. If the container is made of a gas impervious material such as metal or glass then a second gas barrier inside is not needed. If it is HDPE or a plastic with similar properties and you want to get the longest possible storage life (say 10+ yrs for grain) then Mylar is a good idea. If you're going to use the grain in four to five years or less then it is not needed. Provided the oxygen has been purged from the container in the first place, either with a proper flushing technique, or by absorption, there will not have been sufficient O₂ infiltration to seriously impact the food. Particularly oxygen sensitive foods such as dry milk powders that are to be kept in plastic containers for more than two years would benefit from the use of Mylar. Naturally, storage temperature and moisture content is going to play a major role as well.

There is also the question of the seal integrity of the outer container. If you are using thin walled plastic buckets in conjunction with oxygen absorbers the resulting drop in air pressure inside the pail may cause the walls to buckle. If this should occur, there would be a risk of losing seal integrity, particularly if the buckets are stacked two or more deep. If the food was packed in Mylar bags with the absorbers inside this would keep the vacuum from seriously stressing the container walls. Better still would be not to have the problem at all by either using containers of sufficient wall thickness or flushing with inert gas before sealing. Heavy wall thickness is one reason why the six gallon Super Pails have become so widespread. It should be noted that Mylar is not strongly resistant to insect penetration and not resistant at all to rodents. If mice chew through your buckets, they'll go right through the bags.

HOW DO I USE MYLAR BAGS?

Sealing food in Mylar bags is a straight-forward affair, but it may take a bit of practice to get it right, so purchase one or two more bags than you think you'll need in case you don't immediately get the hang of it.

#1 - The bags typically sold by storage food dealers look rather large when you compare them to the five or six gallons buckets they are commonly used in. That extra material is necessary though if you are to have enough bag material left over after filling to be able to work with. Unless you are sure of what you are doing, don't trim off any material until after the sealing operation is completed.

#2 - Place the bag inside the outer container and fill with the food product. Resist filling it all the way to the top. You need at least an inch or so below the bucket rim left open to get the lid to seat completely. If you'll be using desiccants and oxygen absorbers together place the desiccant on the bottom of the bag before filling.

#3 - When the pail seems to be full, gently thump it on the floor a few times to pack the product and reduce air pockets. Add any makeup food necessary to bring level back to where it should be.

#4 - Take the bag by the corners and pull out any slack in the material so that all sides can be pulled together evenly. Place your oxygen absorbers inside if you are going to use them. Now place a board over the top of the bucket and fold the bag end down over it keeping it straight and even. Place a piece of thin cotton fabric such as sheet or t-shirt material over the edge of the bag mouth. Using a clothes iron set on the cotton, wool or high setting run it over the cloth-covered Mylar about a half-inch from the edge for about twenty seconds or so until it seals. You'll probably have to do the bag in sections. Temperature settings on irons vary so experimenting on a left-over strip to find the right setting is a good idea.

#5 - When you've done the entire bag allow it to cool then try to pull the mouth of the bag open. If moderate pressure doesn't open it, fold the bag down into the pail until you feel the trapped air pillowing up against the material and wait to see if it deflates. If it stays buoyant, your seal is good. You can seal on the bucket lid at this point or take the further step to vacuum or gas flush the bag.

Once a seal has been obtained the bags can be left as-is, vacuum sealed or gas flushed. To obtain the most efficient oxygen removal the bags can be first drawn down with a vacuum pump and then purged using an inert gas.

Vacuum Sealing Mylar Bags

Once you have obtained a good seal on the bag, pulling a vacuum on the contents is straight forward.

First you'll need something to make a vacuum with. This can be either a regular vacuum pump, a vacuum sealer such as the Tilia Food Saver or even the suction end of your household vacuum cleaner. The end to be inserted into the bag will need to be of fairly small diameter in order to keep the hole in the Mylar from being any larger than necessary. This means that if you use a vacuum cleaner you'll need to fashion some form of reduction fitting. One such that I've seen is a plastic film canister with a hole drilled in the bottom and a piece of plastic tubing epoxied in place.

Cut a hole into the Mylar bag on a corner, making the opening only just large enough to admit the vacuum probe. Insert the nozzle and using a sponge, or something similar, push down on the material over the probe to make a seal. Now draw down a vacuum on the bag. When it's drawn down as much as possible, run a hot iron diagonally across the cut corner resealing the bag.

Gas Flushing Mylar Bags

Flushing with inert gas works essentially like vacuum sealing except that you're putting more gas into the bag rather than taking it out. You'll want to keep the entry hole small, but don't make a seal around it as above. Beyond that, follow the directions as given in *Section III.B.2 - CO₂ and Nitrogen*. When you feel that the bag has been sufficiently flushed, run the iron across the corner as above to seal.

Flushing with dry ice can also be done, but it is important to wait until the frozen carbon dioxide has completely sublimated into gas before making the final seal otherwise the bag will burst like an overfilled balloon.

REUSING OR RECYCLING PACKAGING

In an effort to save money or because new packaging may be hard to come by, it is common for many people

to want to re-use previously used containers. There is nothing wrong with this, but it is sometimes more complicated than using new containers would be. Here are some general rules if you have an interest in doing this.

#1. Do not use containers that have previously contained products other than food. There are two risks this can expose you to. The first is that the particular package type may not have been tested for food use and may allow the transfer of chemicals from the packaging into your food. The second is that all plastics are porous to some degree. Small amounts of the previous contents may have been absorbed by the packaging material only to be released into your food, particularly if it is wet, oily or alcoholic.

#2. Previously used containers should only be used with foods of a similar nature and exposed to similar processes. This means that if a container previously held a material high in fat, such as cooking oil, then it should not be used to store a strong acid such as vinegar. Nor should a container be exposed to extreme conditions, such as heat, if the original use of the package did not subject it to that treatment. An exception to this is glass which is covered below. Generally speaking, dry, non-oily, non-acidic or alkaline, non-alcoholic foods may be safely contained in any food safe container. An example of this is keeping grains and legumes in HDPE buckets formerly containing pickles.

#3. Glass may be used to store any food provided it is in sound condition and has only been used to store food previously. The lid or cap, however, that seals the jar is subject to the cautions given above. Glass jars not specifically made for home canning, either boiling water bath or pressure canning, have a significant risk of breakage if used for that purpose.

#4. Porous packaging materials such as paper, cardboard and Styrofoam should not be reused. Their open texture can trap food particles and are difficult to adequately clean. Packaging formerly holding raw meats, seafoods, or egg products are particularly at risk.

#5. Containers previously holding odorous foods may trap those odors and transfer them to foods

later stored. Pickle flavored milk leaves a lot to be desired. Foods such as dry milk powders, fats and oils, flours and meals will absorb any odors seeping from your container material. Be sure to get the smell out before you fill them.

CARBON DIOXIDE AND NITROGEN

Carbon dioxide (CO₂) and nitrogen (N₂) are commonly used in packaging both fresh and shelf-stable foods, in order to extend their shelf lives. Fresh foods are outside the scope of this work so attention shall be focused on those foods suitable for use in storage programs.

The most common use of these gasses is for excluding oxygen (O₂) from the atmosphere contained inside of a storage container (called head gas). When head gas oxygen levels can be dropped below 2% the amount of undesirable oxidation reactions in stored foods can be greatly decreased resulting in longer shelf lives. Actually achieving this is not a simple matter when limited to the equipment and facilities typically available in the home. Still, with careful technique and proper packaging materials it is possible to achieve useful results.

In order for either gas to be used most effectively it is should be contained inside of packaging with high barrier properties to prevent outward diffusion over time or allowing oxygen to infuse in. Examples of this kind of packaging are aluminized Mylar or other high barrier property plastics, metal cans or glass jars. Buckets made of HDPE plastic are relatively poor gas barriers and will, over time, allow oxygen to infuse into the container. In order for foods to be kept for their maximum shelf lives the containers would need to be re-purged every three to four years. Foods that are particularly oxygen sensitive, such as dry milk powders, should not be stored in HDPE without a secondary gas barrier. It is possible to use HDPE buckets alone when gas purging if a shorter rotation period is used. An example would be using wheat in four to five years instead of the eight to ten that would be achievable if a high barrier container were used.

Purging efficiency can be greatly improved when used with a vacuum device. By first drawing down the head gas of the container and then flooding with the purging gas much more oxygen can be removed. Repeating the process once more will improve removal efficiency even more. If a true vacuum pump is not available, the suction end of a home vacuum-cleaner can be made to serve and still achieve useful results. With careful technique, oxygen levels can be dropped to between 0.5-2%. Finely textured

materials such as grain flours and meals, dry milk powders, dry eggs, and similar textured foods will purge poorly and are better packaged with oxygen absorbers. Instructions for vacuum usage are given in *A.5.1 Using Mylar Bags*. Instructions for gas purging are given below in *B.1 Dry Ice* and *B.2 Compressed Nitrogen*.

A less common, but important use for carbon dioxide is fumigation. This is killing or retarding insect life contained in a product. Many chemical fumigants are available to do this but are not thought desirable by many who have foodstuffs they want to put into storage. CO₂ is not as certain as the more toxic fumigants, but it can be made to work and will not leave potentially harmful residues behind. It is possible for nitrogen to work in a similar manner, but it must be in a head gas concentration of 99%+ whereas carbon dioxide can be effective over time at levels as low as 3%. The precise amount of time necessary for the gas to do its work will vary according to the specific insect species and its growth stage along with the temperature and humidity level of the product being fumigated. In general, the more active the growth stage and the warmer the temperature the more effective CO₂ is in killing weevil infestations. The gas also exhibits bacterial and fungal inhibiting properties, but for our purposes this will be of little moment since all foods should be too dry to support such growth in the first place.

The procedure for fumigating foodstuffs with carbon dioxide is precisely the same as the one used in purging oxygen from storage containers mentioned below. The only change is that for the fastest effectiveness the sealed container should be left in a warm place for a week or so before moving it into its final storage location. The gas is still effective at cooler temperatures, but because insect life is slowed by lower temperatures the carbon dioxide takes longer to complete its mission.

NOTE: Both Mitsubishi Gas-Chemical, maker of the Ageless line of oxygen absorbers, and Multisorb, manufacturer of the FreshPax D 750 absorbers, state the their products should not be used in a high carbon dioxide environment. There are absorbers that will work well in high carbon dioxide atmospheres but they require an external moisture source which would make them difficult to use for our purposes.

DRY ICE

Using dry ice to displace oxygen from food storage containers is straightforward. To get the best results it is recommended that all foodstuffs and packaging materials be put in a warm location for a few hours before beginning the purging process. The reason for this is that the cold CO₂ sublimating from the dry ice will be denser than the warmer, lighter oxygen containing air. The cold gas will tend to stay on the bottom, gradually filling the container and pushing the warm air out the top.

When you first pick up your dry ice from the supplier, put it in a moisture proof container so that air humidity will be less able to condense and freeze on it. The sublimating gas will prevent you from achieving a tight seal, but you can slow down the water ice accumulation.

Gather your containers and any interior packaging materials. Break off a piece of dry ice of sufficient size for the volume to be purged. One pound of dry ice will produce about 8.3 cubic feet of carbon dioxide gas so approximately two ounces per five gallon bucket will do. Wipe off any accumulated water frost which should look whiter than the somewhat bluish frozen gas. Wrap in a paper towel to keep foodstuffs out of direct contact. Place in the bottom of the container that will actually contain the food, i.e. the bag. Fill the package with the food product, shaking and vibrating while doing so to achieve the maximum packing density.

If a vacuum process is not to be used then place the lid on the container, but do not fully seal. If a liner bag is being used then gather the top together or heat seal and cut off a small corner. This is to allow the air being purged to escape as it is pushed upward by the expanding gas from the dry ice. Do not move or shake the container while the ice is sublimating so as to minimize turbulence and mixing. After about two hours feel the bottom of the container immediately below where you put the ice. If it's not still icy cold complete the seal. Check the container every fifteen minutes or so to be sure that a pressure build up is not occurring. A small amount of positive pressure is OK, but do not allow the container to bulge.

If a vacuum process is used then cut off a corner of the bag and insert the probe or place the container in the vacuum chamber. Draw a vacuum and when it has reached the desired point shut it off, but do not allow

air back inside. When the dry ice has finished sublimating seal the container. If a slightly larger piece of dry ice is used this process may be repeated once more to improve oxygen removal. Watch for pressure signs as above.

***NOTE:** It is natural for some grains and legumes to adsorb carbon dioxide when stored in an atmosphere with high levels of the gas. This will result in a drop in head space air pressure much like using oxygen absorbers will cause as they absorb oxygen. Precautions should be taken in thin walled containers against buckling and possible loss of seal integrity. When the food products are removed from the container they will release the adsorbed CO₂ and suffer no harm.*

WARNING: Dry ice is extremely cold (about -110° degrees F) and can cause burns to the skin with prolonged contact. Because of this you should wear gloves whenever handling it. Also, dry ice evaporates into carbon dioxide gas, which is why we want it. CO₂ is not inherently dangerous, we breath it out with every breath we exhale, but you should make sure the area where you are packing your storage containers is adequately ventilated so the escaping gas will not build to a level dangerous enough to asphyxiate you. If you must pack your containers in a coat closet, leave the door open <grin>.

***IMPORTANT NOTE:** Because dry ice is very cold, if there is much moisture (humidity) in the air trapped in the container with your food, it will condense. Try to pack your containers on a day when the relative humidity is low or in an area with low humidity, such as in an air-conditioned house. Use of a desiccant package when using dry ice to purge storage containers may be a good idea.*

DRY ICE SUPPLIERS

Dry ice may be found at ice houses, welding supply shops, some ice cream stores, meat packers or you could look in your local phone book under the headings "ice", "dry ice" or "gasses". If you are still unable to locate a source, contact your local hospital and ask to speak to the laboratory manager. Ask where the hospital gets the dry ice they use to ship biological specimens. You may be able to use the same source.

You may also want to check out *Dry Ice Info.com* (<http://www.dryiceinfo.com>) and click on the directory link to find a dry ice retailer in your area. While you're there check out some of the other uses for dry ice on the site. It's an interesting place.

Copyright © 2003. Alan T. Hagan. All rights reserved

OXYGEN ABSORBERS

WHAT IS AN OXYGEN ABSORBER?

Oxygen absorbers are a relatively recent food storage tool whose arrival has been a real boon to the person wanting to put up oxygen sensitive dry foods at home. The packets absorb free oxygen from the air around them and chemically bind it by oxidizing finely divided iron into iron oxide. This removes oxygen from being available for other purposes such as oxidative rancidity and respiration by insects, fungi or aerobic bacteria. The practical upshot of all this is that by removing the free oxygen from your storage containers, you can extend the storage life of the foods inside. Not all foods are particularly oxygen sensitive but for those that are the absorbers truly simplify getting the job done.

The absorbers themselves have only a relatively short life span, roughly about six months from the time they were manufactured for the types that do not need an external moisture source. They don't suddenly become ineffective all at once, it's just at that point you will begin to notice (if you can measure it) that the absorbers no longer soak up as much as they would when they were new. Better to use them while they're fresh.

HOW ARE OXYGEN ABSORBERS USED?

In order to make the best use of your absorbers you need to know three things:

#1 – *Is the food I want to put by particularly oxygen sensitive for the time I want to keep it in storage?* Whole grains that have not been polished or hulled such as wheat, corn, and rye are not especially oxygen sensitive. If you intend to use them up in five years or so, there's no great advantage to using oxygen absorbers, unless used to deter weevil infestations. The same for most beans and peas. Processed or high fat grains and legumes such as oats, barley, brown rice, soybeans, peanuts and split peas would benefit from their use if they are to be kept for more than a year. Whole grain products such as whole wheat flour and rolled oats would as well. Refined grain products such as white rice, white flour, degerminated cornmeal will keep fine for a year or so, possibly longer, without oxygen absorbers if kept dry and

protected from weevils. Dry milk, dry eggs, dry meats, and many kinds of dehydrated foods and any kind of freeze dried foods would benefit from oxygen absorbers. Foods with an easily transferable fat content should not be used with oxygen absorbers, nor should they be used with foods that are high in moisture or with free liquids in the storage container. These should be preserved using pressure or boiling water bath canning as appropriate.

#2 – *Will the packaging I want to use seal airtight and is the packaging material itself a good gas barrier?* Obviously if the container won't seal airtight you're wasting your time trying to use oxygen absorbers but the barrier properties of a container stump many folks. Canning jars with good lids, properly sealed #10 (or other size) cans, properly sealed Mylar bags, PETE plastics with appropriate lids or caps, military surplus ammo cans with good gaskets, and many other types of packaging will seal airtight and provide good barrier properties against oxygen infusing through the packaging material. Non-laminated flexible plastic packaging (bags, sheets, etc.), HDPE plastic buckets and any kind of non-laminated paper or cardboard container have poor gas barrier properties. "Poor" is a relative term, though, and if you're going to use the food up in two or three years, even oxygen sensitive foods can be kept in unlined HDPE buckets if you use an appropriately sized absorber and make sure the bucket is well sealed. You'll be using the food before sufficient oxygen has been able to infuse through the walls of the container to make a significant impact.

#3 – *What is the volume of the container and how much air volume remains after I've filled it with food?* This is important to know if you want to make the most efficient use of your absorbers and be certain your food is adequately protected. Taking the question in two parts, here is how to determine the answer:

A. Absorber capacity is rated by the amount of oxygen in milliliters that each will absorb so you'll need to know what

the volume of your container is in milliliters. The table below gives conversions between common U.S. container sizes and their milliliter equivalents.

Pint jar	(16 fl oz)	475 milliliters
Quart jar	(32 fl oz)	950 milliliters
Half-gallon jar	(64 fl oz)	1,900 milliliters
#10 can	(112 fl oz)	3,300 milliliters
One gallon jar	(128 fl oz)	3,800 milliliters
Five gallon pail	(640 fl oz)	19,000 milliliters
Six gallon pail	(768 fl oz)	22,800 milliliters
Fifty-five gallon drum	(7,040 fl oz)	208,175 milliliters

Fluid ounces x 29.57 = milliliters = cubic centimeters

Now multiply the volume of your container times the 21% (0.21) of the atmosphere that oxygen constitutes and you'll come up with the volume of oxygen, in milliliters, that your container holds when it's empty.

An example: A quart jar (32 ozs) is approximately 950 milliliters in volume. Multiply 950 x 0.21 (21%) and you get 199.5 milliliters of oxygen in an empty quart jar. This leads to the second half of the above question.

B. Determining remaining air volume in a container that has been filled can be difficult. Foods vary widely in their density and porosity from flour, which will pack tightly to elbow macaroni which is mostly air even if you pack it to just short of crushing. The following are three rough and ready rules that can be used and will work.

i> Foods that have a lot of open space between the food particles (called *interstitial space*) such as macaroni, pasta, instant dry milk, instant potato flakes, many coarsely chunky dehydrated foods, cold cereals, etc. should use *one half* the container volume as the remaining air space. Using the example above with the quart jar, there would be approximately 100 milliliters of oxygen remaining.

ii> Foods that pack more densely such as non-instant milk, dry eggs, flours and meals, grains with small kernels, dehydrated foods with fine particles and the like should use *one-third* the container volume as the remaining air space. Using the example above, there would be 66 milliliters of oxygen remaining.

iii> Alternatively, you could do what many of the commercial storage food packagers do and use the *entire container volume*. This is not as efficient as more closely determining remaining air volume but it does add certainty that your absorbers will soak up all available free oxygen and still leave some capacity to deal with any microscopic leaks or infusion through the packaging material.

NOTES: #1 — Both Multisorb and Mitsubishi corporations advise that their oxygen absorbers should not be used in a high carbon dioxide environment. This is apparently for reasons that the absorbers will also absorb carbon dioxide as well as oxygen and may run out of capacity before all of the oxygen in the container has been absorbed.

#2 — If you do choose to use oxygen absorbers in packing your food give some consideration to the sturdiness of your containers. In doing its job the absorber is going to be removing the 21% of the atmosphere that oxygen constitutes. Since nothing is replacing the absorbed gas this will leave the storage container with a lower atmospheric pressure inside than outside. If the container is sufficiently sturdy this pressure differential will be of little consequence. For

containers with thinner walls the pressure drop could cause them partially collapse or buckle, particularly if other containers are stacked upon them. Should this occur the entire stack could fall causing one or more to burst. Metal cans and glass jars should have no problems, but some plastic buckets made of HDPE have relatively thin walls which can buckle when the internal air pressure drops. To deter this, a liner bag of Mylar or other high gas barrier plastic should used. Heavier walled buckets won't need a liner unless you're trying to achieve the maximum possible shelf life. Seal the absorbers inside of the liner bag so that the pressure drop with not stress the walls of the container. Other containers should probably be tested or first flushed with an inert gas (N₂) before the absorber is sealed in.

#3 — If the pack of absorbers you need to open contains more than you are going to use in fifteen minutes or so, you should minimize exposure of the remaining packets. This can be done by heat sealing the bag they came in with an iron after expelling as much air as possible or better yet by vacuum sealing the bag. You can also put the remaining absorbers in as small a jar or metal can as they will fit in and closing with an air tight lid.

#4 — The chemical reaction that absorbs the oxygen releases minor amounts of heat. This heat release is trivial in an individual packet but if they are piled one atop another as you're using them they can warm each other and speed the absorptive reaction. This costs you capacity lost to open room air so it's best to spread the packets in immediate use out on a tray so they lay atop each other.

#5 — If absorbers are sealed in a package with desiccants some thought should be given to how low the relative humidity will become. Silica gel will reduce humidity to approximately 40% which should not interfere with the absorbers oxidation reaction. Other desiccants, however, are capable of reducing relative humidity to very low levels. This might adversely affect your absorber's ability to carry out its mission by removing moisture from the absorber package that is necessary to sustain the oxidation reaction. If you do use desiccants and oxygen absorbers in the same package, place the desiccant on the bottom, fill the package and then place the oxygen absorber on top of the food before sealing.

MOISTURE IN PACKAGING AND FOOD STORAGE

WHY MOISTURE IS IMPORTANT

Moisture in inappropriate amounts and places is damaging to food. Because of this, much effort is put into reducing the water content of dry foods in order to prolong their shelf lives. Once it is reduced to the desired level the product can then be packaged for storage. Unfortunately, merely reducing moisture content is not always sufficient. Environmental conditions can play a role as well.

There are four mechanisms by which environmental conditions may cause a moisture problem in your food storage:

1. - The air trapped in the container with the food may have held sufficient humidity to raise the moisture content of the food to undesirable levels.
2. - Even if the water vapor content wasn't too high, a falling temperature level may cause the trapped humidity to reach its dew point causing water to be squeezed out of the air to condense on your food much the same way as dew forms on your lawn on cool mornings after a warm, humid night. This can be a particular problem if the condensation is localized – say, only the portion of the food next to the walls of the container – resulting in excessive moisture in that local area even though the contents as a whole would be at a satisfactorily low moisture level.
3. - The seal of the container may not be sufficiently tight enough to prevent moisture laden air from leaking in.
4. - The packaging material itself may be porous to water vapor to one degree or another. All paper, wood and cardboard has this fault. Depending upon their particular physical properties some plastics do as well. Metal and glass containers have excellent barrier properties though their seals may not.

The solution for moisture problems is multi-faceted.

- 1 - Make sure the product to be stored is at an appropriate water content for that particular foodstuff. Beans and grains store well at a 10% moisture level, but milk powders, dried eggs and

dehydrated or freeze dried foods should be lower for best results. As a general rule, nearly any dry food will store well at moisture contents between 3%-10% with the lower the better. Don't get carried away with this though. Extreme low moisture levels (below 3%) can make some foods difficult or impossible to reconstitute and damage the viability of seeds.

Ideally, the dry foodstuffs you have on hand will have no more than a 10% moisture content. If they do not then you will need to reduce moisture to a level appropriate for the kind of food you are storing.

One of the following methods might be of use in lowering moisture content.

A - The least involved is to wait until the driest time of year for your location making sure there is plenty of free air circulation around the food product. If this doesn't suit, then turn your air conditioning on a little high. Bring in your buckets, lids, and the storage food. Let everything sit in a well-ventilated place where it's going to get plenty of cool, dry air from the A/C (avoid anywhere near the kitchen or bathroom areas, as they put out a lot of moisture). Stir the food frequently to maximize moisture loss. A few days of cool, constant air flow and low humidity ought to dry things out. Due to its odor absorptive nature, I would not do this with any dried milk products or other powdered foods, flours or meals. This method works best with coarse particles such as grain, legumes and dried foods.

B - Warm, dry air can also be used to lower moisture content and works well if you have large quantities of grains and legumes. This is similar to what is used on farms for drying harvested grain. You'll need a source of forced, warm, *not hot*, air. Place the grain in a drum or barrel and blow the heat from the bottom so that the warm and the moisture it will carry can exit from the top. It's important to not let the bottom product get too hot. You should also monitor the top, center of the drum

to be certain the product there is not getting damp from the moisture escaping other areas. Stirring occasionally may be necessary. I've seen this done with an old, drum style vacuum cleaner that put off fairly warm exhaust air and it worked pretty well. Do be sure to clean the vacuum thoroughly so you don't blow the grain full of dust.

C - If the above methods won't do or you have powdery foods to dry, you can put the food and a large quantity of desiccant (see below) in a storage container. The desiccant should be in its own container placed on top of the food and the container lid sealed on. After about a week, unseal and check the desiccant. If it's saturated, change it out with dry desiccant and reseal. Continue to do this until the contents are sufficiently dry. If it doesn't become saturated the first time, change it anyway before sealing the bucket permanently to deter saturation in storage.

If your food products are sufficiently dry you can pack them in storage containers using the packaging method of your choice and have a reasonable expectation of your food staying in good condition. Whether you will need to use a desiccant will be dependent upon the conditions discussed below.

2 - Try to package your goods in a dry atmosphere and do not allow extreme temperature swings in storage areas. Warm temperatures and a high relative humidity when a container is sealed means the air trapped inside the container will have a high dew point. This will lead to condensation should storage temperatures fall below that dew point. An example of this would be a container sealed on a day that was 70° F and 40% relative humidity. At that temperature the relative humidity would be quite reasonable for all but the most moisture sensitive food. However, should the temperature fall to 44° F the capacity of the air to hold water vapor would have dropped to the point that it could not contain what was sealed in at 77° F and the excess would be squeezed out to condense on the food, i.e. - it

will grow moister. Possibly the food will be able to adsorb this moisture without harm and then again, it may not.

3 - Use appropriate packaging materials and make certain it is sealed correctly. If you are going to consume them in four to five years, storing grains, beans and peas in unlined HDPE buckets at normal humidities is fine. If you want to keep them at their best for many years beyond that, the plastic the pail is made of is too porous to water vapor for best results and should have an interior liner of a material with better barrier properties. Dry milk powders should not be kept for more than a year in unlined HDPE, but can be kept for much longer in #10 metal cans, glass jars or Mylar bags. Naturally, even the most highly resistant packaging material is useless if its seal isn't good so be sure you use good technique when making closures.

Lastly, you may wish to consider using a desiccant if good humidity control at the time of packing is difficult or if the storage area is in a high humidity environment or if the packaging material does not have sufficiently high barrier properties.

NOTE: There has been some confusion in the past over the appropriate use of desiccants in food storage which I would like to address here. Any desiccants you may seal in your storage containers (if you use them) are not for lowering the moisture content of the foods therein, but for moderating any shifts in moisture levels caused by those factors I mention above. If the food you want to put up is too high in moisture for good storage this needs to be dealt with BEFORE you seal the packaging. An example of what I'm trying to communicate here would be 10lbs of wheat with a 15% moisture content. That's too high for safe storage and needs to be lowered, preferably to 10% or less. To lower the moisture content of that grain to 10% you need to remove the 5% excess. 5% of 10lbs is eight ounces of water. Good dry silica gel (one of the most common desiccants) will hold 40% of its mass in moisture so to soak up that extra water you would need 20 ounces of silica gel -- quite a large amount -- all to remove that 5% excess moisture in ten pounds of grain. Fifty pounds of grain at that same moisture level would require 100 ounces or *six and a quarter pounds of silica gel*. Clearly no practical amount of desiccant you can

put inside your storage packaging will do for you what should have been done before the food was put by. Desiccants can be used for lowering food moisture content, but this will involve rotating packages of desiccant in and out of the foodstuff until the desired moisture content has been reached. Once the package is sealed any desiccant you leave inside should be there to control moisture fluctuations or to guard against moisture infiltration from the outside.

WHAT IS A DESICCANT?

A desiccant is a substance with strong *hygroscopic* properties, meaning it will soak up water vapor from the surrounding air. A number of different substances are capable of doing this, but only a relative few of them are of practical use and fewer still are going to be readily available to the average person. Before elaborating on the different types that might be useful for our purposes it's necessary to explain how to choose a desiccant.

The U.S. military has done much of the best research on the use of desiccants in packaging and have largely set the standards by which they are judged. Each type of desiccant has temperature and humidity ranges where it performs best and particular physical and chemical characteristics that may need to be considered in relation to what you propose to do with them.

The most applicable standard for home food storage defines a unit of desiccant as *the amount of desiccant that will adsorb at least 6 grams of water vapor at 40% relative humidity at 77° F (25° C).*

Desiccant Needed to Adsorb 6 Grams of Water Vapor

Desiccant Type	Mass (weight)	of Desiccant Needed
Silica Gel	15 grams	
Indicating Silica Gel	75 grams ¹	
Montmorillonite Clay	24 grams	
Calcium Oxide (quicklime)	21.5 grams	
Calcium Sulfate (gypsum, Drierite)	60 grams	
Wood	43 grams ¹	

¹See desiccant descriptions for clarification.

In order to maximize surface area to obtain optimal adsorption, desiccants are manufactured in granular or powder forms. This presents a problem of keeping the

desiccant, which may not be safe for direct contact with food, out of the product while still allowing sufficient air flow for it to carry out its task. Manufacturers call this “dusting” and deal with it by packaging the adsorbent in materials such as uncoated Tyvek, a spunbonded high-density polyethylene material produced by the Dupont corporation. Unfortunately, I have not yet been able to locate a retail source of uncoated Tyvek, just the coated variety such as is used in postal envelopes. Second best, and what I use, is two or more layers of coffee filter paper securely sealed over the mouth of the container holding the desiccant. I’ve also made “cartridges” of filter paper for use in narrow necked containers such as two-liter bottles. For this I used ordinary white glue. Getting a good seal all the way around requires some care in execution. Brown Kraft (butcher paper) may be used as well.

For coarse granular materials tightly woven fabrics might serve the purpose providing the seams are tightly stitched.

TYPES OF DESICCANTS

SILICA GEL

The most commonly known and used desiccant is silica gel which is a form of silica dioxide (SiO_2), a naturally occurring mineral. It will work from below freezing to past the boiling point of water, but performs best at room temperatures (70-90° F) and high humidity (60-90%). Its performance begins to drop off over 100° F, but will continue to work until approximately 220° F. It will lower the relative humidity in a container to around 40% at any temperature in its range until it is saturated. Silica gel will absorb up to 40% of its weight in moisture. Some forms are approved by the FDA for direct food use (check with your supplier to be sure). It recharges easily (see below in the indicating silica gel text) and does not swell in size as it adsorbs moisture.

INDICATING SILICA GEL

In the retail trade, the most common form of silica gel is indicating silica gel composed of small white crystals looking much like granulated sugar with pink or blue colored crystals scattered throughout. This is ordinary silica gel with the colored specks being coated with cobalt chloride, a heavy metal salt. When the gel has absorbed approximately eight percent of its weight in water the colored crystals will turn from blue to pink making an easy visual indicator of whether the gel has become saturated with moisture. *Because cobalt is a heavy metal, indicating silica gel is not food safe and should be kept from spilling into anything edible.*

The indicating silica gel will still adsorb up to 40% of its weight in water vapor like the non-indicating type will but once it has gone past the 8% level and the crystals have turned pink there is no way to tell how close it is to saturation. This isn't necessarily a problem, you'll just have to treat like the other non-indicating desiccants and either weigh it to determine adsorption or use a *humidity indicator card*. These cards are made to show various humidity ranges and can be had from many desiccant and packaging suppliers.

When saturated, both varieties of silica gel can be dried out and used again. This is done by heating the crystals in an oven at a temperature of no more than 300° F (149° C) for approximately three hours or until the crystals turn blue. Dehydrating the desiccant may also be accomplished by heating in a microwave oven. Using a 900 watt oven heat the crystals for three minute intervals until the color change occurs. The exact amount of time necessary will depend upon the oven wattage. Spreading the desiccant in a broad pan in a shallow layer will speed the process. Heating to 325° F (149° C) or more, or using a microwave oven over 900 watts can damage the gel and render it unable to adsorb moisture.

If your desiccant is packaged in Tyvek, do not heat above 250° F (121° C) or you could damage the material. This leaves a fairly narrow temperature window since silica gel will not begin to desorb moisture below 220° F (104° C). It's a good idea to use a reliable oven thermometer to check your oven temperature as the thermostats in home ovens are often off by more than twenty five degrees. Start with the packets in a cold oven and raise the temperature to 245° F (118° C), keeping it there for twenty four hours. Spread the packets so they are not touching and keep them at least 16 inches from any heating elements or flames so that radiant heat does not damage the packaging. Tyvek should not be microwaved.

HOW DO I USE DESICCANTS?

Before you get to this point you should have already used the charts above and determined how much of the particular desiccant you're interested in you need for the size of the storage containers you'll be using. Once you know that you're ready to put them it into use.

Although they perform different functions, desiccants

and oxygen absorbers are used in a similar fashion. They both begin to adsorb their respective targets as soon as they are exposed to them so you want to only keep out in the open air as much desiccant as you are going to use up in fifteen minutes or so. If you'll be using oxygen absorbers in the same package, place the desiccant on the bottom of the package and the oxygen absorber on the top. This is to keep the desiccants from robbing needed moisture from your oxygen absorbers which will hinder their operation.

If your desiccant is pre-packaged, that's all there is to it, put it in the package and seal it up. If you have purchased bulk desiccant you'll first need to make your own containers.

I use indicating silica gel for practically everything. My usual procedure is to save or scrounge clear plastic pill bottles, such as aspirin bottles or small plastic jars. Fill the bottle with the desiccant (remember to dry the gel first) and then use a double thickness of coffee filter paper carefully and securely tied around the neck of the bottle to keep any from leaking out (remember the indicating type of silica gel is not food safe). The paper is permeable to moisture, but it's tight enough not to let the crystals out. I use several winds of plain cotton string for this as both adhesive tapes and rubber bands have a way of going bad over time which might allow the cap to come off spilling the desiccant into the food.

For containers that have openings too narrow to use a desiccant container such as described above you can make desiccant packets with the same filter paper. The easiest way I've found is to wrap at least a double layer of paper around the barrel of a marker pen and use a thin bead of white glue to seal. Slide the packet off the pen and allow to dry. When ready, fill with the necessary amount of desiccant. You can then fold the top over twice and tie with string or staple closed. Take care that the top is closed securely enough not to allow any desiccant to leak out. Virgin (not recycled) brown Kraft paper can be used to make the packets with as well.

The above method will also work other desiccants, subject to whatever precautions the individual type may have.

IMPORTANT NOTE: *The indicating form of silica gel (has small blue or pink specks in it) is not edible*

so you want to use care when putting together your desiccant package to insure that it does not spill into your food.

WHERE DO I FIND DESICCANTS?

I buy indicating silica gel at Wal-Mart in their dry flower section where it is sold in one and five pound cans for flower drying. I've seen it sold the same way in crafts stores and other department type stores that carry flower-arranging supplies. You can also buy it from many other businesses already prepackaged in one form or another to be used as an adsorbent. All of the desiccant that I've found packaged this way has been rather expensive (to me) so shop carefully. There are a number of Internet sources available which will probably provide your best route for finding what you want.

Businesses carrying packaging supplies sometimes also sell desiccants. Some businesses commonly receive packets or bags of desiccants packaged along with the products they receive. I've seen montmorillonite clay in bags as large as a pound shipped with pianos coming in from Japan. Small packets of silica gel seem to be packed in nearly everything. Naturally, any salvaged or recycled desiccant should be of a type appropriate for use with the product you want to package.

It is possible to make your own desiccants using gypsum from drywall and maybe Plaster of Paris. Calcium oxide can also be produced from limestone (calcium carbonate) or slaked or pickling lime (calcium hydroxide) by roasting to drive off the adsorbed water and carbon dioxide. I don't have any clear instructions, as of yet, on how to go about this. Please do keep in mind that calcium oxide (quicklime) is caustic in nature and is hazardous if handled incorrectly.

DIATOMACEOUS EARTH

WHAT IS DIATOMACEOUS EARTH?

Diatomaceous earth is a naturally occurring substance partially comprised of the fossilized remains of diatoms. Diatoms are microscopic sized hard shelled creatures found in both marine and fresh waters. The diatom shells are covered in sharp spines that make them dangerous to exoskeletal insects, but not to animals with internal skeletons. The spines of the diatom skeletons pierce the soft body tissues of insects between their hard exoskeletal plates and it is through these numerous microscopic wounds that the insect loses bodily moisture to the point of desiccating and dying. Creatures with internal skeletons

such as humans, cattle and pets have means of resisting such damage and are not harmed. Thus, it is possible to mix a small amount of DE into your stored grains and beans to deter insect infestations without having to remove the dust again before you consume them. *Diatomaceous earth works in a purely physical, not chemical, manner thus has no chemical toxicity.*

As neat as this sounds, in the limited number of controlled studies that I have been able to find it seems that DE is not as effective in controlling food storage insects as properly used freezing techniques, fumigation with carbon dioxide (dry ice) or sealing in air-tight containers with oxygen absorbers. This is primarily for reasons that most of the insects that cause a problem in grain storage are hard-shelled weevils which have only a limited amount of soft tissue exposure. I now mostly use DE for controlling ants and roaches in areas where I feed my animals and bedding areas. Still, some folks want to use DE in their food storage so the following information is provided.

WHERE DO I FIND D.E. AND WHAT TYPE SHOULD I BUY?

IMPORTANT NOTE: There are two kinds of diatomaceous earth to be found on the market and only one of them is suitable for use as an insecticide in your stored grains. *The type you DO NOT WANT FOR FOOD USE is sold by swimming pool suppliers as a filtering agent.* DE to be used for filtering has been subjected to a heat treatment that dramatically increases it's crystalline silicate content which makes it unsuitable for use with your foodstuffs. *The diatomaceous earth that is needed for use in food storage has not been heat treated and has a crystalline silica content of no more than 1-1.5%.* It is commonly sold in hardware and garden stores as an "organic pesticide" and is available from a number of storage food dealers. A few of these suppliers are listed in the *Resources* section.

I have always purchased my DE from my local hardware store and have had no concerns about its safety. However, a number of correspondents have reported to me that their local suppliers keep their DE in the same area as their chemical pesticides. This causes some concern about possible contamination and I no longer recommend using DE from these sources. Since the actual amount of DE (by weight) that is necessary to protect grains is fairly small I recommend ordering yours from suppliers who will guarantee their product is *food grade* as stipulated

by the US FDA. This will insure you receive a product that has no deleterious contaminants and is safe to use.

HOW DO I USE D.E. IN FOOD STORAGE?

To use, you should mix thoroughly one cup (8 fl ozs) of DE to every forty pounds of grain, grain products or legumes. This works out to approximately one cup of DE to every five gallon bucket of food you want to treat. You need to make certain that every kernel is coated so it is better to do the mixing in small batches where you can insure more even coating. Both the grain and the DE should be quite dry when doing the mixing otherwise you'll get an uneven distribution.

WARNING: DE is a powdery dust which you need to take steps to keep out of your lungs and eyes. A paint or hardware store filter mask and a pair of goggles will do the job. It's a good idea to do the actual mixing outside in a slight breeze otherwise you'll get DE all over everything. Even whole wheat flour dust can cause lung irritation if you breathe in a sufficient amount.

Being inactive and usually covered in a hard shell, DE works poorly on insect eggs or pupae. It has more effectiveness on larvae and adult insects with a fair amount of soft tissue exposure.

Copyright © 2003. Alan T. Hagan. All rights reserved

SPOILAGE

INSECT INFESTATIONS

PESTS OF STORED GRAINS, LEGUMES AND DRY FOODSTUFFS

Insect infestations can occur in a wide variety of foodstuffs such as flours, meals, pastas, dried fruits or vegetables, nuts, sweets, whole grains, beans, sugars, TVP, jerky, bird seed and pet foods.

Naturally, the best way to deal with an insect infestation is not to have one in the first place. Try to purchase your goods from suppliers who are clean and who turn over their inventory quickly so the products you purchase will be less likely to have bugs.

When you buy foodstuffs examine them closely to be sure they are insect free. Check for any packaging or use by dates to insure their freshness. Don't shake the package, most adult insects will be found in the top couple of inches of the product and shaking the package will mix them into the contents disguising their appearance. If the package does turn out to be infested, return it for replacement.

If not already packaged for storage when you buy them transfer your foods into air- and moisture-tight containers so they cannot be invaded after you have brought them home. With sufficient time, some adult and larval insect forms can penetrate paper, cardboard and thin plastic packaging. Storage containers should be glass, metal, or heavy plastic with tight fitting lids. As with everything in food storage, you should use older packages before newer ones and opened packages before unopened ones.

Storage areas should be kept clean. Don't allow grain, flour, beans, bits of pasta or other food particles to accumulate on shelves or floors. Cracks and crevices should be sealed or otherwise blocked. Except for sticky spills, vacuuming is the best method of cleaning as soap and water can wash food particles into cracks.

Insects may also get their start in chairs, sofas and carpets where food is dropped and not cleaned up. Don't forget to replace the filter bag on the vacuum as some insects can survive and reproduce in the bag.

Bags of dry pet food and bird seed can harbor insect infestation. Decorative foodstuffs such as ears of colorful

Indian corn, colored beans and hard squashes can carry insects that may infest your edible food. Even poison baits can harbor flour beetles.

CONTROL OF INSECT INFESTATIONS

Should you find that in spite of buying fresh products and using careful packaging techniques you have an insect infestation, you can try some of the following steps:

1. If the food is too heavily infested to try to save it should be disposed of as soon as possible. Remove from the kitchen or food storage area immediately so as to not infest other foods.
2. Large bugs can be sifted or winnowed out if the food's not too heavily infested and you want to try to save it. Then treat by placing into a deep freezer at 0° F (-18° C) for three to seven days depending upon the size of the package. Refrigerator freezers usually do not freeze low enough to effectively kill all of the life stages of insects, but if left there, will slow their development. If freezing is not workable then the product could be spread on baking sheets and heated to 150° F for fifteen to twenty minutes, cooled and repackaged. This will shorten shelf life so heat treated foods should be consumed shortly thereafter.
3. The surface areas where the food containers are stored can be treated with an insecticide. This is not a replacement for clean storage habits and good containers, but is rather a supplement. This will not control insect infestations already in your stored foods.

Spray the shelf surface with 0.5% chlorpyrifos (Dursban), 1% propoxur (Baygon), 0.5 percent diazinon, or 0.25 percent resmethrin. You can find any of these in the hardware store in ready to apply packages. If a sprayer isn't feasible

then they can be applied with a paint brush.

Allow the solution to dry thoroughly. Cover the shelves with clean, untreated shelf paper then put properly packaged foods back on shelves. READ THE PRODUCT LABEL FOR SAFETY INFORMATION CONCERNING CHILDREN AND PETS.

Household bleach, Lysol and other sterilizers will not control insect infestation, though they can be used for mold, mildew and algae.

You may continue to find some insects after the cleanup is finished. This could be for several reasons. It may be they escaped from the packages they were infesting and did not get cleaned up. There may be more packages infested than were originally found or, there may be hiding places in the storage area that need attention. Once you have carefully eliminated all food sources, the bugs should disappear in a few weeks.

MOLDS IN FOOD

Molds are fungi like mushrooms and yeast. Also like mushrooms, they reproduce by releasing spores into the air that land on everything, including your food and food storage containers. If those spores begin to grow, they create thin threads that spread through their growing medium. These threads are the roots of the mold fungus, called *mycelium*. The stalk of a mold fungus is the portion above or on the surface of the food. It produces the spores and gives the mold its color. We've all seen examples of this when we discover a dish of something or other left too long in the refrigerator only to become covered in a mold fuzz.

Molds can grow anywhere they have a growing medium (their food), sufficient moisture and warmth. Some can even grow at refrigerator temperatures, albeit more slowly than they would if it were warmer. These fungi can also withstand more salt and sugar than bacteria, which is why you sometimes find mold in jellies and jams with their high sugar content and on dry cured products like ham or bacon with their high salt content.

In the past, a slight amount of mold was commonly felt to be harmless and the food consumed anyway. For molds that were intentionally introduced, such as the mold in bleu cheese, this is fine. For the unintentional molds, it could possibly be a serious error in judgment. These unwanted molds could be

producing toxic substances called *mycotoxins* which can be very bad indeed. Mycotoxins are produced around the root or mycelium of molds and these mold roots can penetrate deeply into the food. Mycotoxins can survive for a long time and most are not destroyed by cooking. The molds probably best known for this dangerous spoilage are the various *Aspergillus* species which produces a mycotoxin known as *aflatoxin*, but there are other dangerous fungi as well, such as the *Fusarium* molds. Both of the above affect grains and some legumes. See B.3 Molds In Grains and Legumes.

IMPORTANT NOTE: In wet pack foods such as your home canned goodies, molds can do something else as well, possibly with lethal consequences. If they find their way into wet pack acid foods canned by the boiling water bath method, whether by reasons of improper procedure or contamination after the fact, they can consume the natural acids present in the food. The effect of this is to raise the pH of the food in the container, perhaps to the point that it becomes possible for spores of *Clostridium botulinum*, better known as *botulism*, to become active and reproduce. For this reason, moldy wet pack foods should be *safely* discarded. This most deadly kind of food poisoning has an entry of its own in the bacterial spoilage section.

Molds in low acid foods canned by the pressure canning method are equally dangerous and should also be discarded in a safe manner.

MINIMIZING MOLDS

You can do a number of things to minimize unwanted mold growth in your kitchen, food storage areas and refrigerators. If your kitchen is at all like mine, it is the refrigerator that is going to collect the most fungal growth. This can be dealt with by washing the inside every couple of months with a tablespoon of baking soda dissolved in a quart of warm water. Rinse clean and allow to dry. The black mildew that grows on the rubber door gaskets and other places can be dealt with by wiping down with a solution of three tablespoons of household bleach in a quart of water. I generally use a soft bristle brush for this. A really bad case will not bleach back to a white color, at least it won't for me, but will instead turn pink or red after the bleach has carried out its disinfection mission.

The rest of the kitchen can be kept mold free by keeping the area clean, dry, and spraying occasionally with a product such as Lysol. Patches of mold can be eliminated with the bleach solution used on the refrigerator doors.

Try not to purchase more fresh food than you'll be able to eat in a short period of time. This will keep you from having to deal with the moldy remains that didn't get eaten. If food does go moldy, don't sniff it. This is a good way to give yourself respiratory difficulties if you are at all susceptible to mold allergies. Moldy food should be disposed in such a manner that your animals and children won't be able to get into it. Mycotoxins are every bit as bad for your animals as they are for you.

Obviously, you don't have to throw out everything that shows a spot of mold on it. Some foods can be safely dealt with and still partially saved if they show signs of fungal growth. Below is a set of guideline from M. Susan Brewer, Ph.D., R.D., a specialist in food safety. Her articles and works are found in many state university extension services publications lists.

If the food shows even a tiny mold spot, follow these guidelines:

1. Hard or firm foods with tiny mold spots can be trimmed; cut away the area around the mold (at least an inch) and rewrap in clean wrap. Make sure that knife does not touch the mold.

TRIM:

Hard Cheese (Cheddar, Swiss, etc.)
Bell Peppers, Carrots, Cabbage
Broccoli, Cauliflower, Brussels Sprouts

Garlic, Onions
Potatoes, Turnips
Zucchini
Apples, Pears

2. Soft foods such as cheese slices, cream cheese, sour cream and yogurt should be thrown away.

TOSS:

Soft Cheeses, (Mozzarella, Brie, etc.)
Sour Cream, Yogurt, Cottage cheese
Bacon, Hot dogs, Sliced lunch meats

Meat pies
Opened canned ham
Most left-over food
Bread, Cakes, rolls, flour, pastry
Peanut butter
Juices, berries
Jam, Jellies, Syrups

Cucumbers, Tomatoes
Spinach, Lettuce, other leafy
vegetables
Bananas, Peaches, Melons
Corn-on-the-cob
Stored nuts, whole grains, rice

MOLDS IN CANNED GOODS

If good equipment and proper technique are used, it is unlikely you will ever have mold growth in your unopened canned goods. If you do have such, there was either a flaw in the procedure used, or something affected the jar or can after the fact to break its seal. In any event, once the food has molded, it is past saving and should be discarded in such a way that children and animals will not be able to get into it. The most likely home canned products to show mold growth are jams and jellies sealed with paraffin wax.

There are a number of points in the canning process where this can occur:

- (1) In the time after the jar is taken out of its boiling water bath, but before it is filled.
- (2) In the time between when the jar is filled and covered with the melted wax.
- (3) When the wax cools, if it pulls away from the side of the jar, leaving an opening for the mold to get in.
- (4) If bubbles form in the paraffin, which break and leave holes.

For these reasons most canning authorities no longer recommend using this technique. If you must do so, the jars should be boiled for at least 10 minutes before the jelly is poured. The filled and wax capped jars should then be covered with some sort of protective lid. The book, *Putting Food By* has excellent instructions on this or see the applicable section of the *rec.food.preserv.faq*.

MOLDS IN GRAINS AND LEGUMES

It has long been known that eating moldy grain is bad for your health with the ugly consequences of eating ergot-infected rye being a well known example. It has only been about thirty years, though, that intensive study has been carried out on other species of grain fungi and their respective mycotoxins. Fortunately, for

those of us in the U.S., the USDA and the various state departments of agriculture go to a great deal of trouble to detect grain and legumes infected with these toxic fungi. In some of the less developed countries, the citizenry are not so lucky. It is good to have something of an understanding of what one should do to prevent mold growth in ones stored grains and to have an idea of what to look for and ask about when purchasing grains and legumes.

The one fungal group that has caused the most commotion in recent history are the various *Aspergillus* species of molds. Under certain conditions with certain grains, legumes, and to a lesser extent, nuts, they can produce a mycotoxin called *aflatoxin*. This is a serious problem in some parts of the world, most especially in peanuts, occasionally in corn. I am not aware of any documented deaths in the United States from aflatoxicity, but other nations have not been so fortunate. What makes aflatoxin worrisome in this country is that it is also a potent carcinogen (cancer causing agent).

In addition to the *Aspergillus* molds, there is also a large family of molds known as *Fusarium* which can produce mycotoxins of their own, none of which do you want to be eating directly or feeding to your food animals where you will get the toxins back indirectly when the animal is slaughtered and eaten.

The Federal and state governments continuously monitor food and forage crops entering the marketplace. Those products found to be contaminated with mold or mycotoxins are not allowed to be sold for food. Once purchased however, the responsibility is yours to keep your food safe from mold growth. If you have already found mold growth in your whole grains, meals, flours or other grain products, they should be discarded. Most mycotoxins are not broken down or destroyed by cooking temperatures and there is no safe way to salvage grain that has molded.

PREVENTING MOLD GROWTH IN STORED GRAINS AND LEGUMES

The easiest method to prevent mold growth in your stored grains and legumes is to keep them too dry for mold to grow. The *Aspergillus* and *Fusarium* molds require moisture contents of 18% and above to reproduce. This is subject to some variability, but in all grains and soybeans, they must have a moisture

content of that level. If you are storing raw (not roasted) peanuts, in the shell or shelled, you want to get the moisture content to less than 8% as peanuts are particularly susceptible to mold growth. The recommended moisture content for all other grain and legume storage is no more than 10%. Please see part Grains and Legumes for a method to determine moisture content. At 10% moisture, there is simply too little water for fungi to grow.

BACTERIAL SPOILAGE

Like the fungi, bacteria are everywhere, in the water, soil, air, on you, your food and your food storage containers. Fortunately, the vast majority of the bacteria we encounter are relatively harmless or even benign and only a few represent a danger to us and our stored foods.

Bacteria can be much more difficult to kill than molds and insects. Some are capable of continued growth at temperatures that would kill other spoilage organisms. When conditions are such that they are unable to grow, some bacteria can go dormant and form spores. These spores can be quite hardy, even to the point of surviving boiling water temperatures.

In order to grow, bacteria must have water, some species needing as little as a 20% moisture. For properly packaged dry grains, legumes, powdered milk and other low moisture foodstuffs bacterial spoilage will never be a problem as their moisture levels should be too scant to support growth.

WARNING: It is in wet pack canned goods (where the container has free liquid in it) and fresh foods we must be the most concerned about spoilage bacteria. It is here that a little bad luck and a moment's inattention to what you are doing could kill or seriously injure you or some other person who eats the foods you've put by. In both home-canned and commercially-canned goods, IF THE CAN IS BULGING, LEAKING, SMELLS BAD, OR SPEWS LIQUID WHEN YOU OPEN IT THEN THROW IT OUT! But, throw it out safely so that children and animals cannot get into it.

BOTULISM

Clostridium botulinum is one of the oldest life forms on this planet dating from a time before the Earth had an abundant oxygen atmosphere. Like the gangrene bacteria, it is an anaerobic organism meaning it lives and grows only in the absence of free oxygen. When conditions are not suitable for growth the bacteria can form durable seed